School of Medicine Sustainable Development Goals Publications 2021-21

Title	Sustainable Development Goals	DOIs (Digital Object Identifiers)
Grandmothers' care practices in areas of high deprivation of Scotland	SDG 1 - Poverty	https://doi.org/10.1093/heapro/daab104
Household income, fetal size and birth weight Rising Rates And Widening Socio-economic Disparities In Diabetic Ketoacidosis In Type 1	SDG 1 - Poverty	https://doi.org/10.1136/jech-2021-218112
Diabetes In Scotland	SDG 1 - Poverty	https://doi.org/10.2337/dc21-0689
"It's going to be hard you know " Teachers' perceived role in widening access to medicine	SDG 10 - Reduced Inequalities	https://doi.org/10.1007/s10459-020-09984-9
A qualitative study of organisational resilience in care homes in Scotland	SDG 10 - Reduced Inequalities	https://doi.org/10.1371/journal.pone.0279376
Acute infections in people who inject drugs	SDG 10 - Reduced Inequalities	https://doi.org/10.1136/bmj-2022-072635
Anti-Racism in Higher Education Associations of negative affective biases and depressive symptoms in a community-based	SDG 10 - Reduced Inequalities	
sample Buddy Pairs': A novel pilot scheme crafting knowledge exchange between biomedical	SDG 10 - Reduced Inequalities	https://doi.org/10.1017/S0033291722002720
dementia researchers and people affected by dementia–Innovative practice	SDG 10 - Reduced Inequalities	https://doi.org/10.1177/1471301219885543
Challenges for drug checking services in Scotland Characteristics of non-fatal overdoses and associated risk factors in patients attending a	SDG 10 - Reduced Inequalities	https://doi.org/10.1186/s12954-022-00686-6
specialist community-based substance misuse service	SDG 10 - Reduced Inequalities	https://doi.org/10.1177/20494637221095447
Chronic heroin use disorder and the brain	SDG 10 - Reduced Inequalities	https://doi.org/10.1016/j.pnpbp.2020.110148
Compulsivity and Impulsivity in Opioid Dependence Corrigendum to 'Population-level estimates of hepatitis C reinfection post scale-up of	SDG 10 - Reduced Inequalities	https://doi.org/10.1016/j.drugalcdep.2021.109018
direct-acting antivirals among people who inject drugs' [J Hepatol 76 (2022) 549-557]	SDG 10 - Reduced Inequalities	https://doi.org/10.1016/j.jhep.2022.04.013
COVID-19 and disparities affecting ethnic minorities Drug network identification predicts injecting risk behavior among people who inject drugs	SDG 10 - Reduced Inequalities	https://doi.org/10.1016/S0140-6736(21)00949-1
on hepatitis C virus treatment in Tayside, Scotland Duration of External Neck Stabilisation (DENS) following odontoid fracture in older or frail	SDG 10 - Reduced Inequalities	https://doi.org/10.1080/08964289.2022.2142501
adults	SDG 10 - Reduced Inequalities	https://doi.org/10.1136/bmjopen-2021-057753
Effect of Perindopril or Leucine on physical performance in older people with sarcopenia	SDG 10 - Reduced Inequalities	https://doi.org/10.1002/jcsm.12934

Future destinations and social inclusion scoping review	SDG 10 - Reduced Inequalities	https://doi.org/10.1186/s13011-022-00475-1
Health conditions in adults with HIV compared with the general population Hepatitis C reinfection by treatment pathway among people who inject drugs in Tayside,	SDG 10 - Reduced Inequalities	https://doi.org/10.1016/j.eclinm.2022.101392
Scotland	SDG 10 - Reduced Inequalities	https://doi.org/10.1111/jvh.13614
Household and area determinants of emergency department attendance and hospitalisation in people with multimorbidity	SDG 10 - Reduced Inequalities	https://doi.org/10.1136/bmjopen-2022-063441
How do we collect good-quality data on race and ethnicity and address the trust gap? How long and how much? Wait times and costs for initial private child mental health	SDG 10 - Reduced Inequalities	https://doi.org/10.1016/S0140-6736(22)02490-4
appointments	SDG 10 - Reduced Inequalities	https://doi.org/10.1111/jpc.15253
How to effectively monitor aging patients with chronic hepatitis B Identifying the Hidden Population: Former Intravenous Drug Users Who Are No Longer in	SDG 10 - Reduced Inequalities	https://doi.org/10.2147/CIA.S366255
Contact with Services. "Ask a Friend"	SDG 10 - Reduced Inequalities	https://doi.org/10.3390/diagnostics11020170
Improving access to primary care	SDG 10 - Reduced Inequalities	https://doi.org/10.1136/bmjoq-2020-001279
Improving effective contraception uptake through provision of bridging contraception within community pharmacies	SDG 10 - Reduced Inequalities	https://doi.org/10.1136/bmjopen-2021-057348
iPlacenta- Annual Ethical Report	SDG 10 - Reduced Inequalities	
Joint patient and clinician priority setting to identify 10 key research questions regarding the long-term sequelae of COVID-19 Leucine and perindopril to improve physical performance in people over 70 years with	SDG 10 - Reduced Inequalities	https://doi.org/10.1136/thoraxjnl-2021-218582
sarcopenia	SDG 10 - Reduced Inequalities	https://doi.org/10.3310/LLBX6901
Neurobiological Complications of Alcohol and Substance Misuse	SDG 10 - Reduced Inequalities	https://doi.org/10.1007/978-3-030-36391-8_80
Novel approaches to needle tracking and visualisation	SDG 10 - Reduced Inequalities	https://doi.org/10.1111/anae.15232
Opening up the black box of a Gateway to Medicine programme	SDG 10 - Reduced Inequalities	https://doi.org/10.1136/bmjopen-2021-049993
Opioid dependence disorder and comorbid chronic pain	SDG 10 - Reduced Inequalities	https://doi.org/10.1177/20494637211026339
Population-level estimates of hepatitis C reinfection post scale-up of direct-acting antiviral among people who inject drugs	s SDG 10 - Reduced Inequalities	https://doi.org/10.1016/j.jhep.2021.09.038
Postoperative delirium in older patients with cancer	SDG 10 - Reduced Inequalities	https://doi.org/10.1097/SPC.0000000000000588

Protracted Abstinence in Males with an Opioid Use Disorder	SDG 10 - Reduced Inequalities	https://doi.org/10.1038/s41398-022-01813-4
Public perceptions of harm for nine popular gambling products Qualitative study of candidacy and access to secondary mental health services during the	SDG 10 - Reduced Inequalities	https://doi.org/10.1007/s10899-021-10014-5
COVID-19 pandemic Rates, causes and predictors of all-cause and avoidable mortality in 163 686 children and	SDG 10 - Reduced Inequalities	https://doi.org/10.1016/j.socscimed.2022.114711
young people with and without intellectual disabilities Reaching people receiving opioid agonist therapy at community pharmacies with hepatitis	SDG 10 - Reduced Inequalities	https://doi.org/10.1136/bmjopen-2022-061636
C virus Real world outcomes of rapid regional hepatitis c virus treatment scale@p among people	SDG 10 - Reduced Inequalities	https://doi.org/10.1111/apt.16953
who inject drugs in Tayside, Scotland inject drugs associated with scale-up of direct-acting anti-viral therapy in community drug	SDG 10 - Reduced Inequalities	https://doi.org/10.1111/apt.16728
services Reservoir Pressure Integral Is Independently Associated With the Reduction in Renal	SDG 10 - Reduced Inequalities	https://doi.org/10.1111/add.15459
Function in Older Adults	SDG 10 - Reduced Inequalities	https://doi.org/10.1161/HYPERTENSIONAHA.122.19483
The burden of psychotropic and anticholinergic medicines use in care homes Understanding patient barriers and facilitators to uptake of lung screening using low dose	SDG 10 - Reduced Inequalities	https://doi.org/10.1093/ageing/afaa122
computed tomography	SDG 10 - Reduced Inequalities	https://doi.org/10.1186/s12931-022-02255-8
Unmet needs in pneumonia research	SDG 10 - Reduced Inequalities	https://doi.org/10.1186/s12931-022-02117-3
Using Data to Improve the Management of Diabetes What are common barriers and helpful solutions to colorectal cancer screening? A cross-	SDG 10 - Reduced Inequalities	https://doi.org/10.2337/dci22-0003
sectional survey to develop intervention content for a planning support tool	SDG 10 - Reduced Inequalities	https://doi.org/10.1136/bmjopen-2022-062738
Managing chronic pain in primary care The end of life experiences of people living with socio-economic deprivation in the	SDG 10 - Reduced Inequalities	https://doi.org/10.1002/9781119701170.ch13
developed world Equality, Diversity, Inclusion and Respect in UK Business and Management Higher Education Institutions	SDG 10 - Reduced Inequalities SDG 10 - Reduced Inequalities // SDG 4 -Quality Education	https://doi.org/10.1186/s12904-022-01080-6
A sustainable development goal framework to guide multisectoral action on NAFLD through a societal approach	SDG 11 - Sustainable Cities & Communities SDG 11 - Sustainable Cities &	https://doi.org/10.1111/apt.16720
Changes in Self-Efficacy and Social Support after an Intervention to Increase Physical Activity Among Adults with Type 2 Diabetes in Oman Cost-Effectiveness of iGlarLixi Versus Premix BIAsp 30 in Patients with Type 2 Diabetes	Communities SDG 11 - Sustainable Cities & SDG 11 - Sustainable Cities &	https://doi.org/10.18295/squmj.2021.21.01.006
Suboptimally Controlled by Basal Insulin in the UK	Communities	https://doi.org/10.1007/s13300-022-01267-3

for chronic pain management and the cost of treatment relative to that of other significant medical conditions	SDG 11 - Sustainable Cities & Communities SDG 11 - Sustainable Cities &	https://doi.org/10.1097/j.pain.0000000000002098
Mobile stroke unit in the UK healthcare system	Communities SDG 11 - Sustainable Cities &	https://doi.org/10.29045/14784726.2021.3.5.4.64
Sustainable Workplace Mental Well Being for Sustainable SMEs	Communities SDG 12 -Responsible Production	https://doi.org/10.3390/su14095290
Excessive polypharmacy and potentially inappropriate prescribing in 147 care homes Healthcare costs and quality of life associated with the long-term outcome of anxiety	and Consumption SDG 12 -Responsible Production	https://doi.org/10.3399/BJGPO.2021.0167
disorders	and Consumption SDG 12 -Responsible Production	https://doi.org/10.1080/10615806.2020.1839731
Social and economic costs of attention-deficit/hyperactivity disorder across the lifespan Sustainable medicines use in clinical practice - a clinical pharmacological view on eco-	and Consumption	https://doi.org/10.1177/1087054720961828
pharmaco-stewardship	SDG 13 - Climate Action Life Below Water // SDG 6 - Clean	https://doi.org/10.1111/bcp.15140
Genetic Connectivity and Diversity of a Protected, Habitat-Forming Species	Water & Sanitation Peace, Justice and Strong	https://doi.org/10.3389/fmars.2022.772259
Associations between ambient air pollutants and hospital admissions An 18 year data-linkage study on the association between air pollution and acute limb	Institutions	https://doi.org/10.1007/s11356-021-16544-0
ischaemia	SDG 13 -Climate Action	https://doi.org/10.1024/0301-1526/a000972
Biogeochemical impacts of sewage effluents in predominantly rural river catchments	SDG 15 - Life on Land SDG 16 - Peace, Justice and Strong	https://doi.org/10.1016/j.jenvman.2022.114891
Clinicians' perceptions of the Australian Paediatric Mental Health Service System Collaborative improvement in Scottish GP clusters after the Quality and Outcomes	Institutions SDG 16 - Peace, Justice and Strong	https://doi.org/10.1177/0004867420984242
Framework	Institutions SDG 16 - Peace, Justice and Strong	https://doi.org/10.3399/BJGP.2020.1101
Disrupting the consultation: students empowering patients in a longitudinal clerkship	Institutions SDG 16 - Peace, Justice and Strong	https://doi.org/10.1080/14739879.2021.1939169
How are declarations of interest working?	Institutions SDG 16 - Peace, Justice and Strong	https://doi.org/10.1136/bmjopen-2022-065365
How can inhabited institutionalism inform the analysis of medical education? Perspectives and understanding of empathy development amongst junior doctors in	Institutions SDG 16 - Peace, Justice and Strong	https://doi.org/10.1111/medu.14587
Pakistan	Institutions	https://doi.org/10.3205/zma001554
Physical Health, Media Use, and Mental Health in Children and Adolescents With ADHD During the COVID-19 Pandemic in Australia	SDG 16 - Peace, Justice and Strong Institutions	https://doi.org/10.1177/1087054720978549
Rest and relaxation spaces	SDG 16 - Peace, Justice and Strong Institutions	https://doi.org/10.1111/tct.13542

Re-starting elective orthopaedic services in NHS Tayside during the COVID-19 pandemic Simulated patients' experiences and perspectives of an interprofessional ward simulation	SDG 16 - Peace, Justice and Strong Institutions SDG 16 - Peace, Justice and Strong Institutions	https://doi.org/10.1016/j.surge.2020.10.002 https://doi.org/10.1016/j.xjep.2022.100522
Tourism and the Highlands	SDG 16 - Peace, Justice and Strong Institutions SDG 16 - Peace, Justice and Strong	https://doi.org/10.1016/j.surge.2020.06.003
When innovation outpaces regulations A cross-sectional survey on the early impact of COVID-19 on the uptake of decentralised	Institutions	https://doi.org/10.1111/bcp.15040
trial methods in the conduct of clinical trials A global approach to addressing the policy, research and social challenges of male	SDG 17 - Partnerships	https://doi.org/10.1186/s13063-022-06706-x
reproductive health	SDG 17 - Partnerships	https://doi.org/10.1093/hropen/hoab009
A National Network of Safe Havens A novel algorithmic approach to generate consensus treatment guidelines in adult Acute	SDG 17 - Partnerships	https://doi.org/10.2196/31684
Myeloid Leukaemia A secondary qualitative analysis of stakeholder views about participant recruitment,	sdg 17 - Partnerships	https://doi.org/10.1111/bjh.18013
retention, and adherence in decentralised clinical trials (DCTs) Adaptations to the current ECCO/ESPGHAN guidelines on the management of paediatric	SDG 17 - Partnerships	https://doi.org/10.1186/s13063-022-06521-4
acute severe colitis in the context of the COVID-19 pandemic Advanced Practice Physiotherapists and the implementation of the JIGSAW-E model for the		https://doi.org/10.1136/gutjnl-2020-322449
management of osteoarthritis in Scottish primary care settings Are UK pharmacists ready for consultant-level practice? A cross-sectional survey of self-	SDG 17 - Partnerships	https://doi.org/10.1016/j.physio.2022.08.007
assessed development needs Assessing the impact of a national clinical guideline for the management of chronic pain o		https://doi.org/10.1093/ijpp/riac070
opioid prescribing rates Bringing Dundee Together: an interdisciplinary public engagement hub	SDG 17 - Partnerships	https://doi.org/10.1186/s13012-022-01251-2
British Association of Dermatologists guidelines for the management of adults with delusional infestation 2022	SDG 17 - Partnerships SDG 17 - Partnerships	https://doi.org/10.20933/100001269 https://doi.org/10.1111/bjd.21668
British Association of Dermatologists guidelines for the management of people with cutaneous squamous cell carcinoma 2020	SDG 17 - Partnerships	https://doi.org/10.1111/bjd.19621
British Society of Gastroenterology interim framework for addressing the COVID-19-relate backlog in inflammatory bowel disease colorectal cancer surveillance		https://doi.org/10.1111/bju.19021
Can Interventional Cardiologists Help Deliver the UK Mechanical Thrombectomy Interventional Programme for Patients with Acute Ischaemic Stroke?	SDG 17 - Partnerships	https://doi.org/10.1130/gutjiii-2022-328309
Consensus recommendations for the standardized histopathological evaluation and reporting after radical oesophago-gastrectomy (HERO consensus)	SDG 17 - Partnerships	https://doi.org/10.1093/dote/doab033
. Sps. s a state radioal occopinato basic cotolity (HEIRO conscious)	or or in a cherompo	

COVID-19 follow-up programmes across Europe Creation and Worldwide Utilisation of New COVID-19 Online Information Hub for Genetics	SDG 17 - Partnerships	https://doi.org/10.1183/13993003.00923-2022
Health Professionals, Patients and Families	SDG 17 - Partnerships	https://doi.org/10.3389/fgene.2021.621683
Critical appraisal of international adult bronchiectasis guidelines using the AGREE II tool Developing a new Governance Approval Process to support federated discovery and meta-	SDG 17 - Partnerships	https://doi.org/10.1016/j.ejim.2022.01.023
analysis of data across the UK through the CO-CONNECT project Early experience with an opt-in research register - Scottish Health Research Register	SDG 17 - Partnerships	https://doi.org/10.23889/ijpds.v7i3.1799
(SHARE) European Respiratory Society guidelines for the management of children and adolescents	SDG 17 - Partnerships	https://doi.org/10.1186/s12874-021-01479-4
with bronchiectasis	SDG 17 - Partnerships	https://doi.org/10.1183/13993003.02990-2020
European Resuscitation Council Guidelines 2021 Fair shares: building and benefiting from healthcare AI with mutually beneficial structures	SDG 17 - Partnerships	https://doi.org/10.1016/j.resuscitation.2021.02.013
and development partnerships Feedback of actionable individual patient prescription data to improve asthma prescribing	SDG 17 - Partnerships	https://doi.org/10.1038/s41416-021-01454-2
pragmatic cluster randomised trial in 233 UK general practices	SDG 17 - Partnerships	https://doi.org/10.3399/BJGP.2021.0695
Guideline Review	SDG 17 - Partnerships	https://doi.org/10.1136/flgastro-2021-101886
Guidelines for the use and interpretation of assays for monitoring autophagy (4th edition) Harmonization of epidemiology of acute kidney injury and acute kidney disease produces	sdg 17 - Partnerships	https://doi.org/10.1080/15548627.2020.1797280
comparable findings across four geographic populations	SDG 17 - Partnerships	https://doi.org/10.1016/j.kint.2022.02.033
Health informatics in the Middle East and North Africa Highlights of the ers lung science conference and sleep and breathing conference 2021 and	SDG 17 - Partnerships	https://doi.org/10.1016/B978-0-12-823413-6.00029-X
the new ecmc members requirements for endovascular stroke treatment. Position Paper from the ESC Council on	SDG 17 - Partnerships	https://doi.org/10.1183/20734735.0080-2021
Stroke and the European Association for Percutaneous Cardiovascular Interventions with International consensus on anatomical structures to identify on ultrasound for the	SDG 17 - Partnerships	https://doi.org/10.5114/aic.2021.109832
performance of basic blocks in ultrasound-guided regional anesthesia International consensus statement on quality standards for managing children/adolescent	SDG 17 - Partnerships s	https://doi.org/10.1136/rapm-2021-103004
with bronchiectasis from the ERS CRC Child-BEAR-Net Is high-frequency ultrasound a useful process to add value to out of specification	SDG 17 - Partnerships	https://doi.org/10.1183/13993003.00264-2022
strawberries, raspberries and blackberries industrially?	SDG 17 - Partnerships	https://doi.org/10.1111/ijfs.15994
Measuring patient safety at a national, organization, and system level	SDG 17 - Partnerships	https://doi.org/10.1093/med/9780192846877.003.0012

Naloxone in Police Scotland	SDG 17 - Partnerships	
Optimizing the implementation of lung cancer screening in Scotland	SDG 17 - Partnerships	https://doi.org/10.1111/hex.13632
Pain severity ratings in the 11th revision of the International Classification of Diseases Public health and social measures to mitigate the health and economic impact of the	SDG 17 - Partnerships	https://doi.org/10.1097/j.pain.0000000000002640
COVID-19 pandemic in Turkey, Egypt, Ukraine, Kazakhstan, and Poland during 2020-2021	SDG 17 - Partnerships	https://doi.org/10.1186/s12889-022-13411-6
Quality standards for the management of non-alcoholic fatty liver disease (NAFLD)	SDG 17 - Partnerships	https://doi.org/10.1016/S2468-1253(22)00061-9
Review of the British Thoracic Society Winter Meeting 2021, 24-26 November 2021 ROSE: radiology, obstruction, symptoms and exposure—a Delphi consensus definition of the	SDG 17 - Partnerships	https://doi.org/10.1136/thorax-2022-219150
association of COPD and bronchiectasis	sdg 17 - Partnerships	https://doi.org/10.1183/23120541.00399-2021
Scottish Medical Imaging Service	SDG 17 - Partnerships	https://doi.org/10.23889/ijpds.v7i3.1869
Secondary care interface The core minimum dataset for measuring pain outcomes in pain services across Scotland.	SDG 17 - Partnerships	https://doi.org/10.1136/bmjoq-2020-001274
Developing and testing a brief multi-dimensional questionnaire	SDG 17 - Partnerships	https://doi.org/10.1177/20494637221092907
The ERA Registry Annual Report 2019	sdg 17 - Partnerships	https://doi.org/10.1093/ckj/sfab273
The Foreign Biological Verteties Const. (F. BRAS)	CDC 47 Post condition	hu //d-1/40 4545 /l 2024 0270
The European Biological Variation Study (EuBIVAS) The impact of the COVID-19 pandemic on international reconstructive collaborations in	SDG 17 - Partnerships	https://doi.org/10.1515/cclm-2021-0370
Africa	SDG 17 - Partnerships	https://doi.org/10.1007/s00238-021-01892-4
The World Federation of ADHD International Consensus Statement UK National Screening Committee's approach to reviewing evidence on artificial	SDG 17 - Partnerships	https://doi.org/10.1016/j.neubiorev.2021.01.022
intelligence in breast cancer screening	SDG 17 - Partnerships	https://doi.org/10.1016/S2589-7500(22)00088-7
What is in? What is out? Updating the British Society for Cutaneous Allergy facial series	SDG 17 - Partnerships Peace, Justice and Strong	https://doi.org/10.1111/bjd.19127
Bringing Dundee Together	Institutions	
What is a clinical practice guideline? A roadmap to their development. Special report from the Guidelines Task Force of the International League Against Epilepsy	SDG 17 -Partnerships	https://doi.org/10.1111/epi.17312

Medical students perceptions and confidence in their ability to apply nutrition principles in clinical practice	n SDG 2 - Zero Hunger	https://doi.org/10.15694/mep.2020.000211.2
Acrometastasis of the Lower Limb Carries a Poorer Prognosis	SDG 3 - Good Health & Wellbeing	https://doi.org/10.1177/19386400221136373
Developmental trajectory of episodic-like memory in rats	SDG 3 - Good Health & Wellbeing	https://doi.org/10.3389/fnbeh.2022.969871
Editorial: Resilience and transformation in and beyond the COVID-19 pandemic Clinical improvement of DM1 patients reflected by reversal of disease-induced gene	SDG 3 - Good Health & Wellbeing SDG 3 - Good Health and	https://doi.org/10.18552/ijpblhsc.v10i1.896
expression in blood	Wellbeing SDG 3 - Good Health and	https://doi.org/10.1186/s12916-022-02591-y
Fibromyalgia and chronic pain	Wellbeing SDG 3 - Good health and	https://doi.org/10.3399/bjgp22X719933
Reactive Oxygen Species and Oxidative Stress in the Pathogenesis of MAFLD	Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.14218/JCTH.2022.00067
#ESHREjc live edition report	being SDG 3 - Good Health and Well-	https://doi.org/10.1093/humrep/deab241
#ESHREjc report: are sperm selection techniques a panacea? [Ca ²⁺] _i oscillations in human sperm are triggered in the flagellur	being m. SDG 3 - Good Health and Well-	https://doi.org/10.1093/humrep/deac182
by membrane potential sensitive activity of CatSper	being SDG 3 - Good Health and Well-	https://doi.org/10.1093/humrep/deaa302
<i>ADRB2</i> Haplotypes and Asthma Exacerbations in Children and Young Adults	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/cea.13965
<i>Helicobacter pylori</i>	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/flgastro-2020-101571
A 10-year Review of Surgical Management of Dermatofibrosarcoma Protuberans	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/bjd.19346
A Cluster Analysis of Bronchiectasis Patients Based on the Airway Immune Profile patients suspected with colorectal cancer and serious bowel disease as reported on four	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.chest.2020.11.011
different faecal immunochemical test systems A computational investigation of COVID-19 transmission inside hospital wards and	being SDG 3 - Good Health and Well-	https://doi.org/10.1515/cclm-2021-1248
associated costs	being SDG 3 - Good Health and Well-	https://doi.org/10.3934/mbe.2022306
A descriptive cohort study of withdrawal from inhaled corticosteroids in COPD patients A double-blind, placebo-controlled trial to assess safety and tolerability of (thetanix)	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41533-022-00288-6
bacteroides thetaiotaomicron in adolescent crohn's disease	being SDG 3 - Good Health and Well-	https://doi.org/10.14309/ctg.0000000000000287
A global systematic review of hepatitis C elimination efforts through micro-elimination	being	https://doi.org/10.1055/a-1777-6112

A good was of kima?	SDG 3 - Good Health and Well-	https://doi.org/10.1106/s12062.022.06072.0
A good use of time? A heart failure phenotype stratified model for predicting 1-year mortality in patients	being SDG 3 - Good Health and Well-	https://doi.org/10.1186/s13063-022-06973-8
admitted with acute heart failure	being	https://doi.org/10.1186/s12916-020-01894-2
A high-risk airway mycobiome is associated with frequent exacerbation and mortality in	SDG 3 - Good Health and Well-	https://doi.org/10.1100/312310-020-01034-2
COPD	being	https://doi.org/10.1183/13993003.02050-2020
A literature review and database of how the primary KIT/PDGFRA variant of a	SDG 3 - Good Health and Well-	
gastrointestinal stromal tumour predicts for sensitivity to imatinib	being	https://doi.org/10.1016/j.cancergen.2022.09.002
A Longitudinal Perspective on User Uptake of an Electronic Personal Health Record for	SDG 3 - Good Health and Well-	
Diabetes, With Respect To Patient Demographics	being	https://doi.org/10.1177/19322968211005734
A Longitudinal Study of the Relation between Childhood Activities and Psychosocial	SDG 3 - Good Health and Well-	
Adjustment in Early Adolescence	being	https://doi.org/10.3390/ijerph18105299
A multicentre national study of the effectiveness of virtual fracture clinic management of	SDG 3 - Good Health and Well-	
orthopaedic trauma during the COVID-19 pandemic (MAVCOV)	being	https://doi.org/10.1302/2633-1462.23.BJO-2020-0191.R1
	SDG 3 - Good Health and Well-	
A multicentric prospective analysis of maxillofacial trauma in the elderly population	being	https://doi.org/10.1111/edt.12736
	SDG 3 - Good Health and Well-	
A Multicentric Prospective Study on Maxillofacial Trauma Due to Road Traffic Accidents	being	https://doi.org/10.1097/SCS.000000000008440
A multicentric, prospective study on oral and maxillofacial trauma in the female population		
around the world	being	https://doi.org/10.1111/edt.12750
A multi-layer functional genomic analysis to understand noncoding genetic variation in	SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.oih.c.2022.06.012
lipids	being	https://doi.org/10.1016/j.ajhg.2022.06.012
A multimodal corpus of simulated consultations between a patient and multiple healthcar professionals	being	https://doi.org/10.1007/s10579-020-09526-0
professionals	SDG 3 - Good Health and Well-	Https://doi.org/10.1007/510579-020-09526-0
A national registry study of patient and renal survival in adult nephrotic syndrome	being	https://doi.org/10.1016/j.ekir.2020.10.033
A national registry study of patient and renal survival in addit hepinotic syndrome	SDG 3 - Good Health and Well-	Tittps://doi.org/10.1010/j.ckii.2020.10.055
A new approach to Actinic Folliculitis	being	https://doi.org/10.1111/ced.14518
The sape same to the same to t	SDG 3 - Good Health and Well-	1012111 (CCC) 1012111 (CCC) 1010
A newly growing asymptomatic facial lesion	being	https://doi.org/10.1111/ced.15214
7,6 1 611, 111	SDG 3 - Good Health and Well-	
A novel CDC25A/DYRK2 regulatory switch modulates cell cycle and survival	being	https://doi.org/10.1038/s41418-021-00845-5
A Novel High Intensity Short Interval Dance Intervention (THANDAV) to Improve Physical	SDG 3 - Good Health and Well-	
Fitness in Asian Indian Adolescent Girls	being	https://doi.org/10.1089/dia.2021.0028
A Novel Role of SMG1 in Cholesterol Homeostasis That Depends Partially on p53	SDG 3 - Good Health and Well-	
Alternative Splicing	being	https://doi.org/10.3390/cancers14133255
	SDG 3 - Good Health and Well-	
A novel school-based approach to screening for attention deficit hyperactivity disorder	being	https://doi.org/10.1007/s00787-021-01721-w

A Nrf-2 Stimulatory Hydroxylated Cannabidiol Derivative from Hemp (Cannabis sativa)	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1021/acs.jnatprod.1c01198
A paired comparison of nerve dimensions using B-Mode ultrasound and shear wave elastography during regional anaesthesia A pilot project informing the design of a web-based dynamic nomogram in order to predict	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1177/1742271X221091726
survival one year after hip fracture surgery A Polygenic Score for Type 2 Diabetes Risk is Associated with Both the Acute and Sustained	being	https://doi.org/10.2196/34096
Response to Sulfonylureas A pre-operative prognostic model predicting all cause and cause specific mortality for	being SDG 3 - Good Health and Well-	https://doi.org/10.2337/db20-0530
women presenting with invasive breast cancer reduction for Specialist Screening Practitioners on health promotion, knowledge and	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.breast.2021.12.002
A randomised controlled trial to assess the clinical effectiveness and safety of the endometrial scratch procedure prior to first-time IVF, with or without ICSI	being SDG 3 - Good Health and Wellbeing	https://doi.org/10.1111/ecc.13350 https://doi.org/10.1093/humrep/deab041
A Randomized Controlled Trial of the Effect of Allopurinol on Left Ventricular Mass Index in Hemodialysis Patients	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1016/j.ekir.2020.10.025
A Randomized Trial Directly Comparing Ventral Capsule and Anteromedial Subthalamic Nucleus Stimulation in Obsessive-Compulsive Disorder	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1176/appi.focus.20105
A Randomized, double-blind, dose ranging clinical trial of intravenous FDY-5301 in acute stemi patients undergoing primary PCI	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1016/j.ijcard.2021.11.016
A Rapid Review of Internet Mediated Research Methods with People with Dementia	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.46743/2160-3715/2021.5089
A rapidly expanding nodule on the lower leg endovascular techniques and medical management for juxtarenal aortic aneurysms-the UK	being	https://doi.org/10.1111/ced.15362
COMPlex AneurySm Study (UK-COMPASS)	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmjopen-2021-054493
A roadmap to achieve pharmacological precision medicine in diabetes A role for cyclooxygenase2-prostaglandin E2 (COX2-PGE2) pathway in fatty acid-induced	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s00125-022-05732-3
insulin resistance and mitochondrial dysfunction in L6 rat myotubes A saturated map of common genetic variants associated with human height	being SDG 3 - Good Health and Wellbeing	https://doi.org/10.1111/dme.55_14245 https://doi.org/10.1038/s41586-022-05275-y
Treatment of Catheter-Related Thrombosis of the Upper Extremities in Women With Gynecologic and Breast Cancer	SDG 3 - Good Health and Wellbeing	https://doi.org/10.3389/fcvm.2022.880698
A survey of small bowel modelling and its applications for capsule endoscopy	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1016/j.mechatronics.2022.102748
A systematic review	SDG 3 - Good Health and Well- being	https://doi.org/10.1017/S002221512100428X

A systematic review identifying outcome measures used in evaluating adults sustaining	SDG 3 - Good Health and Well-	
cervical spine fractures	being	https://doi.org/10.1007/s00586-022-07369-7
Abnormal Reward Valuation and Event-Related Connectivity in Unmedicated Major	SDG 3 - Good Health and Well-	
Depressive Disorder	being	https://doi.org/10.1017/S0033291719003799
·	SDG 3 - Good Health and Well-	, , , , , , , , , , , , , , , , , , ,
Acetyl-CoA-carboxylase 1 (ACC1) plays a critical role in glucagon secretion	being	https://doi.org/10.1038/s42003-022-03170-w
	SDG 3 - Good Health and Well-	
Achieving integrated self-directed Cancer aftercare (ASICA) for melanoma	being	https://doi.org/10.1186/s12885-021-08959-2
Activation of NF-κB and p300/CBP potentiates cancer chemoimmunotherapy through	SDG 3 - Good Health and Well-	
induction of MHC-I antigen presentation	being	https://doi.org/10.1073/pnas.2025840118
Activation of transcription factor Nrf2 to counteract mitochondrial dysfunction in	SDG 3 - Good Health and Well-	
Parkinson's disease	being	https://doi.org/10.1002/med.21714
Acute cannabidiol treatment attenuates ethanol-induced place preference and reduces	SDG 3 - Good Health and Well-	
aggressivity in group-housed male rats	being	https://doi.org/10.1016/j.pbb.2021.173290
	SDG 3 - Good Health and Well-	
Acute cholecystitis	being	https://doi.org/10.1016/j.surg.2022.03.024
	SDG 3 - Good Health and Well-	
Acute pain pathways	being	https://doi.org/10.1136/bmjopen-2021-058782
	SDG 3 - Good Health and Well-	
Acute renal transplant rejection following nivolumab therapy for metastatic melanoma	being	https://doi.org/10.1136/bcr-2020-238037
	SDG 3 - Good Health and Well-	
Acute stroke intervention for acute embolic procedural strokes performed by cardiologists	•	https://doi.org/10.1002/ccd.29820 (+1 more)
	SDG 3 - Good Health and Well-	
Acute surgical admissions at the end of life: an analysis of non-operative hospital deaths	being	https://doi.org/10.1016/j.surge.2021.09.003
	SDG 3 - Good Health and Well-	
Adaptive homeostasis and the p53 isoform network	being	https://doi.org/10.15252/embr.202153085
Additional Burden of Iron Deficiency in Heart Failure Patients beyond the Cardio-Renal-	SDG 3 - Good Health and Well- being	https://doi.org/10.1003/oibf.2202
Anaemia Syndrome Adherence to General Diabetes and Foot Care Processes, with Prompt Referral, Are	SDG 3 - Good Health and Well-	https://doi.org/10.1002/ejhf.2393
Associated with Amputation-Free Survival in People with Type 2 Diabetes and Foot Ulcers:	being	https://doi.org/10.1155/2022/7414258
Adipocyte Integrin-Linked Kinase Plays a Key Role in the Development of Diet-Induced	SDG 3 - Good Health and Well-	Https://doi.org/10.1133/2022/7414236
Adipose Insulin Resistance in Male Mice	being	https://doi.org/10.1016/j.molmet.2021.101197
Adipose insulin resistance in Male Mice	SDG 3 - Good Health and Well-	https://doi.org/10.1010/j.moimet.2021.10119/
Advances and emerging therapies in the treatment of non-alcoholic steatohepatitis	being	https://doi.org/10.17925/EE.2022.18.2.148
naturees and emerging therapies in the deathers of non-decision secutoric patricis	SDG 3 - Good Health and Well-	The politic politic property of the politic po
Advancing therapy in suboptimally controlled basal insulin-treated type 2 diabetes	being	https://doi.org/10.2337/dc21-0393
Advancing therapy with iGlarLixi versus premix BIAsp 30 in basal insulin-treated type 2	SDG 3 - Good Health and Well-	
diabetes	being	https://doi.org/10.1111/dom.14354
	5	

Adverse events and overall health and wellbeing after COVID-19 vaccination therapeutic mammoplasty and contralateral symmetrisation for the treatment of breast	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmjopen-2021-060583
cancer	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.bjps.2021.03.031
Airway management guidance for the endemic phase of COVID-19	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/anae.15253
Alcohol Binge Drinking	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.bpsc.2020.09.010
Alignment of Biological Sequences with Jalview	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/978-1-0716-1036-7_13
Allergen immunotherapy in MASK-air users in real-life	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/clt2.12128
Allopurinol versus usual care in UK patients with ischaemic heart disease (ALL-HEART) Alterations in the p53 isoform ratio govern breast cancer cell fate in response to DNA	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/S0140-6736(22)01657-9
damage Altered network properties in C9ORF72 repeat expansion cortical neurons are due to	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41419-022-05349-9
synaptic dysfunction	being SDG 3 - Good Health and Well-	https://doi.org/10.1186/s13024-021-00433-8
AMPK-dependent phosphorylation of MTFR1L regulates mitochondrial morphology An FCER2 polymorphism is associated with increased oral leukotriene receptor antagonists	being s SDG 3 - Good Health and Well-	https://doi.org/10.1126/sciadv.abo7956
and allergic rhinitis prescribing	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/cea.13958
An index case of Birt Hogg Dube Syndrome An inhibitor of interaction between the transcription factor NRF2 and the E3 ubiquitin	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.cpccr.2022.100150
ligase adapter Î ² -TrCP delivers anti-inflammatory responses in mouse liver Performance in Patients with Cancer Presenting with COVID-19 across Different Pandemic	being	https://doi.org/10.1016/j.redox.2022.102396
Waves An updated report on the incidence and epidemiological trends of keratinocyte cancers in	being SDG 3 - Good Health and Well-	https://doi.org/10.3390/cancers14163931
the United Kingdom 2013-2018	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/ski2.61
Anaesthesia Choice for Creation of Arteriovenous Fistula (ACCess) study protocol	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmjopen-2021-052188
Anakinra for palmoplantar pustulosis	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/bjd.20653
Analgesic use and associated adverse events in patients with chronic kidney disease Analyse du profil de méthylation du sang total pour discriminer l'hypertension	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.bja.2021.08.035
endocrine	being	https://doi.org/10.1016/j.ando.2022.07.063

Analysis of Joint Power and Work During Gait in Children With and Without Cerebral Palsy Analysis of mechanical energy in thigh, calf and foot during gait in children with cerebral palsy Analysis of rare disruptive germline mutations in 2,135 enriched BRCA-negative breast	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1007/s43465-022-00691-8 https://doi.org/10.1016/j.medengphy.2022.103817
cancers excludes additional high-impact susceptibility genes Analysis of structural brain asymmetries in attention-deficit/hyperactivity disorder in 39 datasets	being SDG 3 - Good Health and Wellbeing	https://doi.org/10.1016/j.annonc.2022.09.152 https://doi.org/10.1111/jcpp.13396
Analysis of the impact of sex and age on the variation in the prevalence of antinuclear autoantibodies in Polish population	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1007/s00296-021-05033-9
Analytical performance specifications for 25-hydroxyvitamin d examinations ANCA-associated renal vasculitis is associated with rurality but not seasonality or	being SDG 3 - Good Health and Well-	https://doi.org/10.3390/nu13020431
deprivation in a complete national cohort study vaccine doses in inflammatory bowel disease patients treated with infliximab and	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/rmdopen-2020-001555
vedolizumab Anti-Inflammatory Effects of Auranamide and Patriscabratine-Mechanisms and In Silico Studies	being SDG 3 - Good Health and Wellbeing	https://doi.org/10.1038/s41467-022-28517-z https://doi.org/10.3390/molecules27154992
Antioxidants in Pregnancy	SDG 3 - Good Health and Wellbeing	https://doi.org/10.3390/antiox11050812
$\label{thm:continuous} Antiphospholipid syndrome \ leading \ to \ paradoxical \ embolus \ and \ stroke \ via \ secundum \ atrial \ septal \ defect$	being	https://doi.org/10.1136/bcr-2020-239674
Anti-SARS-CoV-2 antibody responses are attenuated in patients with IBD treated with infliximab	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1136/gutjnl-2021-324388
Antithyroid drug use during pregnancy and the risk of birth defects in offspring Application of the <i>in vivo</i> oxidative stress reporter Hmox1 as mechanistic	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/bcp.14805
biomarker of arsenic toxicity Applying Mendelian randomization to appraise causality in relationships between nutrition	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.envpol.2020.116053
and cancer	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s10552-022-01562-1
Approach to the patient with a variant of uncertain significance on genetic testing Are baseline mammographic and ultrasound features associated with metastasis free survival in women receiving neoadjuvant chemotherapy for invasive breast cancer?	being SDG 3 - Good Health and Wellbeing	https://doi.org/10.1111/cen.14818 https://doi.org/10.1016/j.ejrad.2021.109790
Are Cardiovascular Risk Scores from Genome and Retinal Image Complementary? A Deep Learning Investigation in a Diabetic Cohort	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1007/978-3-030-87000-3_12
ARIA digital anamorphosis	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1111/all.14422

	SDG 3 - Good Health and Well-	
Arterial Anatomy of the Anterior Abdominal Wall	being	https://doi.org/10.1002/ca.23578
,	SDG 3 - Good Health and Well-	
Artificial Egg Activation Using Calcium Ionophore	being	https://doi.org/10.1055/s-0041-1742171
	SDG 3 - Good Health and Well-	
ASEPTIC	being	https://doi.org/10.1186/s13063-022-06727-6
	SDG 3 - Good Health and Well-	
Aspirin in patients admitted to hospital with COVID-19 (RECOVERY)	being	https://doi.org/10.1016/S0140-6736(21)01825-0
Assessment of background levels of autoantibodies as a prognostic marker for severe SARS	- SDG 3 - Good Health and Well-	
CoV-2 infection	being	https://doi.org/10.33393/JCB.2022.2337
Assessment of Proximal Tubular Function by Tubular Maximum Phosphate Reabsorption	SDG 3 - Good Health and Well-	
Capacity in Heart Failure	being	https://doi.org/10.2215/CJN.03720321
	SDG 3 - Good Health and Well-	
Assessment of ROS Production in the Mitochondria of Live Cells	being	https://doi.org/10.1007/978-1-0716-0896-8_2
Assessment of the conjunctival microcirculation for patients presenting with acute	SDG 3 - Good Health and Well-	
myocardial infarction compared to healthy controls	being	https://doi.org/10.1038/s41598-021-87315-7
Assessment of the Intestinal Absorption of Higher Olefins by the Everted Gut Sac Model in	SDG 3 - Good Health and Well-	
Combination with In Silico New Approach Methodologies	being	https://doi.org/10.1021/acs.chemrestox.2c00089
	SDG 3 - Good Health and Well-	
Assisted reproductive technology, justice and autonomy in an era of COVID-19	being	https://doi.org/10.1016/j.rbmo.2020.11.004
	SDG 3 - Good Health and Well-	
Association between faecal occult bleeding and medicines prescribed for chronic disease	being	https://doi.org/10.1136/jclinpath-2020-206986
	SDG 3 - Good Health and Well-	
Association between methylphenidate and risk of myocardial infarction	being	https://doi.org/10.1002/pds.5322
Association between mitochondrial function measured by 31P Magnetic Resonance	SDG 3 - Good Health and Well-	
Spectroscopy and physical performance in older people with functional impairment	being	https://doi.org/10.1002/crt2.33
Association of Genetic Variant at Chromosome 12q23.1 With Neuropathic Pain	SDG 3 - Good Health and Well-	
Susceptibility	being	https://doi.org/10.1001/jamanetworkopen.2021.36560
	SDG 3 - Good Health and Well-	
Association of Guillain-Barre syndrome with COVID-19 infection	being	https://doi.org/10.1016/j.jneuroim.2021.577577
Association of high-risk coronary atherosclerosis at CCTA with clinical and circulating	SDG 3 - Good Health and Well-	11. 11. 10. 10. 10. 10. 10. 10. 10. 10.
biomarkers	being	https://doi.org/10.1016/j.jcct.2020.03.005
Association of Law Francisco and Boys Coding Variants with Information Brassociae Conse	SDG 3 - Good Health and Well-	https://dei.eur/40.4020/644200.024.04726.6
Association of Low-Frequency and Rare Coding Variants with Information Processing Speed	_	https://doi.org/10.1038/S41398-021-01736-6
Association of metabolic equivalent of task (MET) score in length of stay in hospital	SDG 3 - Good Health and Well-	https://doi.org/10.1007/s113EE.031.03913.v
following radical cystectomy with urinary diversion Association of Thigh Muscle Strength with Toyture Features Resed on Broton Density Fet	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s11255-021-02813-x
Association of Thigh Muscle Strength with Texture Features Based on Proton Density Fat		https://doi.org/10.2200/diagnostics11020202
Fraction Maps Derived from Chemical Shift Encoding-Based Water-Fat MRI	being	https://doi.org/10.3390/diagnostics11020302

Associations between declining antibiotic use in primary care in Scotland and	SDG 3 - Good Health and Well-	
hospitalization with infection and patient satisfaction	being	https://doi.org/10.1093/jac/dkac191
Associations between frailty, physical performance, and renal biomarkers in older people	SDG 3 - Good Health and Well-	
with advanced chronic kidney disease	being	https://doi.org/10.1007/s41999-021-00478-4
Associations between parental type 2 diabetes risk and offspring birthweight and placenta	I SDG 3 - Good Health and Well-	
weight	being	https://doi.org/10.1007/s00125-022-05776-5
Associations Between Variant Repeat Interruptions and Clinical Outcomes in Myotonic	SDG 3 - Good Health and Well-	
Dystrophy Type 1	being	https://doi.org/10.1212/NXG.0000000000000572
	SDG 3 - Good Health and Well-	
Associations of Hemostatic Variables with Cardiovascular Disease and Total Mortality	being	https://doi.org/10.1055/s-0042-1747687
Associations of Polymorphisms in the Peroxisome Proliferator-Activated Receptor Gamma	SDG 3 - Good Health and Well-	
Coactivator-1 Alpha Gene With Subsequent Coronary Heart Disease	being	https://doi.org/10.3389/fphys.2022.909870
	SDG 3 - Good Health and Well-	
Asthma prescribing according to Arg16Gly beta-2 genotype	being	https://doi.org/10.1183/13993003.04107-2020
	SDG 3 - Good Health and Well-	
Athena speciality certificate examination case for photodermatology	being	https://doi.org/10.1111/ced.15240
Attitudes towards risk-reducing early salpingectomy with delayed oophorectomy for	SDG 3 - Good Health and Well-	
ovarian cancer prevention	being	https://doi.org/10.1111/1471-0528.16424
	SDG 3 - Good Health and Well-	
Automated brain tumor identification using magnetic resonance imaging	being	https://doi.org/10.1093/noajnl/vdac081
	SDG 3 - Good Health and Well-	
Azithromycin in patients admitted to hospital with COVID-19 (RECOVERY)	being	https://doi.org/10.1016/S0140-6736(21)00149-5
Background rates of five thrombosis with thrombocytopenia syndromes of special interest	SDG 3 - Good Health and Well-	
for COVID-19 vaccine safety surveillance	being	https://doi.org/10.1002/pds.5419
	SDG 3 - Good Health and Well-	
Balancing Consideration of the Risks and Benefits of E-Cigarettes	being	https://doi.org/10.2105/AJPH.2021.306416
	SDG 3 - Good Health and Well-	
Bayesian methods in palliative care research	being	https://doi.org/10.1136/bmjspcare-2019-002160
	SDG 3 - Good Health and Well-	, , , , , , , , , , , , , , , , , , ,
Bedtime dosing of antihypertensive medications	being	https://doi.org/10.1097/HJH.000000000003240
	SDG 3 - Good Health and Well-	
Behavioural patterns in allergic rhinitis medication in Europe	being	https://doi.org/10.1111/all.15275
Behavioural switching during oscillations of intracellular Ca ²⁺ concentration in	n SDG 3 - Good Health and Well-	, , , , , , , , , , , , , , , , , , ,
free-swimming human sperm	being	https://doi.org/10.1530/RAF-21-0001
	SDG 3 - Good Health and Well-	
Best supportive care and prognosis	being	https://doi.org/10.1136/bmjspcare-2020-002637
	SDG 3 - Good Health and Well-	, 6, , , , , , , , , , , , , , , , ,
Bilateral breast necrotizing leukocytoclastic vasculitis	being	https://doi.org/10.1111/tbj.14300
	U	

Bilirubin deficiency renders mice susceptible to hepatic steatosis in the absence of insulin	SDG 3 - Good Health and Well-	
resistance	being	https://doi.org/10.1016/j.redox.2021.102152
Biological variation estimates of thyroid related measures and - meta-analysis of BIVAC	SDG 3 - Good Health and Well-	
compliant studies	being	https://doi.org/10.1515/cclm-2021-0904
Biomarker changes as surrogate endpoints in early-phase trials in heart failure with	SDG 3 - Good Health and Well-	
reduced ejection fraction	being	https://doi.org/10.1002/ehf2.13917
Biomarker counseling, disclosure of diagnosis and follow-up in patients with mild cognitive	SDG 3 - Good Health and Well-	
impairment	being	https://doi.org/10.1002/gps.5427
Biomarkers associated with early stages of kidney disease in adolescents with type 1	SDG 3 - Good Health and Well-	
diabetes	being	https://doi.org/10.1111/pedi.13095
Biomarkers of systemic inflammation predict survival with first-line immune checkpoint	SDG 3 - Good Health and Well-	
inhibitors in non-small-cell lung cancer	being	https://doi.org/10.1016/j.esmoop.2022.100445
Biotinylation of an acetylenic tricyclic bis(cyanoenone) lowers its potency as an NRF2	SDG 3 - Good Health and Well-	
activator while creating a novel activity against BACH1	being	https://doi.org/10.1016/j.freeradbiomed.2022.08.041
Bipartite binding and partial inhibition links DEPTOR and mTOR in a mutually antagonistic	SDG 3 - Good Health and Well-	
embrace	being	https://doi.org/10.7554/eLife.68799
	SDG 3 - Good Health and Well-	, ,, <u> </u>
Blood-based and Imaging Biomarkers of Atherosclerosis	being	https://doi.org/10.1097/CRD.0000000000000442
	SDG 3 - Good Health and Well-	, , ,
Blunted Neuroeconomic Loss Aversion in Schizophrenia	being	https://doi.org/10.1016/j.brainres.2022.147957
British Association of Dermatologists and British Photodermatology Group guidelines for	SDG 3 - Good Health and Well-	, ,,
narrowband ultraviolet B phototherapy 2022	being	https://doi.org/10.1111/bjd.21669
. ,	SDG 3 - Good Health and Well-	, ,, G. , ,
Bronchiectasis and inhaled tobramycin	being	https://doi.org/10.1016/j.rmed.2021.106728
,	SDG 3 - Good Health and Well-	, ,,
Bronchiectasis enters the inflammation era	being	https://doi.org/10.1111/resp.14263
	SDG 3 - Good Health and Well-	
Bronchiectasis from 2012 to 2022	being	https://doi.org/10.1016/j.ccm.2021.12.001
	SDG 3 - Good Health and Well-	
BronchUK	being	https://doi.org/10.1183/23120541.00775-2020
	SDG 3 - Good Health and Well-	
BSAC Vanguard Series	being	https://doi.org/10.1093/jac/dkab484
23.10 741.644.430.103	SDG 3 - Good Health and Well-	
BTS clinical statement for the diagnosis and management of ocular tuberculosis	being	https://doi.org/10.1136/bmjresp-2022-001225
	SDG 3 - Good Health and Well-	
Can antioxidants protect against chemotherapy in a rat spermatogonial stem cell line?	being	https://doi.org/10.1530/RAF-21-0042
can antioxidante protect against enemotiterapy in a rat spermatogonial stem centime;	SDG 3 - Good Health and Well-	111.po., 7 do1101.pJ 10112330/1011 21 0042
Cancer prevention through weight control â€" where are we in 2020?	being	https://doi.org/10.1038/s41416-020-01154-3
cancer prevention anough weight control de which are we in 2020;	~=6	11ccp3.// doi.o/6/ 10.1030/371710 020 01134-3

Carbapenem-Only Combination Therapy against Multi-Drug Resistant Pseudomonas	SDG 3 - Good Health and Well-	
aeruginosa	being	https://doi.org/10.3390/antibiotics11111467
	SDG 3 - Good Health and Well-	
Cardiotoxicity and Chemotherapy	being	https://doi.org/10.3390/diseases9040090
Cardiovascular outcomes in adults with hypertension with evening versus morning dosing	SDG 3 - Good Health and Well-	
of usual antihypertensives in the UK (TIME Study)	being	https://doi.org/10.1016/S0140-6736(22)01786-X
	SDG 3 - Good Health and Well-	
Cardiovascular outcomes in patients with chronic kidney disease and COVID-19	being	https://doi.org/10.1183/13993003.03168-2021
	SDG 3 - Good Health and Well-	
Carotid Stenosis and Stroke	being	https://doi.org/10.1055/a-1952-1159
	SDG 3 - Good Health and Well-	
Cause of Death, Mortality and Occult Blood in Colorectal Cancer Screening	being	https://doi.org/10.3390/cancers14010246
	SDG 3 - Good Health and Well-	
CDK4/6 inhibitors induce replication stress to cause long-term cell cycle withdrawal	being	https://doi.org/10.15252/embj.2021108599
	SDG 3 - Good Health and Well-	
CDKL5 kinase controls transcription-coupled responses to DNA damage	being	https://doi.org/10.15252/embj.2021108271
	SDG 3 - Good Health and Well-	
Cell therapy for advanced liver diseases	being	https://doi.org/10.1016/j.jhep.2020.09.014
	SDG 3 - Good Health and Well-	
Central deficiency of IL-6Ra in mice impairs glucose-stimulated insulin secretion	being	https://doi.org/10.1016/j.molmet.2022.101488
Cerebellar developmental venous anomaly with associated cavernoma causing a	SDG 3 - Good Health and Well-	
hemorrhage - a rare occurrence	being	https://doi.org/10.1016/j.radcr.2021.03.010
	SDG 3 - Good Health and Well-	
CFAP300 mutation causing primary ciliary dyskinesia in Finland	being	https://doi.org/10.3389/fgene.2022.985227
"MOVEdiabetes'rial to increase physical activity in adults with type 2 diabetes in	SDG 3 - Good Health and Well-	
Oman	being	https://doi.org/10.18295/squmj.2021.21.01.006
Changes in clinical manifestation of fibromyalgia syndromes after Alzheimers disease	SDG 3 - Good Health and Well-	
diagnosis	being	https://doi.org/10.1080/08998280.2021.1882279
Changes in deep neck muscle length from the neutral to forward head posture. A cadaveri	c SDG 3 - Good Health and Well-	
study using Thiel cadavers	being	https://doi.org/10.1002/ca.23834
Changes in prescribing rates of sodium-containing medications in the UK from 2009 to	SDG 3 - Good Health and Well-	
2018	being	https://doi.org/10.1136/bmjopen-2020-043566
Changes in RTPCR test results and symptoms during the menstrual cycle of female	SDG 3 - Good Health and Well-	
individuals infected with SARSâ€ØoVâ€Ø	being	https://doi.org/10.1002/jmv.26275
	SDG 3 - Good Health and Well-	
Characterisation of a rare hydatidiform mole with aberrant p57 expression	being	https://doi.org/10.1016/j.mpdhp.2022.05.010
Characterisation of Collagen Re-Modelling in Localised Prostate Cancer Using Second-	SDG 3 - Good Health and Well-	
Generation Harmonic Imaging and Transrectal Ultrasound Shear Wave Elastography	being	https://doi.org/10.3390/cancers13215553

Characterisation of prostate lesions using transrectal shear wave elastography (SWE)	SDG 3 - Good Health and Well-	
ultrasound imaging	being	https://doi.org/10.3390/cancers13010122
Characteristics and age-related injury patterns of maxillofacial fractures in children and	SDG 3 - Good Health and Well-	
adolescents	being	https://doi.org/10.1111/edt.12735
Characteristics and outcomes of 627 044 COVID-19 patients living with and without obesity	SDG 3 - Good Health and Well-	
in the United States, Spain, and the United Kingdom	being	https://doi.org/10.1038/s41366-021-00893-4
Characteristics and outcomes of over 300,000 patients with COVID-19 and history of	SDG 3 - Good Health and Well-	
cancer in the United States and Spain	being	https://doi.org/10.1158/1055-9965.EPI-21-0266
	SDG 3 - Good Health and Well-	
Characterization of Eosinophilic Bronchiectasis	being	https://doi.org/10.1164/rccm.202108-1889OC
Characterizing the risk interplay between alcohol intake and body mass index on cirrhosis	SDG 3 - Good Health and Well-	, ,,
morbidity	being	https://doi.org/10.1002/hep.32123
	SDG 3 - Good Health and Well-	, , ,
Childhood uveitis not associated with juvenile idiopathic arthritis	being	https://doi.org/10.1038/s41433-020-01267-2
,	SDG 3 - Good Health and Well-	
Choroid plexus and CSF	being	https://doi.org/10.1080/02688697.2021.1903390
Chronic kidney disease and risk of atrial fibrillation and heart failure in general population-	SDG 3 - Good Health and Well-	
based cohorts	being	https://doi.org/10.1002/ehf2.13699
	SDG 3 - Good Health and Well-	
Cigarettes' use and capabilities-opportunities-motivation-for-behavior model	being	https://doi.org/10.3389/fpubh.2022.875801
Citraconate inhibits ACOD1 (IRG1) catalysis, reduces interferon responses and oxidative	SDG 3 - Good Health and Well-	
stress, and modulates inflammation and cell metabolism	being	https://doi.org/10.1038/s42255-022-00577-x
	SDG 3 - Good Health and Well-	
Classic biphasic pulmonary blastoma (CBPB)	being	https://doi.org/10.1136/bcr-2021-244151
Classification algorithm for the <i>International Classification of Diseases-11</i>	SDG 3 - Good Health and Well-	
pain classification	being	https://doi.org/10.1097/j.pain.0000000000002208
•	SDG 3 - Good Health and Well-	
most powerful predictors using machine learning models in large cross-sectional cohorts	being	https://doi.org/10.1186/s12911-022-01890-x
	SDG 3 - Good Health and Well-	
Clinical and research priorities for children and young people with bronchiectasis	being	https://doi.org/10.1183/23120541.00122-2021
connection provides for condition and young people with stone nectasis	SDG 3 - Good Health and Well-	11100122 2021
Clinical approaches to treat impaired awareness of hypoglycaemia	being	https://doi.org/10.1177/20420188211000248
Clinical characteristics with inflammation profiling of long COVID and association with 1-	SDG 3 - Good Health and Well-	The part of the pa
year recovery following hospitalisation in the UK	being	https://doi.org/10.1016/S2213-2600(22)00127-8
Clinical impact of changes in mitral regurgitation severity after medical therapy	SDG 3 - Good Health and Well-	The part of the pa
optimization in heart failure	being	https://doi.org/10.1007/s00392-022-01991-7
Clinical Impact of Residual C-Peptide Secretion in Type 1 Diabetes on Glycemia and	SDG 3 - Good Health and Well-	
Microvascular Complications	being	https://doi.org/10.2337/dc20-0567
	~~0	111175177 401.018/ 1012007/ 4020 0007

Clinical implications of left atrial changes after optimization of medical therapy in patients with heart failure	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1002/ejhf.2593
Clinical implications of low estimated protein intake in patients with heart failure Clinical Outcome and Underlying Genetic Cause of Functional Terminal Complement	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/jcsm.12973
Pathway Deficiencies in a Multicenter UK Cohort Clinical Outcomes of Extracranial Carotid Artery-Related Stroke Eligible for Mechanical	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s10875-022-01213-9
Reperfusion on Top of Per-Guidelines Thrombolytic Therapy Clinical Perspectives in Integrating Whole Genome Sequencing into the Investigation of	being SDG 3 - Good Health and Well-	https://doi.org/10.12659/MSM.938549
Healthcare and Public Health Outbreaks - Hype or Help? Clinical profiles of post-load glucose subgroups and their association with glycaemic traits	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.jhin.2020.11.001
over time	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/dme.14428
Clinical trials in amyotrophic lateral sclerosis Clinically relevant aberrant Filip1l DNA methylation detected in a murine model of	being SDG 3 - Good Health and Well-	https://doi.org/10.1093/braincomms/fcab242
cutaneous squamous cell carcinoma Clinicopathological characteristics of individuals with co-existing melanoma and chronic	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.ebiom.2021.103383
lymphocytic leukaemia	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/ced.15324
Clonal Transitions and Phenotypic Evolution in Barrett's Esophagus CRYAB improves alignment with clinical-pathological parameters of breast cancer and	being SDG 3 - Good Health and Well-	https://doi.org/10.1053/j.gastro.2021.12.271
suggests different epichaperome influences for each sHSP Cognition, ADHD Symptoms, and Functional Impairment in Children and Adolescents With	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s12192-022-01258-0
Neurofibromatosis Type 1	being SDG 3 - Good Health and Well-	https://doi.org/10.1177/1087054719894384
Cohort profile	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmjopen-2022-063046
Cohort Profile	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmjopen-2020-042887
Cohort profile for the STratifying Resilience and Depression Longitudinally (STRADL) study	being SDG 3 - Good Health and Well-	https://doi.org/10.12688/wellcomeopenres.15538.2
Cohort Study Colchicine anti-inflammatory therapy for non-intensive care unit hospitalized COVID-19	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.aohep.2021.100550
patients	being SDG 3 - Good Health and Well-	https://doi.org/10.26402/jpp.2022.3.09
Cold-induced dishabituation in rodents exposed to recurrent hypoglycaemia Colonic epithelial cathelicidin (LL-37) expression intensity is associated with progression of		https://doi.org/10.1007/s00125-021-05425-3
colorectal cancer and presence of CD8+ T cell infiltrate	being	https://doi.org/10.1002/cjp2.222

Colorectal cancer screening participation Combined indocyanine green and quantitative perfusion assessment with hyperspectral	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.4081/gh.2021.967
imaging during colorectal resections	being	https://doi.org/10.1364/BOE.452076
Combining low frequency oscillometry and spirometry measurements in relation to asthmacontrol and exacerbations in moderate to severe asthma	a SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.jaip.2022.03.023
Commentary	being	https://doi.org/10.1093/ije/dyab025
Common Statin Intolerance Variants in ABCB1 and LILRB5 Show Synergistic Effects on Statin Response	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.3389/fgene.2021.713181
Community pathways for the early detection and risk stratification of chronic liver disease	being	https://doi.org/10.1016/S2468-1253(22)00020-6
Community prescribing trends and prevalence in the last year of life, for people who die	SDG 3 - Good Health and Well-	
from cancer	being	https://doi.org/10.1186/s12904-022-00996-3
Oncocytoma in Computed Tomography Imaging using Machine Learning Radiomics Analysis	SDG 3 - Good Health and Well- being	https://doi.org/10.3390/cancers14153609
Comparative efficacy of delafloxacin for complicated and acute bacterial skin and skin	SDG 3 - Good Health and Well-	nttps://doi.org/10.5530/cancers14155003
structure infections	being	https://doi.org/10.1186/s12879-021-06736-x
Comparing predicted probability of hepatocellular carcinoma in cirrhosis patients to the	SDG 3 - Good Health and Well-	
general population	being	https://doi.org/10.14309/ajg.0000000000001879
Comparison of ALitretinoin with PUVA as the first-line treatment in patients with severe chronic HAnd eczema (ALPHA)	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1136/bmjopen-2021-060029
Comparison of different sets of immunological tests to identify treatable	SDG 3 - Good Health and Well-	1111p3.// doi.org/10.1130/binjopen 2021 000025
immunodeficiencies in adult bronchiectasis patients	being	https://doi.org/10.1183/23120541.00388-2021
Comparison of Oocyte and Embryo Quality Between Random Start and Controlled Ovarian	SDG 3 - Good Health and Well-	
Stimulation Cycles in Cancer Patients Undergoing Fertility Preservation	being	https://doi.org/10.1007/s43032-020-00412-2
Comparison of rhinitis treatments using MASK-air® data and considering the Minimal Important Difference	SDG 3 - Good Health and Well- being	https://doi.org/10.1111/all.15371
outcomes in the second round of a biennial faecal immunochemical test based colorectal	SDG 3 - Good Health and Well-	iittps://doi.org/10.1111/aii.155/1
cancer screening programme	being	https://doi.org/10.1177/09691413221110012
	SDG 3 - Good Health and Well-	
Complex renal cysts (Bosniak ≥IIF)	being	https://doi.org/10.1007/s00330-020-07186-w
Complications of regional apposithesis	SDG 3 - Good Health and Well-	https://doi.org/10.1016/i.manaia.2021.11.007
Complications of regional anaesthesia Compounds enhancing human sperm motility identified using a high-throughput	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.mpaic.2021.11.007
phenotypic screening platform	being	https://doi.org/10.1093/humrep/deac007
Comprehensive short and long read sequencing analysis for the Gaucher and Parkinson's	SDG 3 - Good Health and Well-	
disease-associated GBA gene	being	https://doi.org/10.1038/s42003-022-03610-7

Concomitant deletion of Ptpn6 and Ptpn11 in T cells fails to improve anticancer responses Conscious Sedation and Analgesia for Oocyte Retrieval	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Wellbeing	https://doi.org/10.15252/embr.202255399 https://doi.org/10.1017/9781108891646.004
Conscious Sedation and Analgesia for Oocyte Retrieval Consensus-Based Recommendations on the Prevention of Squamous Cell Carcinoma in Solid Organ Transplant Recipients	being SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1001/jamadermatol.2021.3180
Consequences of recurrent hypoglycaemia on brain function in diabetes Consistent Effects of Hypoglycemia on Cognitive Function in People With or Without	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s00125-020-05369-0
Diabetes Consortium neuroscience of attention deficit/hyperactivity disorder and autism spectrum	being SDG 3 - Good Health and Well-	https://doi.org/10.2337/dc21-2502
disorder Context and mechanisms of interprofessional learning during a Longitudinal Integrated Clerkship	being SDG 3 - Good Health and Wellbeing	https://doi.org/10.1002/hbm.25029 https://doi.org/10.1080/13561820.2021.1904850
Continuing the sequence?	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1007/s12687-021-00541-4
Contrast Induced Nephropathy	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1016/j.ijcha.2022.100959
Contributions of changes in physical activity, sedentary time, diet and body weight to changes in cardiometabolic risk	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1186/s12966-021-01237-1
Controversies in airway management of COVID-19 patients	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.bja.2020.10.029
Convalescent plasma in patients admitted to hospital with COVID-19 (RECOVERY)	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/S0140-6736(21)00897-7
Copula-frailty models for recurrent event data based on Monte Carlo EM algorithm	being SDG 3 - Good Health and Well-	https://doi.org/10.1080/00949655.2021.1942471
Correction to E3 ubiquitin ligase adapter î²-TrCP delivers anti-inflammatory responses in mouse liver"	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s00125-022-05668-8
[Redox Biol. 55 (2022) 102396/PMID 35839629] Corrigendum to "Metformin: Still the sweet spot for CV protection in diabetes?" [Curr Opir Pharmacol 54 (2020) 202-208]	being SDG 3 - Good Health and Wellbeing	https://doi.org/10.1016/j.redox.2022.102428 https://doi.org/10.1016/j.coph.2021.03.010
Cost-Effectiveness of iGlarLixi in People with Type 2 Diabetes Mellitus Suboptimally Controlled on Basal Insulin Plus Metformin in the UK	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1007/s13300-021-01159-y
Cost-Effectiveness of iGlarLixi Versus iDegLira in Type 2 Diabetes Mellitus Inadequately Controlled by GLP-1 Receptor Agonists and Oral Antihyperglycemic Therapy	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1007/s13300-021-01156-1
Cost-Effectiveness of Prostate Cancer Detection in Biopsy-Negative Men	SDG 3 - Good Health and Wellbeing	https://doi.org/10.3390/healthcare10020254

Cost-minimisation analysis of ortawarcin for the treatment of acute bacterial skin and skin structure infections from a United Kingdom perspective Coupling cognitive and brainstem dysfunction in multiple sclerosis-related chronic neuropathic limb pain COVID-19 in patients with autoimmune disease COVID-19 in patients with autoimmune diseases COVID-19 trajectories among 57 million adults in England COVID-19-Associated Cardiovascular Complications SDG 3 - Good Health and Wellbeing COVID-19 trajectories among 57 million adults in England CovidNeuroOnc CovidNeuroOnc Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Criteria and definitions for the radiological and clinical diagnosis of bronchiectasis in adults for use in clinical trials CSF Rhinorrhoea After Endonasal Intervention to the Skull Base (CRANIAL) -Part 1 being Current and Future Perspectives for Improving Ovarian Tissue Cryppreservation and Transplantation Outcomes for Cancer Patients Cycling injunites requiring orthopaedic intervention during the first COVID-19 lockdown period Cytoplasmic p53l² Isoforms Are Associated with Worse Disease-Free Survival in Breast Dapagliflozin for heart failure Dapagliflozin for heart fa			
Coupling cognitive and brainstem dysfunction in multiple sclerosis-related chronic petropathic limb pain	•		
neuropathic limb pain COVID-19 in patients with autoimmune diseases COVID-19 related delays in diagnosis and intervention for patients with malignant bene tumours-recommendations for future pandemic planning COVID-19 trajectories among 57 million adults in England COVID-19 Associated Cardiovascular Complications SDG 3 - Good Health and Wellbeing CovidNeuroOnc Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and definitions for the radiological and clinical diagnosis of bronchiectasis in adults for use in clinical trials Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and definitions for the radiological and clinical diagnosis of bronchiectasis in adults for use in clinical trials Creation of a universal experimental protocol for the investigation of transfer and being Critical review and meta-analysis of biological variation estimates for tumor markers SDG 3 - Good Health and Wellbeing CSF Rhinorrhoea After Endonasal Intervention to the Skull Base (CRANIAL) Ager Part 2 Evidence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and being CSF Rhinorrhoea After Endonasal Intervention to the Skull Base (CRANIAL) - Part 1 Evidence of trace evidence Creation of a universal experimental protocol for the investigat		9	https://doi.org/10.1007/s10198-022-01432-2
COVID-19 in patients with autoimmune diseases COVID-19 related delays in diagnosis and intervention for patients with malignant bone tumours-recommendations for future pandemic planning COVID-19 trajectories among 57 million adults in England COVID-19-Associated Cardiovascular Complications COVID-19-Associated Cardiovascular Complications CovidNeuroOnc Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Criteria and definitions for the radiological and clinical diagnosis of bronchiectasis in adults Covidio use in clinical trials Critical review and meta-analysis of biological variation estimates for tumor markers CSF Rhinorrhoea After Endonasal Intervention to the Skull Base (CRANIAL) &CP art 1 Cue-based feeding for preterm infants transitioning from tube to oral feeding Current and future Perspectives for Improving Ovarian Tissue Cryopreservation and Transplantation Outcomes for Cancer Patients Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown pagalifozin for heart failure SDG 3 - Good Health and Well-being S	·		
COVID-19 in patients with autoimmune diseases COVID-19 related delays in diagnosis and intervention for patients with malignant bone tumours-recommendations for future pandemic planning COVID-19 trajectories among 57 million adults in England COVID-19 trajectories among 57 million adults in England COVID-19-Associated Cardiovascular Complications COVID-19-Associated Cardiovascular Complications CovidNeuroOnc Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Criteria and definitions for the radiological and clinical diagnosis of bronchiectasis in adults for use in clinical trials CSG 3 - Good Health and Wellbeing CSG 3 - Good Health and Wel	neuropathic limb pain	· ·	https://doi.org/10.1093/braincomms/fcac124
COVID-19 related delays in diagnosis and intervention for patients with malignant bone tumours-recommendations for future pandemic planning being SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Wellbe			
towours-recommendations for future pandemic planning SDG 3 - Good Health and Wellbeing SDG 3 - Good Health a	·	=	https://doi.org/10.1093/rheumatology/keab250
COVID-19 trajectories among 57 million adults in England being SDG 3 - Good Health and Wellbeing SDG 3 - Goo			
COVID-19 trajectories among 57 million adults in England COVID-19-Associated Cardiovascular Complications COVID-19-Associated Cardiovascular Complications CovidNeuroOnc Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Criedion of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Criedion of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Criedion of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Criedion of trace evidence Criedion of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Criteria and definitions for the radiological and clinical diagnosis of bronchiectasis in adults for use in clinical trials CSG 3 - Good Health and Well-being CSG 3 - Good Health and Well-bein	tumours-recommendations for future pandemic planning	· ·	
COVID-19-Associated Cardiovascular Complications being SDG 3 - Good Health and Well- being SDG 3 - Go		SDG 3 - Good Health and Well-	
COVID-19-Associated Cardiovascular Complications Deing SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Wellbeing Persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Criteria and definitions for the radiological and clinical diagnosis of bronchiectasis in adults of use in clinical trials SDG 3 - Good Health and Wellbeing SDG 3 - Go	COVID-19 trajectories among 57 million adults in England	being	https://doi.org/10.1016/S2589-7500(22)00091-7
CovidNeuroOnc Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and being Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and being Critical of a universal experimental protocol for the investigation of transfer and being Critical and definitions for the radiological and clinical diagnosis of bronchiectasis in adults Critical review and meta-analysis of biological variation estimates for tumor markers Critical review and meta-analysis of biological variation estimates for tumor markers SDG 3 - Good Health and Wellbeing CSF Rhinorrhea After Endonasal Intervention to the Skull Base (CRANIAL) êt" Part 2 SDG 3 - Good Health and Wellbeing CUe-based feeding for preterm infants transitioning from tube to oral feeding Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Eviture Perspectives for Improving Ovarian Tissue Cryopreservation and Evitable Deing SDG 3 - Good Health and Wellbeing SDG 3 - Good Heal		SDG 3 - Good Health and Well-	
CovidNeuroOnc Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Critical evidence Critical review and meta-analysis of biological and clinical diagnosis of bronchiectasis in adults CSF Rhinorrhea After Endonasal Intervention to the Skull Base (CRANIAL) â€" Part 2 CUe-based feeding for preterm infants transitioning from tube to oral feeding Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Cytoplasmic p53î² Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer Dapagliflozin for heart failure Deing SDG 3 - Good Health and Well-being https://doi.org/10.1016/j.wneu.2020.12.171 https://doi.org/10.3310/hta25740 https://doi.org/10.1016/j.surge.2021.05.003 https://doi.org/10.1016/j.surge.2021.05.003 https://doi.org/10.1016/j.surge.2021.05.003 https://doi.org/10.1016/j.surge.2021.05.003 https://doi.org/10.1016/j.surge.2021.05.003 being https://doi.org/10.1016/j.surge.2021.05.003	COVID-19-Associated Cardiovascular Complications	S	https://doi.org/10.3390/diseases9030047
Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Criteria and definitions for the radiological and clinical diagnosis of bronchiectasis in adults for use in clinical trials Critical review and meta-analysis of biological variation estimates for tumor markers CSF Rhinorrhea After Endonasal Intervention to the Skull Base (CRANIAL) â€" Part 2 CSF Rhinorrhoea After Endonasal Intervention to the Skull Base (CRANIAL) â€" Part 2 Cue-based feeding for preterm infants transitioning from tube to oral feeding Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Cytoplasmic p53 ³² Isoforms Are Associated with Worse Disease-Free Survival in Breast Cycloplasmic p53 ³² Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer Creation of a universal experimental protocol for the investigation of transfer and being being being being https://doi.org/10.1016/j.fsisyn.2021.100164 The person of trace evidence being https://doi.org/10.1016/j.stisyn.2021.10164 Transplantation Outcomes for Cancer Patients Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown period Cytoplasmic p53 ³² Isoforms Are Associated with Worse Disease-Free Survival in Breast Concer Cycloplasmic p53 ³² Isoforms Are Associated with Worse Disease-Free Survival in Breast Concer Cycloplasmic p53 ³² Isoforms Are Associated with Worse Disease-Free Survival in Breast Concer Cycloplasmic p53 ³² Isoforms Are Associated with Worse Disease-Free Survival in Breast Concer Cycloplasmic p53 ³² Isoforms Are Associated with Worse Disease-Free Survival in Breast Concer Cycloplasmic p53 ³² Isoforms Are Associated with Worse Disease-Free Survival in Breast Concer Cycloplasmic p53 ³² Isoforms Are Associated with Worse Disease-Free Survival in Breast Concer Cycloplasmic p53 ³² Isoforms Are Associated with Worse Di		SDG 3 - Good Health and Well-	
persistence of trace evidence Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Criteria and definitions for the radiological and clinical diagnosis of bronchiectasis in adults for use in clinical trials Critical review and meta-analysis of biological variation estimates for tumor markers Critical review and meta-analysis of biological variation estimates for tumor markers CSF Rhinorrhoea After Endonasal Intervention to the Skull Base (CRANIAL) â€″ Part 2 Cue-based feeding for preterm infants transitioning from tube to oral feeding Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Future Perspectives for Improving Ovarian Tissue Cryopreservation and period Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown period Cytoplasmic p531² Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer Dapagliflozin for heart failure Deing SDG 3 - Good Health and Well-being being	CovidNeuroOnc	being	https://doi.org/10.1093/noajnl/vdab014
Creation of a universal experimental protocol for the investigation of transfer and persistence of trace evidence Criteria and definitions for the radiological and clinical diagnosis of bronchiectasis in adults for use in clinical trials Critical review and meta-analysis of biological variation estimates for tumor markers CSF Rhinorrhea After Endonasal Intervention to the Skull Base (CRANIAL) â€" Part 2 CSF Rhinorrhoea After Endonasal Intervention to the Skull Base (CRANIAL) â€" Part 2 Cue-based feeding for preterm infants transitioning from tube to oral feeding Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Fransplantation Outcomes for Cancer Patients Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown period Cytoplasmic p53 ⁷² Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer Dapagliflozin for heart failure SDG 3 - Good Health and Well-being SDG 3 - Good Health and Well-being SDG 3 - Good Health and Well-being Cyclogamic p53 ⁷² Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer Dapagliflozin for heart failure SDG 3 - Good Health and Well-being SDG 3 - Good Health and Well-being SDG 3 - Good Health and Well-being Attps://doi.org/10.1016/j.surge.2021.05.003 https://doi.org/10.1016/j.surge.2021.05.003 https://doi.org/10.1016/j.surge.2021.05.003 https://doi.org/10.1016/j.surge.2021.05.003 https://doi.org/10.1016/j.surge.2021.05.003 https://doi.org/10.1016/j.surge.2021.05.003 https://doi.org/10.1016/j.surge.2021.05.003	Creation of a universal experimental protocol for the investigation of transfer and	SDG 3 - Good Health and Well-	
persistence of trace evidence Criteria and definitions for the radiological and clinical diagnosis of bronchiectasis in adults for use in clinical trials SDG 3 - Good Health and Well- being SDG 3 - Good Health	persistence of trace evidence	being	https://doi.org/10.1016/j.fsisyn.2021.100165
Criteria and definitions for the radiological and clinical diagnosis of bronchiectasis in adults for use in clinical trials Critical review and meta-analysis of biological variation estimates for tumor markers CSF Rhinorrhea After Endonasal Intervention to the Skull Base (CRANIAL) â€" Part 2 SDG 3 - Good Health and Wellbeing Cue-based feeding for preterm infants transitioning from tube to oral feeding Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Transplantation Outcomes for Cancer Patients Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown Cytoplasmic p53β Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer SDG 3 - Good Health and Wellbeing Dapagliflozin for heart failure SDG 3 - Good Health and Wellbeing Dapagliflozin for heart failure SDG 3 - Good Health and Wellbeing	Creation of a universal experimental protocol for the investigation of transfer and	SDG 3 - Good Health and Well-	
being SDG 3 - Good Health and Wellbeing	persistence of trace evidence	being	https://doi.org/10.1016/j.fsisyn.2021.100164
SDG 3 - Good Health and Well-being https://doi.org/10.1515/cclm-2021-0725 SDG 3 - Good Health and Well-being https://doi.org/10.1016/j.wneu.2020.12.169 SDG 3 - Good Health and Well-being https://doi.org/10.1016/j.wneu.2020.12.169 SDG 3 - Good Health and Well-being https://doi.org/10.1016/j.wneu.2020.12.171 SDG 3 - Good Health and Well-being https://doi.org/10.1016/j.wneu.2020.12.171 SDG 3 - Good Health and Well-being https://doi.org/10.1016/j.wneu.2020.12.171 Cue-based feeding for preterm infants transitioning from tube to oral feeding being https://doi.org/10.3310/hta25740 Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Transplantation Outcomes for Cancer Patients Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown period Cytoplasmic p53f² Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer SDG 3 - Good Health and Well-being https://doi.org/10.1016/j.surge.2021.05.003 SDG 3 - Good Health and Well-being https://doi.org/10.3390/ijms23126670 SDG 3 - Good Health and Well-being https://doi.org/10.3390/ijms23126670 SDG 3 - Good Health and Well-being https://doi.org/10.1002/pdi.2324	Criteria and definitions for the radiological and clinical diagnosis of bronchiectasis in adults	SDG 3 - Good Health and Well-	
Critical review and meta-analysis of biological variation estimates for tumor markers SDG 3 - Good Health and Wellbeing	for use in clinical trials	being	https://doi.org/10.1016/S2213-2600(21)00277-0
SDG 3 - Good Health and Wellbeing SDG 3		SDG 3 - Good Health and Well-	
CSF Rhinorrhea After Endonasal Intervention to the Skull Base (CRANIAL) â€" Part 2 SDG 3 - Good Health and Well- being CUFR Rhinorrhoea After Endonasal Intervention to the Skull Base (CRANIAL) - Part 1 SDG 3 - Good Health and Well- being Cure-based feeding for preterm infants transitioning from tube to oral feeding Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Transplantation Outcomes for Cancer Patients Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown period Cytoplasmic p53β Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer Dapagliflozin for heart failure being SDG 3 - Good Health and Well- being	Critical review and meta-analysis of biological variation estimates for tumor markers	being	https://doi.org/10.1515/cclm-2021-0725
SDG 3 - Good Health and Well-being https://doi.org/10.1016/j.wneu.2020.12.171 Cue-based feeding for preterm infants transitioning from tube to oral feeding being https://doi.org/10.3310/hta25740 Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Transplantation Outcomes for Cancer Patients being https://doi.org/10.3310/hta25740 Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown period SDG 3 - Good Health and Well-being https://doi.org/10.1007/s43032-021-00517-2 Cytoplasmic p53β Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer SDG 3 - Good Health and Well-being https://doi.org/10.3390/ijms23126670 SDG 3 - Good Health and Well-being https://doi.org/10.1002/pdi.2324 SDG 3 - Good Health and Well-being https://doi.org/10.1002/pdi.2324		SDG 3 - Good Health and Well-	
CSF Rhinorrhoea After Endonasal Intervention to the Skull Base (CRANIAL) - Part 1 SDG 3 - Good Health and Well- Deing being	CSF Rhinorrhea After Endonasal Intervention to the Skull Base (CRANIAL) â€" Part 2	being	https://doi.org/10.1016/j.wneu.2020.12.169
Cue-based feeding for preterm infants transitioning from tube to oral feeding Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Transplantation Outcomes for Cancer Patients Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown period Cytoplasmic p53β Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer Dapagliflozin for heart failure SDG 3 - Good Health and Well-being		SDG 3 - Good Health and Well-	
Cue-based feeding for preterm infants transitioning from tube to oral feeding Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Transplantation Outcomes for Cancer Patients Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown period Cytoplasmic p53î² Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer Dapagliflozin for heart failure Dayagliflozin for heart failure Dayagliflozin for Meart failure Daya	CSF Rhinorrhoea After Endonasal Intervention to the Skull Base (CRANIAL) - Part 1	being	https://doi.org/10.1016/j.wneu.2020.12.171
Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and Transplantation Outcomes for Cancer Patients Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown period Cytoplasmic p53β Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer Dapagliflozin for heart failure Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and SDG 3 - Good Health and Well-being SDG 3 - Good Health and Well-being SDG 3 - Good Health and Well-being SDG 3 - Good Health and Well-being SDG 3 - Good Health and Well-being SDG 3 - Good Health and Well-being SDG 3 - Good Health and Well-being SDG 3 - Good Health and Well-being SDG 3 - Good Health and Well-		SDG 3 - Good Health and Well-	
Transplantation Outcomes for Cancer Patients Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown period Cytoplasmic p53β Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer Dapagliflozin for heart failure Dapagliflozin for heart failure Deing SDG 3 - Good Health and Well-being	Cue-based feeding for preterm infants transitioning from tube to oral feeding	being	https://doi.org/10.3310/hta25740
Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown period Cytoplasmic p53î² Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer Dapagliflozin for heart failure Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown being SDG 3 - Good Health and Well-being	Current and Future Perspectives for Improving Ovarian Tissue Cryopreservation and	SDG 3 - Good Health and Well-	
period being https://doi.org/10.1016/j.surge.2021.05.003 Cytoplasmic p53β Isoforms Are Associated with Worse Disease-Free Survival in Breast SDG 3 - Good Health and Well-being https://doi.org/10.3390/ijms23126670 Dapagliflozin for heart failure being https://doi.org/10.1002/pdi.2324 SDG 3 - Good Health and Well-being https://doi.org/10.1002/pdi.2324		being	https://doi.org/10.1007/s43032-021-00517-2
period Cytoplasmic p53β Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	Cycling injuries requiring orthopaedic intervention during the first COVID-19 lockdown	SDG 3 - Good Health and Well-	
Cytoplasmic p53β Isoforms Are Associated with Worse Disease-Free Survival in Breast Cancer Dapagliflozin for heart failure SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well- being https://doi.org/10.3390/ijms23126670 SDG 3 - Good Health and Well- being https://doi.org/10.1002/pdi.2324		being	https://doi.org/10.1016/j.surge.2021.05.003
Cancer being https://doi.org/10.3390/ijms23126670 SDG 3 - Good Health and Well- being https://doi.org/10.1002/pdi.2324 SDG 3 - Good Health and Well-	·	SDG 3 - Good Health and Well-	, ,, ,, ,,
SDG 3 - Good Health and Well- Dapagliflozin for heart failure being https://doi.org/10.1002/pdi.2324 SDG 3 - Good Health and Well-		being	https://doi.org/10.3390/ijms23126670
Dapagliflozin for heart failure being https://doi.org/10.1002/pdi.2324 SDG 3 - Good Health and Well-		· ·	
SDG 3 - Good Health and Well-	Dapagliflozin for heart failure		https://doi.org/10.1002/pdi.2324
	. •	· ·	, , , , , , , , , , , , , , , , , , , ,
	Data linkage to reduce severe hypoglycaemia	being	

Data quality in primary care, Scotland Death following pulmonary complications of surgery before and during the SARS-CoV-2	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Wellbeing	https://doi.org/10.1177/0036933021995965
pandemic Death from cancer	being SDG 3 - Good Health and Wellbeing	https://doi.org/10.1093/bjs/znab336 https://doi.org/10.1136/bmjspcare-2021-003448
Declining incidence of hepatitis C related hepatocellular carcinoma in the era of interferon free therapies	being	https://doi.org/10.1111/liv.15143
Deep brain stimulation for obsessive-compulsive disorder	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41591-022-01879-z
Deep brain stimulation for refractory obsessive-compulsive disorder (OCD)	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41380-020-00933-x
Defining a Severe Asthma Super-Responder	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.jaip.2021.06.041
Deleterious reproductive effects of nilotinib in mouse model Demonstrating Benefit-Risk Profiles of Novel Therapeutic Strategies in Kidney Transplantation	being SDG 3 - Good Health and Wellbeing	https://doi.org/10.1530/REP-20-0548 https://doi.org/10.3389/ti.2022.10329
Design and validation of a medical robotic device system to control two collaborative robots for ultrasound-guided needle insertions	SDG 3 - Good Health and Wellbeing	https://doi.org/10.3389/frobt.2022.875845
Detection of Post-translationally Modified p53 by Western Blotting	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1007/978-1-0716-1217-0_2
Detection of thermal shift in cellular Keap1 by protein-protein interaction inhibitors using immunoblot- and fluorescence microplate-based assays	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.xpro.2022.101265
Detection to Hospital Door	being SDG 3 - Good Health and Well-	https://doi.org/10.3389/fneur.2022.833933
Determinants of asthma control and exacerbations in moderate to severe asthma Determinants of penetrance and variable expressivity in monogenic metabolic conditions	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.jaip.2022.06.042
across 77,184 exomes Developing a primary care-initiated hepatitis C treatment pathway in Scotland	being SDG 3 - Good Health and Wellbeing	https://doi.org/10.1038/s41467-021-23556-4 https://doi.org/10.3399/BJGP.2022.0044
Developing an AKI Consensus Definition for Database Research	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1053/j.ajkd.2021.05.019
Development and internal validation of clinical prediction models for outcomes of complicated intra-abdominal infection	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1093/bjs/znaa117
Development and validation of a cardiovascular risk prediction model in type 1 diabetes	SDG 3 - Good Health and Well- being	https://doi.org/10.1007/s00125-021-05478-4

Development and validation of a clinical prediction rule for development of diabetic foot	SDG 3 - Good Health and Well-	
ulceration	being	https://doi.org/10.1136/bmjdrc-2021-002150
Development and validation of a novel measure of adverse patient positioning in	SDG 3 - Good Health and Well-	
mammography	being	https://doi.org/10.1016/j.ejrad.2021.109747
Development of a multiplexed targeted mass spectrometry assay for LRRK2-	SDG 3 - Good Health and Well-	
phosphorylated Rabs and Ser910/Ser935 biomarker sites	being	https://doi.org/10.1042/BCJ20200930
Development of a treatment selection algorithm for SGLT2 and DPP-4 inhibitor therapies in	n SDG 3 - Good Health and Well-	
people with type 2 diabetes	being	https://doi.org/10.1016/S2589-7500(22)00174-1
	SDG 3 - Good Health and Well-	
Development of Drugs for Nontuberculous Mycobacterial Disease	being	https://doi.org/10.1016/j.chest.2020.08.2055
Device-assessed sleep and physical activity in individuals recovering from a hospital	SDG 3 - Good Health and Well-	
admission for COVID-19	being	https://doi.org/10.1186/s12966-022-01333-w
DHX9-dependent recruitment of BRCA1 to RNA promotes DNA end resection in	SDG 3 - Good Health and Well-	1 // 3/
homologous recombination	being	https://doi.org/10.1038/s41467-021-24341-z
nomologous recombination	SDG 3 - Good Health and Well-	maps, 7, donorg, 10.1050/511107 021 21511 2
DIA label-free proteomic analysis of murine bone-marrow-derived macrophages	being	https://doi.org/10.1016/j.xpro.2022.101725
Diabetes status modifies the long-term effect of lipoprotein-associated phospholipase A2	SDG 3 - Good Health and Well-	111(p3.) / d01.016/ 10.1010/ j.xp10.2022.101/ 23
on major coronary events	being	https://doi.org/10.1007/s00125-021-05574-5
Diabetes status-related differences in risk factors and mediators of heart failure in the	SDG 3 - Good Health and Well-	https://doi.org/10.1007/300125-021-05574-5
general population	being	https://doi.org/10.1186/s12933-021-01378-4
general population	SDG 3 - Good Health and Well-	nttps://doi.org/10.1166/512955-021-01576-4
Diale ation staints matter.		https://doi.org/10.1136/hay.2020.240141
Diabetic striatopathy	being	https://doi.org/10.1136/bcr-2020-240141
Discourie of Datases Cities Destinate	SDG 3 - Good Health and Well-	1 // 1 /40.4045/: 2004.44.000
Diagnosis of Primary Ciliary Dyskinesia	being	https://doi.org/10.1016/j.ccm.2021.11.008
Diagnostic performance of magnetic resonance enterography disease activity indices	SDG 3 - Good Health and Well-	
compared with a histological reference standard for adult terminal ileal Crohn's disease	being	https://doi.org/10.1093/ecco-jcc/jjac062
Dietary nitrate prevents progression of carotid subclinical atherosclerosis through blood	SDG 3 - Good Health and Well-	
pressure-independent mechanisms in patients with or at risk of type 2 diabetes mellitus	being	https://doi.org/10.1111/bcp.14897
Dietary triggers of gut inflammation following exclusive enteral nutrition in children with	SDG 3 - Good Health and Well-	
Crohn's disease	being	https://doi.org/10.1186/s12876-021-02029-4
Differential and shared genetic effects on kidney function between diabetic and non-	SDG 3 - Good Health and Well-	
diabetic individuals	being	https://doi.org/10.1038/s42003-022-03448-z
Differentiation of COVID-19 signs and symptoms from allergic rhinitis and common cold-	SDG 3 - Good Health and Well-	
An ARIA-EAACI-GA2 LENconsensus	being	https://doi.org/10.1111/all.14815
	SDG 3 - Good Health and Well-	
Digital Breast Tomosynthesis	being	https://doi.org/10.1259/bjr.20201105
Digital Interventions Supporting Self-care in People With Type 2 Diabetes Across Greater	SDG 3 - Good Health and Well-	
Manchester (Greater Manchester Diabetes My Way)	being	https://doi.org/10.2196/26237
		· · · · · · · · · · · · · · · · · · ·

Dipeptidyl peptidase-1 inhibition in patients hospitalised with COVID-19	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1016/S2213-2600(22)00261-2
Dipeptidyl peptidase-3, a marker of the antagonist pathway of the renin-angiotensin-	SDG 3 - Good Health and Well-	
aldosterone system in patients with heart failure	being	https://doi.org/10.1002/ejhf.2158
	SDG 3 - Good Health and Well-	
Discovery of a new generation of angiotensin receptor blocking drugs	being	https://doi.org/10.1016/j.csbj.2022.04.010
	SDG 3 - Good Health and Well-	
Discovery of XL01126	being	https://doi.org/10.1021/jacs.2c05499
Disentangling ADHD's Presentation-Related Decision-Making-A Meta-Analytic Approach on	SDG 3 - Good Health and Well-	
Predominant Presentations	being	https://doi.org/10.3389/fpsyt.2021.519840
	SDG 3 - Good Health and Well-	
Distinct molecular signatures of clinical clusters in people with type 2 diabetes	being	https://doi.org/10.2337/db20-1281
Distribution of Semen Examination Results 2020 - a follow up of data collated for the WHO	SDG 3 - Good Health and Well-	
semen analysis manual 2010	being	https://doi.org/10.1111/andr.12983
,	SDG 3 - Good Health and Well-	, ,,
DNA fragmentation, antioxidants and ART	being	https://doi.org/10.1002/9781119622215.ch95
Do faecal test-based colorectal cancer screening pilots provide data that are reflected in	SDG 3 - Good Health and Well-	, ,
subsequent programmes? Evidence from interval cancer proportions	being	https://doi.org/10.1177/00045632221119714
Do studies published in two leading reproduction journals between 2011 and 2020	SDG 3 - Good Health and Well-	
demonstrate that they followed WHO5 recommendations for basic semen analysis?	being	https://doi.org/10.1093/humrep/deac173
Does additional monitoring status increase the reporting of adverse drug reactions? An	SDG 3 - Good Health and Well-	
interrupted time series analysis of EudraVigilance data	being	https://doi.org/10.1002/pds.5174
	SDG 3 - Good Health and Well-	
Does non-visible haematuria require urgent assessment?	being	https://doi.org/10.1007/s00345-021-03670-0
	SDG 3 - Good Health and Well-	
Dorothy Hodgkin Lecture 2021	being	https://doi.org/10.1111/dme.14726
Draft genome assemblies for tree pathogens <i>Phytophthora pseudosyringae</i> and	SDG 3 - Good Health and Well-	
<i>Phytophthora boehmeriae</i>	being	https://doi.org/10.1093/g3journal/jkab282
	SDG 3 - Good Health and Well-	
Drugs for chronic pain	being	https://doi.org/10.3399/bjgp21X715457
	SDG 3 - Good Health and Well-	
Drugs for Chronic Pain - We Still Need Them	being	
DUSP5-mediated inhibition of smooth muscle cell proliferation suppresses pulmonary	SDG 3 - Good Health and Well-	
hypertension and right ventricular hypertrophy	being	https://doi.org/10.1152/ajpheart.00115.2021
	SDG 3 - Good Health and Well-	
Dyskalemia in people at increased risk for heart failure	being	https://doi.org/10.1002/ehf2.14086
Earlier diagnosis of lung cancer in a randomised trial of an autoantibody blood test	SDG 3 - Good Health and Well-	
followed by imaging	being	https://doi.org/10.1183/13993003.00670-2020

	SDG 3 - Good Health and Well-	
Early childhood epilepsies	being	https://doi.org/10.1093/brain/awab162
Early life predictors of late life cerebral small vessel disease in four prospective cohort	SDG 3 - Good Health and Well-	
studies	being	https://doi.org/10.1093/brain/awab331
Early stress-induced impaired microglial pruning of excitatory synapses on immature CRH-	SDG 3 - Good Health and Well-	
expressing neurons provokes aberrant adult stress responses	being	https://doi.org/10.1016/j.celrep.2022.110600
	SDG 3 - Good Health and Well-	
Editorial	being	https://doi.org/10.3389/fpls.2020.630327
	SDG 3 - Good Health and Well-	
Editorial: Pharmacogenomics of Adverse Drug Reactions	being	https://doi.org/10.3389/fgene.2022.859909
Effect of Angiotensin System Inhibitors on Physical Performance in Older People - A	SDG 3 - Good Health and Well-	
Systematic Review and Meta-Analysis	being	https://doi.org/10.1016/j.jamda.2020.07.012
Effect of competing mortality risks on predictive performance of the QFracture risk	SDG 3 - Good Health and Well-	
prediction tool for major osteoporotic fracture and hip fracture	being	https://doi.org/10.1136/bmjmed-2022-000316
Effect of competing mortality risks on predictive performance of the QRISK3 cardiovascular		
risk prediction tool in older people and those with comorbidity	being	https://doi.org/10.1016/S2666-7568(21)00088-X
	SDG 3 - Good Health and Well-	
Effect of COVID-19 on presentations of decompensated liver disease in Scotland	being	https://doi.org/10.1136/bmjgast-2021-000795
Effect of COVID-19 pandemic lockdowns on planned cancer surgery for 15 tumour types in	SDG 3 - Good Health and Well-	
61 countries	being	https://doi.org/10.1016/S1470-2045(21)00493-9
Effect of hypoglycaemia on measures of myocardial blood flow and myocardial injury in	SDG 3 - Good Health and Well-	
adults with and without type 1 diabetes	being	https://doi.org/10.1002/edm2.258
Effect of losartan on performance and physiological responses to exercise at high altitude	SDG 3 - Good Health and Well-	
(5035 m)	being	https://doi.org/10.1136/bmjsem-2020-000982
	SDG 3 - Good Health and Well-	
Effect of multiple episodes of Acute Kidney Injury on mortality	being	https://doi.org/10.1093/ckj/sfz199
Effect of p53 and its N-terminally truncated isoform, î"40p53, on breast cancer migration	SDG 3 - Good Health and Well-	
and invasion	being	https://doi.org/10.1002/1878-0261.13118
Effectiveness and cost-effectiveness of text messages with or without endowment	SDG 3 - Good Health and Well-	
incentives for weight management in men with obesity (Game of Stones)	being	https://doi.org/10.1186/s13063-022-06504-5
Effects of pre-operative isolation on postoperative pulmonary complications after elective	SDG 3 - Good Health and Well-	
surgery	being	https://doi.org/10.1111/anae.15560
Effects of state-wide implementation of the Los Angeles Motor Scale for triage of stroke	SDG 3 - Good Health and Well-	
patients in clinical practice	being	https://doi.org/10.1186/s42466-021-00128-x
agonist, in a randomized phase 2a study of patients with type 2 diabetes and chronic	SDG 3 - Good Health and Well-	
kidney disease	being	https://doi.org/10.1111/dom.14712
	SDG 3 - Good Health and Well-	
Efficacy and safety of papaverine as an in vitro motility enhancer on human spermatozoa	being	https://doi.org/10.1007/s10815-021-02160-x

Efficacy and safety of TOBI Podhaler® in Pseudomonas <i>aeruginosa</i> -infected	SDG 3 - Good Health and Well-	
bronchiectasis patients	being	https://doi.org/10.1183/13993003.01451-2020
of Life and Cancer Control Among Older and Frail Patients With Advanced	SDG 3 - Good Health and Well-	
Gastroesophageal Cancer	being	https://doi.org/10.1001/jamaoncol.2021.0848
Elective Cancer Surgery in COVID-19-Free Surgical Pathways During the SARS-CoV-2	SDG 3 - Good Health and Well-	
Pandemic	being	https://doi.org/10.1200/JCO.20.01933
	SDG 3 - Good Health and Well-	
Elective laparoscopic cholecystectomy	being	https://doi.org/10.1007/s00464-021-08986-x
unresectable previously treated oesophagogastric adenocarcinoma with MGMT	SDG 3 - Good Health and Well-	
methylation	being	https://doi.org/10.1186/s12885-022-09891-9
Elevated and sustained intracellular calcium signalling is necessary for efficacious induction	SDG 3 - Good Health and Well-	
of the human sperm acrosome reaction	being	https://doi.org/10.3390/ijms231911253
	SDG 3 - Good Health and Well-	
Elevated circulating follistatin associates with an increased risk of type 2 diabetes	being	https://doi.org/10.1038/S41467-021-26536-w
	SDG 3 - Good Health and Well-	
Emergency contraception from the pharmacy 20 years on	being	https://doi.org/10.1136/bmjsrh-2020-200648
	SDG 3 - Good Health and Well-	
Emerging roles of DYRK2 in cancer	being	https://doi.org/10.1074/jbc.REV120.015217
	SDG 3 - Good Health and Well-	
En pratique courante, quel est le meilleur test pour rechercher du sang dans les selles ?	being	
Endoscopic surgical simulation using low-fidelity and virtual reality transurethral resection	SDG 3 - Good Health and Well-	
simulators in urology simulation boot camp course	being	https://doi.org/10.1007/s00345-020-03559-4
Endothelial NADPH oxidase 4 protects against angiotensin II-induced cardiac fibrosis and	SDG 3 - Good Health and Well-	
inflammation	being	https://doi.org/10.1002/ehf2.13228
Endotyping Chronic Obstructive Pulmonary Disease, Bronchiectasis, and the "Chronic	SDG 3 - Good Health and Well-	
Obstructive Pulmonary Diseaseâ€"Bronchiectasis Association'	being	https://doi.org/10.1164/rccm.202108-1943OC
	SDG 3 - Good Health and Well-	
Enhancing the collective, protecting the personal	being	https://doi.org/10.1007/s40037-022-00723-x
Enrichment analysis of GWAS data in autoimmunity delineates the multiple sclerosis-	SDG 3 - Good Health and Well-	
Epstein Barr virus association	being	https://doi.org/10.1101/2021.06.06.447253
	SDG 3 - Good Health and Well-	
Epidemic Landscape and Forecasting of SARS-CoV-2 in India	being	https://doi.org/10.2991/jegh.k.200823.001
Epidemiology, Outcomes and Resource Utilisation in Patients with Carbapenem Non-	SDG 3 - Good Health and Well-	
susceptible Gram-Negative Bacteria in the UK	being	https://doi.org/10.1007/s12325-022-02177-3
Epidermal Growth Factor Receptor Inhibition in Epidermal Growth Factor Receptor-	SDG 3 - Good Health and Well-	
Amplified Gastroesophageal Cancer	being	https://doi.org/10.1200/JCO.21.02453
	SDG 3 - Good Health and Well-	
Epigenome-wide association study of global cortical volumes in Generation Scotland	being	https://doi.org/10.1080/15592294.2021.1997404
		- · · · · · · · · · · · · · · · · · · ·

	SDG 3 - Good Health and Well-	
Epilepsy and cannabis	being	https://doi.org/10.1111/dmcn.15032
	SDG 3 - Good Health and Well-	, , , , , , , , , , , , , , , , , , ,
EPOS 4 Patients	being	https://doi.org/10.4193/Rhin20.950
Epstein-Barr virus status and subsequent thiopurine exposure within a paediatric	SDG 3 - Good Health and Well-	
inflammatory bowel disease population	being	https://doi.org/10.1097/MPG.0000000000003197
	SDG 3 - Good Health and Well-	
Eribulin treatment for patients with metastatic breast cancer	being	https://doi.org/10.1159/000526140
ERS ECM Awardee 2021, a preview of LSC 2022 and a brief overview of the Respiratory	SDG 3 - Good Health and Well-	
Channel	being	https://doi.org/10.1183/20734735.0121-2021
	SDG 3 - Good Health and Well-	
ERS International Congress 2020	being	https://doi.org/10.1183/23120541.00091-2021
	SDG 3 - Good Health and Well-	
ERS International Congress 2021	being	https://doi.org/10.1183/23120541.00642-2021
	SDG 3 - Good Health and Well-	
Escalating anti-inflammatory therapy with tocilizumab in patients with severe COVID-19	being	
With Cancer at Low Versus High Risk of Severe Complications of COVID-19 Disease On	SDG 3 - Good Health and Well-	hu //-l-1 /40 4200 (CC) 24 00477
Presentation to Hospital	being	https://doi.org/10.1200/CCI.21.00177
Evaluating and communicating hepatitis C cascades of care data in Tayside, Scotland	SDG 3 - Good Health and Well-	https://doi.org/10.1111/jub.12505
Evaluating and communicating nepatitis c cascades of care data in Tayside, Scotiand	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/jvh.13505
Evaluating Diuretics in Normal Care (EVIDENCE)	being	https://doi.org/10.1186/s40814-022-01016-0
Evaluating Didietics in Normal Care (EVIDENCE)	SDG 3 - Good Health and Well-	https://doi.org/10.1160/540814-022-01010-0
Evaluating Diuretics in Normal Care (EVIDENCE)	being	https://doi.org/10.1186/s13063-021-05782-9
Evaluation of SARS-CoV-2 antibody point of care devices in the laboratory and clinical	SDG 3 - Good Health and Well-	https://doi.org/10.1100/313003 021 03702 3
setting	being	https://doi.org/10.1371/journal.pone.0266086
Evidence for similar structural brain anomalies in youth and adult attention-	SDG 3 - Good Health and Well-	po.,/, ao,
deficit/hyperactivity disorder	being	https://doi.org/10.1038/s41398-021-01201-4
Evidence of a Causal Relationship between Serum Thyroid-Stimulating Hormone and	SDG 3 - Good Health and Well-	, ,,
Osteoporotic Bone Fractures	being	https://doi.org/10.1159/000518058
Examining the Effect of Kindlin-3 Binding Site Mutation on LFA-1-ICAM-1 Bonds by Force	SDG 3 - Good Health and Well-	
Measuring Optical Tweezers	being	https://doi.org/10.3389/fimmu.2021.792813
	SDG 3 - Good Health and Well-	
Exhaled volatile organic compounds and lung microbiome in COPD	being	https://doi.org/10.1183/23120541.00253-2021
buprenorphine versus sublingual tablet buprenorphine and oral liquid methadone for	SDG 3 - Good Health and Well-	
opioid use disorder	being	https://doi.org/10.1136/bmjopen-2022-067194
Experiences of cervical screening participation and non-participation in women from	SDG 3 - Good Health and Well-	
minority ethnic populations in Scotland	being	https://doi.org/10.1111/hex.13287

Experimental Design for Time-Series RNA-Seq Analysis of Gene Expression and Alternative	SDG 3 - Good Health and Well-	
Splicing	being	https://doi.org/10.1007/978-1-0716-1912-4 14
	SDG 3 - Good Health and Well-	, , , , , , , , , , , , , , , , , , ,
Expression of p53 protein isoforms predicts survival in patients with multiple myeloma	being	https://doi.org/10.1002/ajh.26507
	SDG 3 - Good Health and Well-	
Extended-release pharmacotherapy for opioid use disorder (EXPO)	being	https://doi.org/10.1186/s13063-022-06595-0
Extra-peritoneal Laparoscopic Resection of Benign Prostate Adenoma >150 CC with	SDG 3 - Good Health and Well-	
preservation of posterior wall of prostatic urethra	being	https://doi.org/10.1177/00369330211068123
	SDG 3 - Good Health and Well-	
Extreme Exposure to Filtered Far-UVC	being	https://doi.org/10.1111/php.13385
	SDG 3 - Good Health and Well-	
Extubation and emergence	being	https://doi.org/10.1016/j.mpaic.2021.07.012
	SDG 3 - Good Health and Well-	
Factors affecting anatomical and visual outcome after macular hole surgery	being	https://doi.org/10.1038/s41433-020-0844-x
	SDG 3 - Good Health and Well-	
Factors affecting resting heart rate in free-living healthy humans	being	https://doi.org/10.1177/20552076221129075
Factors affecting the set-up and success of an AHSC. A qualitative study with practical	SDG 3 - Good Health and Well-	
recommendations.	being	
	SDG 3 - Good Health and Well-	
Factors affecting visual recovery after successful repair of macula-off retinal detachments	being	https://doi.org/10.1038/s41433-020-1021-y
	SDG 3 - Good Health and Well-	
Factors influencing home blood pressure monitor ownership in a large clinical trial	being	https://doi.org/10.1038/s41371-021-00511-w
Factors influencing participation and long-term commitment to self-monitoring of blood	SDG 3 - Good Health and Well-	
pressure in a large remote clinical trial	being	https://doi.org/10.1038/s41371-021-00621-5
Faecal haemoglobin concentration in adenoma, before and after polypectomy, approaches		
the ideal tumour marker	being	https://doi.org/10.1177/00045632221080897
colorectal cancer based on a faecal immunochemical test in symptomatic patients in	SDG 3 - Good Health and Well-	
primary care	being	https://doi.org/10.1177/0004563220985547
Faecal haemoglobin concentrations in women and men diagnosed with colorectal cancer i		// //
a national screening programme.	being	https://doi.org/10.1177/09691413211056970
	SDG 3 - Good Health and Well-	// //
Faecal Haemoglobin Estimated by Faecal Immunochemical Tests	being	https://doi.org/10.3390/diagnostics11112093
Faecal immunochemical testing (FIT) in patients with signs or symptoms of suspected	SDG 3 - Good Health and Well-	hu //d-: /40 4436/- 15-1 3033 33700F
colorectal cancer (CRC)	being	https://doi.org/10.1136/gutjnl-2022-327985
For LIVE (222 Å mm) officiently inactivates on sinharm and hazar in a manual state of the sub-	SDG 3 - Good Health and Well-	https://doi.org/10.1020/c41500.022.00452 -
Far-UVC (222Â nm) efficiently inactivates an airborne pathogen in a room-sized chamber	being	https://doi.org/10.1038/s41598-022-08462-z
Fooding management before gastrointectinal studies in nigs	SDG 3 - Good Health and Well-	https://doi.org/10.1177/0022677220060500
Feeding management before gastrointestinal studies in pigs	being	https://doi.org/10.1177/0023677220960509

Ferric carboxymaltose across all ages in paediatric gastroenterology shows efficacy without increased safety concerns	t SDG 3 - Good Health and Well- being	https://doi.org/10.1097/MPG.0000000000003003
Fibroblast growth factor signalling influences homologous recombination-mediated DNA	SDG 3 - Good Health and Well-	11ttps://doi.org/10.1097/WFd.00000000000000
damage repair to promote drug resistance in ovarian cancer	being	https://doi.org/10.1038/s41416-022-01899-z
damage repair to promote drag resistance in ovarian cancer	SDG 3 - Good Health and Well-	https://doi.org/10.1000/311110 022 01033 2
Findings beyond Crohn's disease encountered on magnetic resonance enterography	being	https://doi.org/10.11622/smedj.2021038
Flash monitor initiation is associated with improvements in HbA1c levels and DKA rates	SDG 3 - Good Health and Well-	
among people with Type 1 Diabetes in Scotland	being	https://doi.org/10.1007/s00125-021-05578-1
Fluorescence and thermal imaging of non-melanoma skin cancers before and during	SDG 3 - Good Health and Well-	, ,, G.
photodynamic therapy	being	https://doi.org/10.1016/j.pdpdt.2021.102327
Flying under the radar: CDH2 (N-cadherin), an important hub molecule in	SDG 3 - Good Health and Well-	
neurodevelopmental and neurodegenerative diseases	being	https://doi.org/10.3389/fnins.2022.972059
	SDG 3 - Good Health and Well-	
Focused ultrasound radiosensitizes human cancer cells by enhancement of DNA damage	being	https://doi.org/10.1007/s00066-021-01774-5
	SDG 3 - Good Health and Well-	
Focused Ultrasound Treatment of a Spheroid In Vitro Tumour Model	being	https://doi.org/10.3390/cells11091518
Follow-up of small and diminutive colonic polyps-How to balance the risks in the COVID-19	SDG 3 - Good Health and Well-	
era	being	https://doi.org/10.1111/codi.15907
	SDG 3 - Good Health and Well-	
Food for Thought	being	https://doi.org/10.3389/fphar.2022.882158
	SDG 3 - Good Health and Well-	
Foot Ulcer and Risk of Lower Limb Amputation or Death in People With Diabetes	being	https://doi.org/10.2337/dc21-1596
Forced Vital Capacity and Low Frequency Reactance Area Measurements Are Associated	SDG 3 - Good Health and Well-	
with Asthma Control and Exacerbations	being	https://doi.org/10.1007/s00408-022-00542-1
	SDG 3 - Good Health and Well-	
Forecasting Posttreatment Outcome of Hallux Valgus Surgery Patients	being	https://doi.org/10.1177/10711007211002498
Four groups of type 2 diabetes contribute to the etiological and clinical heterogeneity in	SDG 3 - Good Health and Well-	// /40.4045/: 2004.400477
newly diagnosed individuals	being	https://doi.org/10.1016/j.xcrm.2021.100477
Fueith, and treatment outcome in advanced costs, accombagged concer	SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.ico.2021.12.000
Frailty and treatment outcome in advanced gastro-oesophageal cancer	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.jgo.2021.12.009
Frequent and very frequent unscheduled care use by people who die from cancer	being	https://doi.org/10.1136/bmjspcare-2021-003448
rrequent and very frequent unscrieduled care use by people who die from cancer	SDG 3 - Good Health and Well-	11(tps.//doi.org/10.1136/binjspcare-2021-003448
From Inception to ConcePTION	being	https://doi.org/10.1002/cpt.2476
Tront inception to concer from	SDG 3 - Good Health and Well-	11ttps://doi.org/10.1002/cpt.2470
Frontal Fibrosing Alopecia	being	https://doi.org/10.1111/ced.15035
1.01164.1.101.0311.6.1.104.0014	SDG 3 - Good Health and Well-	ps., , 40
Fronto-medial electrode placement for electroconvulsive treatment of depression	being	https://doi.org/10.3389/fnins.2022.1029683
	0	

Functional impairment outcomes in clinical trials of different ADHD medications Functional outcomes of early laryngeal cancer - Endoscopic laser surgery versus external	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1007/s00787-020-01586-5
beam radiotherapy	being SDG 3 - Good Health and Well-	https://doi.org/10.1017/S0022215121002887
Future MS cohort profile	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmjopen-2021-058506
GABAA receptors in GtoPdb v.2021.3	being SDG 3 - Good Health and Well-	https://doi.org/10.2218/gtopdb/F72/2021.3
Gamma-Glutamyl Transferase (γ-GT) – an old dog with new tricks?	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/liv.15099
Gastroesophageal adenocarcinoma in older adults	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.jgo.2021.09.006
GCN2 GDNF Increases Inhibitory Synaptic Drive on Principal Neurons in the Hippocampus via	being SDG 3 - Good Health and Well-	https://doi.org/10.1042/BST20211252
Activation of the Ret Pathway Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis	being SDG 3 - Good Health and Well-	https://doi.org/10.3390/ijms232113190
identify novel blood pressure loci	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41380-020-0719-3
Generation of a chemical genetic model for JAK3 Generation of conditional MEN1 knockout human induced pluripotent stem cells (iPSCs)	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41598-021-89356-4
provide a genetically-tractable disease model to investigate cell-type specific gene function Gene-specific application of computational prediction tools aids the classification of rare		https://doi.org/10.1530/endoabs.86.OC2.1
missense variants in the diagnosis of hereditary endocrine tumour syndromes Genetic and shared couple environmental contributions to smoking and alcohol use in the	being	https://doi.org/10.1530/endoabs.86.P43
UK population	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41380-019-0607-x
Genetic insights into biological mechanisms governing human ovarian ageing	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41586-021-03779-7
Genetic testing in endocrinology	being SDG 3 - Good Health and Well-	https://doi.org/10.1093/med/9780198851899.001.0001
Genetics of monogenic disorders of calcium and bone metabolism	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/cen.14644
Genome sequencing reveals underdiagnosis of primary ciliary dyskinesia in bronchiectasis Genome-scale RNA interference profiling of <i>Trypanosoma brucei</i> cell cycle	being SDG 3 - Good Health and Well-	https://doi.org/10.1183/13993003.00176-2022
progression defects	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41467-022-33109-y
Genome-Wide Association Analysis of Pancreatic Beta Cell Glucose Sensitivity	being	https://doi.org/10.1210/clinem/dgaa653

Genome-wide association studies of exacerbations in children using long-acting beta2-	SDG 3 - Good Health and Well-	
agonists	being	https://doi.org/10.1111/pai.13494
Genome-wide association study of asthma exacerbations despite inhaled corticosteroid	SDG 3 - Good Health and Well-	
use	being	https://doi.org/10.1183/13993003.03388-2020
	SDG 3 - Good Health and Well-	
Genome-Wide Association Study of Peripheral Artery Disease	being	https://doi.org/10.1161/CIRCGEN.119.002862
Genome-wide meta-analysis and omics integration identifies novel genes associated with	SDG 3 - Good Health and Well-	
diabetic kidney disease	being	https://doi.org/10.1007/s00125-022-05735-0
Genome-wide meta-analysis identifies 127 open-angle glaucoma loci with consistent effect		
across ancestries	being	https://doi.org/10.1038/s41467-020-20851-4
Genome-wide meta-analysis identifies genetic variants associated with glycemic response	SDG 3 - Good Health and Well-	
to sulfonylureas	being	https://doi.org/10.2337/dc21-1152
Genomic editing of metformin efficacy-associated genetic variants in <i> SLC47A1</i> does	SDG 3 - Good Health and Well-	
not alter <i>SLC47A1</i> expression	being	https://doi.org/10.1093/hmg/ddab266
Genomic epidemiology reveals multiple introductions of SARS-CoV-2 from mainland	SDG 3 - Good Health and Well-	
Europe into Scotland	being	https://doi.org/10.1038/s41564-020-00838-z
	SDG 3 - Good Health and Well-	
Giant Carotid Artery Aneurysm	being	https://doi.org/10.1177/15385744211017114
	SDG 3 - Good Health and Well-	
Global verification of a model for determining daylight photodynamic therapy dose	being	https://doi.org/10.1016/j.pdpdt.2021.102260
	SDG 3 - Good Health and Well-	the the transfer of the transf
Glucocorticoids regulate mitochondrial fatty acid oxidation in fetal cardiomyocytes	being	https://doi.org/10.1113/JP281860
	SDG 3 - Good Health and Well-	
Glucose Lowering and Metabolic Effects of SGLT2 Inhibitors	being	https://doi.org/10.1016/j.hfc.2022.03.004
Glutaredoxin-1 promotes pregnancy-induced vascular complications by altering placental	SDG 3 - Good Health and Well-	
angiogenesis	being	https://doi.org/10.1016/j.freeradbiomed.2021.08.065
Glutathione-S-transferase P promotes glycolysis in asthma in association with oxidation of	SDG 3 - Good Health and Well-	
pyruvate kinase M2	being	https://doi.org/10.1016/j.redox.2021.102160
Glycaemic thresholds for counterregulatory hormone and symptom responses to	SDG 3 - Good Health and Well-	
hypoglycaemia in people with and without type 1 diabetes	being	https://doi.org/10.1007/s00125-022-05749-8
Glycated Haemoglobin A1c Variability Score Elicits Kidney Function Decline in Chinese	SDG 3 - Good Health and Well-	
People Living with Type 2 Diabetes	being	https://doi.org/10.3390/jcm11226692
	SDG 3 - Good Health and Well-	
GRAIMATTER Green Paper	being	https://doi.org/10.5281/zenodo.7089491
Guideline adherence of î²-blocker initiating dose and its consequence in hospitalized	SDG 3 - Good Health and Well-	
patients with heart failure with reduced ejection fraction	being	https://doi.org/10.3389/fphar.2021.770239
Hair glucocorticoids are associated with childhood adversity, depressive symptoms and	SDG 3 - Good Health and Well-	
reduced global and lobar grey matter in Generation Scotland	being	https://doi.org/10.1038/s41398-021-01644-9

Head and neck cancer surgery during the COVID-19 pandemic	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1002/cncr.33320
Health "brexternalitiesâ€2	being SDG 3 - Good Health and Well-	https://doi.org/10.1215/03616878-8706663
Health law and policy, devolution and Brexit	being SDG 3 - Good Health and Well-	https://doi.org/10.1080/00343404.2020.1736538
Heard, valued, supported?	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/medu.14698
Heart failure treatment upâ€atration and outcome and age	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/ejhf.1799
Heart failure with normal LVEF in BIOSTAT-CHF	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.ijcard.2022.05.054
Heavy silicone oil tamponade Helicobacter pylori eradication for primary prevention of peptic ulcer bleeding in older	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmjophth-2022-001018
patients prescribed aspirin in primary care (HEAT)	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/S0140-6736(22)01843-8
Hepatitis B, Hepatitis C and Liver Disease	being SDG 3 - Good Health and Well-	https://doi.org/10.12968/DENU.2022.49.1.26
Hereditary haemorrhagic telangiectasia	being SDG 3 - Good Health and Well-	https://doi.org/10.12968/hmed.2020.0560
Hereditary haemorrhagic telangiectasia	being SDG 3 - Good Health and Well-	https://doi.org/10.12968/hmed.2020.0537
Hereditary Primary Hyperparathyroidism	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.ecl.2021.08.003
Heterogeneity in phenotype, disease progression and drug response in type 2 diabetes	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41591-022-01790-7
Heterogeneity of treatment response in bronchiectasis clinical trials Heterogeneous addiction to transforming growth factor-beta signalling in recessive	being SDG 3 - Good Health and Well-	https://doi.org/10.1183/13993003.00777-2021
dystrophic epidermolysis bullosa-associated cutaneous squamous cell carcinoma Heterotopic pregnancy after a spontaneous conception a case report with a review of	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/bjd.19421
clinical, laboratory and imaging findings	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/ccr3.4649
High Frequency of Allergic Bronchopulmonary Aspergillosis in Bronchiectasis-COPD Overla High Intensity Training as a novel treatment for impaired awareness of HYPOglycaemia in	p being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.chest.2021.07.2165
Type 1 DiabeteS [HIT4HYPOS] High Sustained Virologic Response Rates of Glecaprevir/Pibrentasvir in Patients With	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/edm2.166
Dosing Interruption or Suboptimal Adherence	being	https://doi.org/10.14309/ajg.0000000000001332

Highlights of the ERS Lung Science Conference 2022	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1183/20734735.0212-2022
	SDG 3 - Good Health and Well-	
Hip fracture care during the 2020 COVID-19 first-wave	being	https://doi.org/10.1016/j.surge.2021.01.012
Hmox1 (Heme Oxygenase-1) Protects Against Ischemia-Mediated Injury via Stabilization of	SDG 3 - Good Health and Well-	
HIF-1α (Hypoxia-Inducible Factor-1α)	being	https://doi.org/10.1161/ATVBAHA.120.315393
Home blood pressure monitors owned by participants in a large decentralised clinical trial	SDG 3 - Good Health and Well-	
in hypertension	being	https://doi.org/10.1038/s41371-021-00496-6
	SDG 3 - Good Health and Well-	
Hyperammonaemic encephalopathy following bariatric surgery	being	https://doi.org/10.1177/14782715221088972
	SDG 3 - Good Health and Well-	
Hyperinsulinaemic-hypoglycaemic glucose clamps in human research	being	https://doi.org/10.1007/s00125-020-05361-8
	SDG 3 - Good Health and Well-	
Hypoglycaemia	being	https://doi.org/10.1111/dme.14721
Hypoglycaemia events with iGlarLixi versus premix biphasic insulin aspart 30 (BIAsp 30) in	SDG 3 - Good Health and Well-	
people with type 2 diabetes advancing from basal insulin	being	https://doi.org/10.1111/dom.14825
	SDG 3 - Good Health and Well-	
Hypo-METRICS	being	https://doi.org/10.1111/dme.14892
	SDG 3 - Good Health and Well-	
Hyposplenism and gastrointestinal diseases	being	https://doi.org/10.1159/000517338
î"133p53 coordinates ECM-driven morphogenesis and gene expression in three-	SDG 3 - Good Health and Well-	
dimensional mammary epithelial acini	being	https://doi.org/10.1242/jcs.259673
î"133p53î± enhances metabolic and cellular fitness of TCR-engineered T cells and	SDG 3 - Good Health and Well-	
promotes superior antitumor immunity	being	https://doi.org/10.1136/jitc-2020-001846
Î"133p53β isoform pro-invasive activity is regulated through an aggregation-dependent	SDG 3 - Good Health and Well-	
mechanism in cancer cells	being	https://doi.org/10.1038/s41467-021-25550-2
	SDG 3 - Good Health and Well-	
I-COPTIC	being	https://doi.org/10.1093/ijpp/riac064
Identification and analysis of deletion breakpoints in four Mohr-Trane syndrome (MTS)	SDG 3 - Good Health and Well-	
patients	being	https://doi.org/10.1038/s41598-022-18040-y
Identification and Validation of Major Cardiovascular Events in the United Kingdom Data	SDG 3 - Good Health and Well-	
Sources Included in a Multi-database Post-authorization Safety Study of Prucalopride	being	https://doi.org/10.1007/s40264-021-01044-4
Identification of 4 New Loci Associated With Primary Hyperparathyroidism (PHPT) and a	SDG 3 - Good Health and Well-	
Polygenic Risk Score for PHPT	being	https://doi.org/10.1210/clinem/dgac527
	SDG 3 - Good Health and Well-	
Identification of five prolactin receptor variants with diverse effects on receptor signalling	being	https://doi.org/https://doi.org/10.1530/endoabs.86.OC2.3
Alzheimer's patients and their potential impact on inhibitory neurotransmitter receptors	SDG 3 - Good Health and Well-	
and neuronal excitability	being	https://doi.org/10.1111/nan.12674

Identification of liver disease	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1136/flgastro-2021-101833
Identification of plasma proteins relating to brain neurodegeneration and vascular pathology in cognitively normal individuals	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1002/dad2.12240
Identification of robo2 as a potential locus associated with inhaled corticosteroid response in childhood asthma	S	https://doi.org/10.3390/jpm11080733
Identifying the beta-site amyloid precursor protein cleaving enzyme 1 interactome through	SDG 3 - Good Health and Well-	
the proximity-dependent biotin identification assay IL-15 and PIM kinases direct the metabolic programming of intestinal intraepithelial	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.neulet.2021.136302
lymphocytes IL-33 induces granzyme C expression in murine mast cells via an MSK1/2-CREB dependent	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41467-021-24473-2
pathway	being SDG 3 - Good Health and Well-	https://doi.org/10.1042/BSR20221165
IL-6 trans-signalling	being SDG 3 - Good Health and Well-	https://doi.org/10.1183/13993003.02143-2021
Imitation of beta-lactam binding enables broad-spectrum metallo-β-lactamase inhibitors	being	https://doi.org/10.1038/s41557-021-00831-x
Impact of 100 LRRK2 variants linked to Parkinson's Disease on kinase activity and microtubule binding	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1042/BCJ20220161
Impact of Biologic Therapy on the Small Airways Asthma Phenotype	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1007/s00408-022-00579-2
Impact of Electronic Alerts for Acute Kidney Injury on patient outcomes	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1093/ckj/sfaa151
Impact of EMA regulatory label changes on hydroxyzine initiation, discontinuation and switching to other medicines in Denmark, Scotland, England and the Netherlands	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1002/pds.5191
Impact of EU regulatory label changes for diclofenac in people with cardiovascular disease in four countries	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1111/bcp.14478
Impact of mitral regurgitation in patients with worsening heart failure	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1002/ejhf.2276
Impact of multiple cardiovascular medications on mortality after an incidence of ischemic stroke or transient ischemic attack	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1186/s12916-021-01900-1
Impact of nasal polyps on endotype and phenotype in patients with moderate to severe asthma	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1016/j.anai.2021.06.007
Impact of SARS-CoV-2 pandemic on pancreatic cancer services and treatment pathways	SDG 3 - Good Health and Well- being	https://doi.org/10.1016/j.hpb.2021.03.003
Impact of stereoacuity on simulated cataract surgery ability	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1038/s41433-020-01346-4
Impaired high-density lipoprotein function in patients with heart failure	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1161/JAHA.120.019123

Implant Design Affects Walking and Stair Navigation after Total Knee Arthroplasty Implementation of the COVID-19 vulnerability index across an international network of	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1186/s13018-021-02311-x
health care data sets Implicating genes, pleiotropy, and sexual dimorphism at blood lipid loci through multi-	being SDG 3 - Good Health and Well-	https://doi.org/10.2196/21547
ancestry meta-analysis	being	https://doi.org/10.1186/s13059-022-02837-1
type 2 diabetes in the SoliMix trial	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1111/dom.14822
Improvements in Awareness and Testing Have Led to a Threefold Increase Over 10 Years in the Identification of Monogenic Diabetes in the U.K	SDG 3 - Good Health and Wellbeing	https://doi.org/10.2337/dc21-2056
Improving care for patients in the outlying wards	SDG 3 - Good Health and Wellbeing	https://doi.org/10.52964/AMJA.0902
Improving day surgery rates of anterior cruciate ligament reconstruction surgery in surgical units not dedicated to performing day surgery	SDG 3 - Good Health and Well-	https://doi.org/10.1111/jep.13558
Improving the annual monitoring rates of testosterone replacement therapy patients in	being SDG 3 - Good Health and Well-	
primary care In a cohort of individuals with type 2 diabetes using the drug sulfasalazine, HbA1c lowering	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmjoq-2021-001784
is associated with haematological changes	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/dme.14463
In vivo stress reporters as early biomarkers of the cellular changes associated with progeria Increase in cardioprotective SUR2A does not alter heart rate and heart rate regulation by		https://doi.org/10.1111/jcmm.17574
physical activity and diurnal rhythm	being	https://doi.org/10.1515/jbcpp-2021-0289
Increased case-finding and uptake of direct-acting antiviral treatment essential for micro- elimination of hepatitis C among people living with HIV	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1111/hiv.13032
Increased referrals for congenital hyperinsulinism genetic testing in children with trisomy 21 reflects the high burden of non-genetic risk factors in this group	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1111/pedi.13333
Increasing physical activity levels	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1007/s12529-021-09997-7
Increasing the low-risk threshold for patients with upper gastrointestinal bleeding during	SDG 3 - Good Health and Well-	
the COVID-19 pandemic	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/flgastro-2021-101851
Increasing uptake to a lung cancer screening programme Independent Observational Analysis of Ulcer Outcomes for SINBAD and University of Texas	being SDG 3 - Good Health and Well-	https://doi.org/10.1186/s12889-022-12998-0
Ulcer Scoring Systems	being SDG 3 - Good Health and Well-	https://doi.org/10.2337/dc20-1817
Inflammatory bowel disease and cardiovascular diseases	being	https://doi.org/10.1016/j.amjmed.2022.08.012
Influence of geographical latitude on vitamin D status	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1017/S0007114521005080

Influence of oral contrast type and volume on patient experience and quality of luminal distension at MR Enterography in Crohn's disease	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s00330-022-08614-9
Inhaled corticosteroids and the lung microbiome in copd	being SDG 3 - Good Health and Well-	https://doi.org/10.3390/biomedicines9101312
Inherited endocrine syndromes and MEN	being	https://doi.org/10.1093/med/9780198851899.001.0001
Inhibition of glycolysis and mitochondrial respiration promotes radiosensitisation of	SDG 3 - Good Health and Well-	
neuroblastoma and glioma cells	being	https://doi.org/10.1186/s40170-021-00258-5
Inhibition of nonsense-mediated decay rescues p53β/γ isoform expression and activates	SDG 3 - Good Health and Well-	
the p53 pathway in MDM2-overexpressing and select p53-mutant cancers	being	https://doi.org/10.1016/j.jbc.2021.101163
Initial cardiovascular treatment patterns during the first 90 days following an incident	SDG 3 - Good Health and Well-	
cardiovascular event	being	https://doi.org/10.1111/bcp.14463
	SDG 3 - Good Health and Well-	
Injuries in Quidditch	being	https://doi.org/10.26603/001c.28225
	SDG 3 - Good Health and Well-	
Insertion of chest drain for pneumothorax	being	https://doi.org/10.1016/j.mpaic.2021.12.002
	SDG 3 - Good Health and Well-	
Insights into Acetyl-Coa-Carboxylase (ACC1) Phospho-Regulation in Pancreatic Beta Cells	being	https://doi.org/10.2337/db21-1256-P
Indiahta into Donton Donos Inhihitan indoned abataan siti ito	SDG 3 - Good Health and Well-	hu // /40 4477 /44702745224422050
Insights into Proton Pump Inhibitor-induced photosensitivity	being	https://doi.org/10.1177/14782715221132858
lucialità inte the modern landeric of the modernta dation and depolaritandation of NICVA	SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.co.co.2021.102.100
Insights into the molecular basis of the palmitoylation and depalmitoylation of NCX1	being	https://doi.org/10.1016/j.ceca.2021.102408
Insulin-like growth factor binding protein 7 (IGFBP7), a link between heart failure and	SDG 3 - Good Health and Well-	https://doi.org/10.1003/ahf3.14130
senescence	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/ehf2.14120
Integrated methylome and phenome study of the circulating proteome reveals markers		https://doi.org/10.1038/s41467-022-32319-8
pertinent to brain health	being SDG 3 - Good Health and Well-	nttps://doi.org/10.1038/\$41467-022-32319-8
Integrative microbiomics in bronchiectasis exacerbations	being	https://doi.org/10.1039/c41501.031.01390.7
integrative micropionics in proncinectasis exacerpations	SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41591-021-01289-7
Interaction between Omeprazole and Gliclazide in Relation to CYP2C19 Phenotype	being	https://doi.org/10.3390/jpm11050367
Interactions between anti-EGFR therapies and cytotoxic chemotherapy in oesophageal	SDG 3 - Good Health and Well-	11ttps://doi.org/10.5550/jpi1111050507
squamous cell carcinoma: why clinical trials might have failed and how they could succeed		https://doi.org/10.1007/s00280-020-04187-w
Interactions between spirometry and oscillometry in patients with moderate to severe	SDG 3 - Good Health and Well-	Https://doi.org/10.1007/300200-020-04187-W
asthma	being	https://doi.org/10.1183/13993003.00543-2022
Interleukin-27 regulates the function of the gastrointestinal epithelial barrier in a human	SDG 3 - Good Health and Well-	Titlps:// doi:016/ 10.1103/ 13333003.00343 2022
tissue derived organoid model	being	https://doi.org/10.3390/biology11030427
International cohort study indicates no association between alpha-1 blockers and	SDG 3 - Good Health and Well-	
susceptibility to COVID-19 in benign prostatic hyperplasia patients	being	https://doi.org/10.3389/fphar.2022.945592
	5	

International law for public health in aviation	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.53386/nilq.v73iAD1.992
Interplay between personality traits and learning strategies	being	https://doi.org/10.1152/advan.00001.2022
Intestinal fatty acid binding protein is a disease biomarker in paediatric coeliac disease and Crohn's disease	being	https://doi.org/10.1186/s12876-022-02334-6
Intolerance to angiotensin converting enzyme inhibitors in asthma and the general	SDG 3 - Good Health and Well-	https://dei.org/10.1016/i.iein.2021.04.055
population	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.jaip.2021.04.055
Intraperitoneal local anaesthetic instillation versus no intraperitoneal local anaesthetic instillation for laparoscopic cholecystectomy	being	https://doi.org/10.1002/14651858.CD007337.pub4
instillation for laparoscopic cholecystectomy	SDG 3 - Good Health and Well-	https://doi.org/10.1002/14051658.CD007557.pub4
Intrathecal baclofen pumps in the management of hypertonia in childhood	being	https://doi.org/10.1136/archdischild-2020-321487
intratriecal bactoren pumps in the management of hypertonia in chilunood	SDG 3 - Good Health and Well-	11ttps://doi.org/10.1136/archaischild-2020-32148/
Intravenous infusion route in maternal resuscitation		https://doi.org/10.1196/c13973.031.00E46.0
intravenous infusion route in maternal resuscitation	being SDG 3 - Good Health and Well-	https://doi.org/10.1186/s12873-021-00546-9
Intravenous regional anaesthesia		https://doi.org/10.1016/j.mpaic.2021.11.013
intraverious regional anaestriesia	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.mpaic.2021.11.015
Introduction to the covid-19 special issue	being	https://doi.org/10.18552/IJPBLHSC.V9I1.755
Investigating the day-to-day impact of hypoglycaemia in adults with type 1 or type 2	SDG 3 - Good Health and Well-	111(ps.//doi.org/10.16332/11FBLH3C.V311./33
diabetes	being	https://doi.org/10.1136/bmjopen-2021-051651
diabetes	SDG 3 - Good Health and Well-	https://doi.org/10.1130/binjopen-2021-031031
Investigating the Expression and Function of the Glucose Transporter GLUT6 in Obesity	being	https://doi.org/10.3390/ijms23179798
Investigating the Expression and Function of the Glucose Transporter GLOTO in Obesity Investigation of associations between retinal microvascular parameters and albuminuria in	•	111tps://doi.org/10.5550/1J11525175756
UK Biobank	being	https://doi.org/10.1196/612992.021.02272.6
OK BIODATIK	SDG 3 - Good Health and Well-	https://doi.org/10.1186/S12882-021-02273-6
Ion channels, receptors, agonists and antagonists	being	https://doi.org/10.1016/j.mpaic.2022.10.005
ion channers, receptors, agonists and antagonists	SDG 3 - Good Health and Well-	11ttps://doi.org/10.1010/j.111paic.2022.10.003
iPlacenta - Plan for public engagement strategy, reviewed and updated annually - No. 4		
iPlacenta - Plan for public engagement strategy, reviewed and updated annually - No. 4	being SDG 3 - Good Health and Well-	
iPlacenta- Annual Management Reports - No. 4		
iPlacenta Report on dissemination strategy of project results to scientific community,	being	
	SDG 3 - Good Health and Well-	
updated annually - No. 3	being SDG 3 - Good Health and Well-	
Is Acute heart failure a distinctive disorder? An analysis from BIOSTAT-CHF		https://doi.org/10.1002/ejhf.2077
is Acute flear trailure a distillctive disorder? All alialysis from Biostat-Chr	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/ejiii.2077
Is routing laboratory tasting in healthy young nationts taking isotrating in accessory		https://doi.org/10.1111/hid.21040
Is routine laboratory testing in healthy young patients taking isotretinoin necessary	being	https://doi.org/10.1111/bjd.21840
ISGIE Preface	SDG 3 - Good Health and Well-	https://doi.org/10.1007/079.2.021.21092.0
ISUIE FIEIDLE	being	https://doi.org/10.1007/978-3-031-21083-9

Isolated sixth nerve palsy	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1136/bcr-2021-247928
IV3000 semi-occlusive dressing use in simple and complex fingertip injuries	being SDG 3 - Good Health and Well-	https://doi.org/10.12968/jowc.2022.31.4.340
IVF or ICSI for fertility preservation? Kinematic 3-D motion analysis of shoulder resurfacing hemiarthroplasty – An objective	being SDG 3 - Good Health and Well-	https://doi.org/10.1530/RAF-20-0059
assessment method	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.jbiomech.2021.110454
Knowledge, skills, and confidence among healthcare staff in urinary catheterization Laparoscopic treatment of isolated superficial peritoneal endometriosis for managing	being SDG 3 - Good Health and Well-	https://doi.org/10.5489/cuaj.6986
chronic pelvic pain in women Large socioeconomic gap in period life expectancy and life years spent with complications	being SDG 3 - Good Health and Well-	https://doi.org/10.1186/s40814-020-00740-9
of diabetes in the Scottish population with type 1 diabetes, 2013-2018 Large-scale cis- and trans-eQTL analyses identify thousands of genetic loci and polygenic	being SDG 3 - Good Health and Well-	https://doi.org/10.1371/journal.pone.0271110
scores that regulate blood gene expression European Psoriasis Case-Control Cohorts Reveals Association of Inhibitory KIR2DL2 With	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41588-021-00913-z
Psoriasis	being SDG 3 - Good Health and Well-	https://doi.org/10.3389/fimmu.2021.684326
Large-vessel occlusion, large thrombus burden acute stroke in acute pulmonary embolism	being SDG 3 - Good Health and Well-	https://doi.org/10.33963/KP.a2021.0126
Left Ventricular Hypertrophy in Diabetic Cardiomyopathy	being SDG 3 - Good Health and Well-	https://doi.org/10.3389/fcvm.2021.746382
Leptin regulation of hippocampal synaptic function in health and disease	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/bs.vh.2020.12.006
Leptin regulation of synaptic function at hippocampal TA-CA1 and SC-CA1 synapses Linked electronic health records for research on a nationwide cohort of more than 54	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/bs.vh.2021.12.002
million people in England	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmj.n826
LIPAD (LRRK2/Luebeck International Parkinson's Disease) Study Protocol	being SDG 3 - Good Health and Well-	https://doi.org/10.3389/fneur.2021.710572
Lipid-lowering and anti-thrombotic therapy in patients with peripheral arterial disease	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.atherosclerosis.2021.09.022
Lipid-lowering and anti-thrombotic therapy in patients with peripheral arterial disease Liposomal drug delivery to manage nontuberculous mycobacterial pulmonary disease and	being SDG 3 - Good Health and Well-	https://doi.org/10.1024/0301-1526/a000969
other chronic lung infections Listening to student voice-understanding student and faculty experience at two UK	being SDG 3 - Good Health and Well-	https://doi.org/10.1183/16000617.0010-2021
graduate entry programmes	being	https://doi.org/10.1186/s12909-021-02634-7

Local and systemic effects of inhaled and intranasal corticosteroid in ambulatory COVID-19	_	
Local CpG density affects the trajectory and variance of ageâ€'associated DNA methylation changes	being	https://doi.org/10.1186/s13059-022-02787-8
Long term methylphenidate exposure and growth in children and adolescents with ADHD. A systematic review and meta-analysis Longitudinal characterisation of haematological and biochemical parameters in cancer	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.neubiorev.2020.09.031
patients prior to and during COVID-19 reveals features associated with outcome	being	https://doi.org/10.1016/j.esmoop.2020.100005
Longitudinal serological analysis and neutralizing antibody levels in Coronavirus disease 2019 convalescent patients	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1093/infdis/jiaa659
Longitudinal variation in SARS-CoV-2 antibody levels and emergence of viral variants	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/S2666-5247(22)00090-8
Long-term follow-up of patients undergoing laparoscopic surgery for phaeochromocytoma treated pelvic ring injuries Do generic outcome measures identify genitourinary health		https://doi.org/10.1093/bjsopen/zrac076
problems? Long-term within- and between-subject biological variation of 29 routine laboratory	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.injury.2022.01.048
measurands in athletes	being SDG 3 - Good Health and Well-	https://doi.org/10.1515/cclm-2021-0910
Loss of O-GlcNAcase catalytic activity leads to defects in mouse embryogenesis Low level of Fibrillarin, a ribosome biogenesis factor, is a new independent marker of poor	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.jbc.2021.100439
outcome in breast cancer	being SDG 3 - Good Health and Well-	https://doi.org/10.1186/s12885-022-09552-x
Low powered uni-directional actuator for wireless active enteroscopy	being SDG 3 - Good Health and Well-	
Lower limb nerve blocks	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.mpaic.2021.11.006
Low-Grade B Cell Lymphoproliferative Disorder Masquerading as Chronic Rhinosinusitis brain cells and localises to Lewy bodies in Parkinson's disease and dementia with Lewy	being SDG 3 - Good Health and Well-	https://doi.org/10.3390/sinusitis5010001
bodies	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s00401-021-02313-3
LTA4H rs2660845 association with montelukast response in early and late-onset asthma Machine learning based on biomarker profiles identifies distinct subgroups of heart failure	being SDG 3 - Good Health and Well-	https://doi.org/10.1371/journal.pone.0257396
with preserved ejection fraction Maintenance of Sertoli Cell Number and Function in Immature Human Testicular Tissues	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/ejhf.2144
Exposed to Platinum-Based Chemotherapy-Implications for Fertility Restoration	being SDG 3 - Good Health and Well-	https://doi.org/10.3389/ftox.2022.825734
Making space for relational reflexivity in longitudinal qualitative research	being	https://doi.org/10.1111/medu.14626

Male Attitudes towards Infertility	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.5534/wjmh.220099
Male contraceptive development	being	https://doi.org/10.1016/j.ejmech.2022.114709
Management of chronic peripheral artery disease patients with indication for endovascula revascularization	r SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1024/0301-1526/a000998
Management of Drug Toxicity in Mycobacterium avium Complex Pulmonary Disease	being SDG 3 - Good Health and Well-	https://doi.org/10.1093/cid/ciaa1361
Management of hospitalised adults with coronavirus disease 2019 (COVID-19)	being SDG 3 - Good Health and Well-	https://doi.org/10.1183/13993003.00048-2021
Managing antibody stability	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.ejpb.2022.05.005
Mannose-binding lectin genotype is associated with respiratory disease in young children Marked improvements in glycaemic outcomes following insulin pump therapy initiation in	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/ppul.26109
people with type 1 diabetes	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s00125-021-05413-7
Marketing of Breast-Milk Substitutes Revisited	being SDG 3 - Good Health and Well-	https://doi.org/10.1159/000516724
Mathematical Modelling of Glioblastomas Invasion within the Brain	being	https://doi.org/10.3390/math9182214
Maximizing Adherence and Gaining New Information For Your Chronic Obstructive	SDG 3 - Good Health and Well-	
Pulmonary Disease (MAGNIFY COPD)	being SDG 3 - Good Health and Well-	https://doi.org/10.2147/POR.S302809
Medical gases	being	https://doi.org/10.1016/j.mpaic.2021.10.010
Medical students' perceptions of â€~community' in a longitudinal integrated	SDG 3 - Good Health and Well-	
clerkship	being	https://doi.org/10.1080/14739879.2020.1850211
Medication adherence, utilization of healthcare services, and mortality of patients with	SDG 3 - Good Health and Well-	
epilepsy on opiate replacement therapy	being	https://doi.org/10.1016/j.yebeh.2021.107829
Melanoma secretion of transforming growth factor-Î ² 2 leads to loss of epidermal AMBRA1		
threatening epidermal integrity and facilitating tumour ulceration	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/bjd.20889
MEN1 Surveillance Guidelines	being SDG 3 - Good Health and Well-	https://doi.org/10.1210/jendso/bvac001
Metabolic dysfunction-related liver disease as a risk factor for cancer	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmjgast-2021-000817
Metastatic bone disease	being	https://doi.org/10.1136/bmjspcare-2021-003025
Metastatic timing and genetic heterogeneity in the evolution of a pancreatic	SDG 3 - Good Health and Well-	
neuroendocrine tumor	being	https://doi.org/10.14309/ajg.0000000000001004

Methods for the assessment of human airway ciliary function Methods of connecting primary care patients with community-based physical activity	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1183/13993003.02300-2021
opportunities	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/hsc.13186
Microglial control of neuronal development via somatic purinergic junctions Micronutrient deficiencies in children with coeliac disease; a double-edged sword of both	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.celrep.2022.111369
untreated disease and treatment with gluten-free diet Mid-term follow-up of percutaneous access for standard and complex EVAR using the	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.clnu.2021.03.006
ProGlide device	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.surge.2021.03.005
Mirels Score for upper limb metastatic lesions	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.jseint.2022.03.006
Mitogen and Stress-Activated Kinases 1 and 2 Mediate Endothelial Dysfunction Modeling bivariate geyser eruption system with covariate-adjusted recurrent event	being SDG 3 - Good Health and Well-	https://doi.org/10.3390/ijms22168655
process	being SDG 3 - Good Health and Well-	https://doi.org/10.1080/02664763.2021.1910937
Molecular basis for the disruption of Keap1-Nrf2 interaction via Hinge & Latch mechanism	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s42003-021-02100-6
Molecular mechanisms defining penetrance of LRRK2-associated Parkinson's disease	being SDG 3 - Good Health and Well-	https://doi.org/10.1515/medgen-2022-2127
Morbidity following emergency and elective cholecystectomy Morbidly obese patient with endometrial cancer treated by bariatric surgery to enable	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s00464-022-09103-2
cancer treatment	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bcr-2021-243843
MR-Eye	being	https://doi.org/10.3174/ajnr.A7080
Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41588-022-01058-3
Multi-ancestry genome-wide association study of asthma exacerbations Multicentre service evaluation of presentation of newly diagnosed cancers and type 1	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/pai.13802
diabetes in children in the UK during the COVID-19 pandemic	being	https://doi.org/10.1136/bmjpo-2021-001078
Multicentric Castleman's disease of the lungs mimicking a multifocal adenocarcinoma	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1136/bcr-2022-250249
Multimarker profiling identifies protective and harmful immune processes in heart failure	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1093/cvr/cvab235
Microenvironment and Its Correlation With Ultrasound Shear Wave-Measured Tissue Stiffness in Localized Prostate Cancer	SDG 3 - Good Health and Wellbeing	https://doi.org/10.3389/fonc.2022.822476

	SDG 3 - Good Health and Well-	
Multimorbidity in Anti-Neutrophil Cytoplasmic Antibody-associated vasculitis	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/art.41557
Multiple Breath Washout Outcome Measures in Adults with Bronchiectasis	being	https://doi.org/10.1513/AnnalsATS.202006-584OC
Multiple endocrine neoplasia	SDG 3 - Good Health and Well- being	https://doi.org/10.1016/j.mpmed.2021.06.003
	SDG 3 - Good Health and Well-	
My Diabetes My Way (MDMW)	being SDG 3 - Good Health and Well-	
Myeloperoxidase inhibitor AZD5904 enhances human sperm function <i>in vitro</i>	being	https://doi.org/10.1093/humrep/deaa328
Narrowband ultraviolet B phototherapy is associated with a reduction in topical	SDG 3 - Good Health and Well-	
corticosteroid and clinical improvement in atopic dermatitis	being	https://doi.org/10.1111/ced.14676
National population prevalence of antibodies to SARS-CoV-2 in Scotland during the first	SDG 3 - Good Health and Well-	
and second waves of the COVID-19 pandemic	being	https://doi.org/10.1016/j.puhe.2021.07.006
	SDG 3 - Good Health and Well-	
Natural products in drug discovery	being	https://doi.org/10.1038/s41573-020-00114-z
Needle insertion forces and fluid injection pressures during targeting of nerves in a soft embalmed cadaver model	SDG 3 - Good Health and Well- being	https://doi.org/10.1007/s10877-021-00680-6
embalified cadaver model	SDG 3 - Good Health and Well-	https://doi.org/10.1007/310877-021-00080-0
Neisseria species as pathobionts in bronchiectasis	being	https://doi.org/10.1016/j.chom.2022.08.005
Neuropsychological Characterization of Aggressive Behavior in Children and Adolescents	SDG 3 - Good Health and Well-	
with CD/ODD and Effects of Single Doses of Medications	being	https://doi.org/10.3390/brainsci11121639
	SDG 3 - Good Health and Well-	
Neutrophil dysfunction in bronchiectasis	being	https://doi.org/10.1183/13993003.03157-2020
Martin della dancelli la characteria de catalance del caracteria d	SDG 3 - Good Health and Well-	https://doi.org/10.4403/45000547.0344.3034
Neutrophil extracellular traps in chronic lung disease	being SDG 3 - Good Health and Well-	https://doi.org/10.1183/16000617.0241-2021
Neutrophil extracellular traps, disease severity, and antibiotic response in bronchiectasis	being	https://doi.org/10.1016/S2213-2600(20)30504-X
Neutrophil to Lymphocyte Ratio and Outcomes in Patients with New-Onset or Worsening	SDG 3 - Good Health and Well-	11ctps:// doi:016/10:1010/32213 2000(20/30304 X
Heart Failure with Reduced and Preserved Ejection Fraction	being	https://doi.org/10.1002/ehf2.13424
New approaches suggest term and preterm human fetal membranes may have distinct	SDG 3 - Good Health and Well-	
biomechanical properties	being	https://doi.org/10.1038/s41598-022-09005-2
New clinical and biological insights from the international TARGIT-A randomised trial of	SDG 3 - Good Health and Well-	
targeted intraoperative radiotherapy during lumpectomy for breast cancer	being	https://doi.org/10.1038/s41416-021-01440-8
Now deletion in LAMP2 caucing familial Danon disease	SDG 3 - Good Health and Well-	https://doi.org/10.3897/folmed.64.e66292
New deletion in LAMP2 causing familial Danon disease	being SDG 3 - Good Health and Well-	111.1ps.//uoi.01g/10.3o3//101111eu.04.e00232
New Directions for Surgical Ablation Treatment of Obsessive Compulsive Disorder	being	https://doi.org/10.1007/7854 2020 207
	5	, ., .,

	SDG 3 - Good Health and Well-	
Next-Generation Capabilities in Trusted Research Environments	being	https://doi.org/10.2196/33720
	SDG 3 - Good Health and Well-	
Nicorandil-Induced Colovesical Fistula in a Patient with Diverticular Disease	being	https://doi.org/10.1002/ccr3.3888
	SDG 3 - Good Health and Well-	
Non-adherence to heart failure medications predicts clinical outcomes	being	https://doi.org/10.1002/ejhf.2160
Nonalcoholic steatohepatitis and mechanisms by which it is ameliorated by activation of	SDG 3 - Good Health and Well-	
the CNC-bZIP transcription factor Nrf2	being	https://doi.org/10.1016/j.freeradbiomed.2022.06.226
	SDG 3 - Good Health and Well-	
Non-canonical Keap1-independent activation of Nrf2 in astrocytes by mild oxidative stress	=	https://doi.org/10.1016/j.redox.2021.102158
	SDG 3 - Good Health and Well-	
Non-COVID-19 respiratory viral infection	being	https://doi.org/10.1183/20734735.0151-2021
Novel iodinated quinazolinones bearing sulfonamide as new scaffold targeting radiation	SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.hm.d.2021.120002
induced oxidative stress	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.bmcl.2021.128002
NREM Sleep Parasomnias Commencing in Childhood	being	https://doi.org/10.3390/clockssleep4040043
Nrf2 activation does not affect adenoma development in a mouse model of colorectal	SDG 3 - Good Health and Well-	1111ps.//doi.org/10.3330/clockssieep4040043
cancer	being	https://doi.org/10.1038/s42003-021-02552-w
Nrf2 activation reprograms macrophage intermediary metabolism and suppresses the type	· ·	11(ps.//doi.org/10.1030/342003 021 02332 W
l interferon response	being	https://doi.org/10.1016/j.isci.2022.103827
·	SDG 3 - Good Health and Well-	
NRF2 in dermatological disorders	being	https://doi.org/10.1016/j.freeradbiomed.2022.06.238
Observational study investigating Tolerance Of Anticancer Systemic Therapy In the Elderly	SDG 3 - Good Health and Well-	
(TOASTIE)	being	https://doi.org/10.1136/bmjopen-2021-051104
On Clinical Agreement on the Visibility and Extent of Anatomical Layers in Digital Gonio	SDG 3 - Good Health and Well-	
Photographs	being	https://doi.org/10.1167/tvst.10.11.1
On the quantitative effects of compression of retinal fundus images on morphometric	SDG 3 - Good Health and Well-	
vascular measurements in VAMPIRE	being	https://doi.org/10.1016/j.cmpb.2021.105969
Once-only colonoscopy or two rounds of faecal immunochemical testing 2 years apart for	SDG 3 - Good Health and Well-	
colorectal cancer screening (SCREESCO)	being	https://doi.org/10.1016/S2468-1253(21)00473-8
	SDG 3 - Good Health and Well-	
Ondansetron use in nausea and vomiting during pregnancy	being	https://doi.org/10.1111/bcp.15370
One or two faecal immunochemical tests in an organised population-based colorectal	SDG 3 - Good Health and Well-	https://doi.org/10.1177/00001412221004010
cancer screening programme in Murcia (Spain) One-pot two-step catalytic synthesis of 6-amino-2-pyridone-3,5-dicarbonitriles enabling	being SDG 3 - Good Health and Well-	https://doi.org/10.1177/09691413221094919
anti-cancer bioactivity	being	https://doi.org/10.1039/D2RA03579K
Opioid Prescription Following Wrist and Ankle Fracture Fixation in Scotland: Tradition	SDG 3 - Good Health and Well-	1111p3.// doi.o/g/ 10.1033/ 02/(A033/ 3/(
Prevails	being	https://doi.org/10.3390/jcm11020468

	SDG 3 - Good Health and Well-	
Opsoclonus-myoclonus paraneoplastic syndrome in nasopharyngeal carcinoma	being	https://doi.org/10.1136/bcr-2022-250871
Optimal carbohydrate antigen 125 cutpoint for identifying low-risk patients after admission	n SDG 3 - Good Health and Well-	, ,,
for acute heart failure	being	https://doi.org/10.1016/j.rec.2021.02.002
Optimized EGFR blockade strategies in <i>EGFR</i> addicted gastroesophageal	SDG 3 - Good Health and Well-	
adenocarcinomas	being	https://doi.org/10.1158/1078-0432.CCR-20-0121
Optimized infliximab induction predicts better long-term clinical and biomarker outcomes	SDG 3 - Good Health and Well-	
compared to standard induction dosing.	being	https://doi.org/10.1097/mpg.0000000000003587
for Mild to Moderate Symptoms of COVID-19-Results From a Pilot Open-Label,	SDG 3 - Good Health and Well-	
Randomized Controlled Trial	being	https://doi.org/10.3389/fphar.2022.898062
	SDG 3 - Good Health and Well-	
Oral manifestations in young adults infected with COVID-19 and impact of smoking	being	https://doi.org/10.7717/peerj.13555
Oscillometry bronchodilator response in adult moderate to severe eosinophilic asthma	SDG 3 - Good Health and Well-	
patients	being	https://doi.org/10.1111/cea.14185
	SDG 3 - Good Health and Well-	
Overlooked and valuable facts to know in the NRF2/KEAP1 field	being	https://doi.org/10.1016/j.freeradbiomed.2022.08.044
OVDCVCU2	SDG 3 - Good Health and Well-	
OVPSYCH2	being	https://doi.org/10.1016/j.ygyno.2021.05.024
p53 isoforms differentially impact on the POLî¹ dependent DNA damage tolerance pathway	SDG 3 - Good Health and Well-	https://doi.org/10.1039/c41410.031.04324.3
p53 isoforms differentially impact on the POLI dependent DNA damage tolerance pathway	SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41419-021-04224-3
Palliative radiotherapy after oesophageal cancer stenting (ROCS)	being	https://doi.org/10.1016/S2468-1253(21)00004-2
Palliative radiotherapy combined with stent insertion to reduce recurrent dysphagia in	SDG 3 - Good Health and Well-	nttps://doi.org/10.1010/32408-1233(21)00004-2
oesophageal cancer patients	being	https://doi.org/10.3310/hta25310
oesophagear cancer patients	SDG 3 - Good Health and Well-	11ttps://doi.org/10.3310/11ta23310
Parallel consulting method	being	https://doi.org/10.1080/14739879.2021.1908174
Taraner sonsarang memoa	SDG 3 - Good Health and Well-	maps, 7, dono. 6, 10.1000, 17, 050, 5.12021.150017
Pathophysiological Pathways in Patients with Heart Failure and Atrial Fibrillation	being	https://doi.org/10.1093/cvr/cvab331
Pathophysiological pathways related to high plasma growth differentiation factor 15	SDG 3 - Good Health and Well-	
concentrations in patients with heart failure	being	https://doi.org/10.1002/ejhf.2424
Pathophysiological processes and novel biomarkers associated with congestion in heart	SDG 3 - Good Health and Well-	
failure	being	https://doi.org/10.1016/j.jchf.2022.05.013
	SDG 3 - Good Health and Well-	
Pathophysiology of Bronchiectasis	being	https://doi.org/10.1055/s-0041-1730891
	SDG 3 - Good Health and Well-	
Pathophysiology of COVID-19-associated acute kidney injury	being	https://doi.org/10.1038/s41581-021-00452-0
	SDG 3 - Good Health and Well-	
Patient and GP experiences of pathways to diagnosis of a second primary cancer	being	https://doi.org/10.1186/s12885-021-08238-0

	SDG 3 - Good Health and Well-	
Patient outcomes following AKI and AKD Patient-Related Outcome Measures (PROMs) With Nonoperative and Operative	being SDG 3 - Good Health and Well-	https://doi.org/10.1186/s12916-022-02428-8
Management of Morton's Neuroma	being	https://doi.org/10.1177/1071100720961069
Wallagement of Worton's Wearona	SDG 3 - Good Health and Well-	https://doi.org/10.1177/1071100720501005
Patients' perspectives on bronchiectasis	being	https://doi.org/10.1183/23120541.00096-2021
	SDG 3 - Good Health and Well-	, ,,
Pellagra a review exploring causes and mechanisms, including isoniazid induced pellagra	being	https://doi.org/10.1111/phpp.12659
	SDG 3 - Good Health and Well-	
Perceived risk profile and treatment optimization in heart failure	being	https://doi.org/10.1002/clc.23576
Percutaneous Peridevice Leakage Closure After Insufficient Left Atrial Appendage	SDG 3 - Good Health and Well-	
Occlusion	being	https://doi.org/10.1016/j.jacc.2021.09.1163
Performance of models to predict hepatocellular carcinoma risk among UK patients with	SDG 3 - Good Health and Well-	
cirrhosis and cured HCV infection	being	https://doi.org/10.1016/j.jhepr.2021.100384
Professional Constitution and the formation of the Constitution of	SDG 3 - Good Health and Well-	hu //d-1 //40 4436/h1 -2424
Performance of prediction models for nephropathy in people with type 2 diabetes	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmj.n2134
Perilunate Injuries	being	https://doi.org/10.1016/j.injury.2021.09.012
Periodic reporting for period 2 - iPLACENTA (Innovation in modelling Placenta for Maternal	U	mtps.//doi.org/10.1010/j.mjury.2021.05.012
and Fetal Health)	being	
	SDG 3 - Good Health and Well-	
Peripheral arterial disease for primary care	being	
. ,	SDG 3 - Good Health and Well-	
Peripheral nerve cathter techniques	being	https://doi.org/10.1016/j.mpaic.2021.11.010
Peri-procedural thromboprophylaxis in the prevention of DVT in varicose vein	SDG 3 - Good Health and Well-	
interventions	being	https://doi.org/10.1016/j.surge.2022.04.002
Peroxidasin protein expression and enzymatic activity in metastatic melanoma cell lines are		
associated with invasive potential	being	https://doi.org/10.1016/j.redox.2021.102090
Personal ultraviolet radiation exposure can be determined through a simple modelling	SDG 3 - Good Health and Well-	
approach	being	https://doi.org/10.1111/bjd.20823
Demonstrates the system was dising in the goal would	SDG 3 - Good Health and Well-	https://dei.org/10.1177/0004FC22211002C0F
Personalising laboratory medicine in the real world	being SDG 3 - Good Health and Well-	https://doi.org/10.1177/00045632211003605
Perspective: moving toward desirable linoleic acid content in infant formula	being	https://doi.org/10.1093/advances/nmab076
Pharmacokinetic/Pharmacodynamic Evaluation of the Dipeptidyl Peptidase 1 Inhibitor	SDG 3 - Good Health and Well-	intips.//doi.org/10.1055/advances/iiiiab070
Brensocatib for Non-cystic Fibrosis Bronchiectasis	being	https://doi.org/10.1007/s40262-022-01147-w
Pharmacological and nutritional targeting of voltage-gated sodium channels in the	SDG 3 - Good Health and Well-	
treatment of cancers	being	https://doi.org/10.1016/j.isci.2021.102270 (+1 more)
	-	

Phenotype Algorithms for the Identification and Characterization of Vaccine-Induced	SDG 3 - Good Health and Well-	
Thrombotic Thrombocytopenia in Real World Data	being	https://doi.org/10.1007/s40264-022-01187-y
Phenotypical Screening on Neuronal Plasticity in Hippocampal-Prefrontal Cortex	SDG 3 - Good Health and Well-	
Connectivity Reveals an Antipsychotic with a Novel Profile	being	https://doi.org/10.3390/cells11071181
Phenyl Bis-Sulfonamide Keap1-Nrf2 Protein-Protein Interaction Inhibitors with an	SDG 3 - Good Health and Well-	
Alternative Binding Mode	being	https://doi.org/10.1021/acs.jmedchem.2c00457
Phospholemman Phosphorylation Regulates Vascular Tone, Blood Pressure, and	SDG 3 - Good Health and Well-	
Hypertension in Mice and Humans	being	https://doi.org/10.1161/CIRCULATIONAHA.119.040557
	SDG 3 - Good Health and Well-	
Phospholipase C-zeta levels are not correlated with fertilisation rates in infertile couples	being	https://doi.org/10.1111/and.14269
Photodynamic versus white-light-guided resection of first-diagnosis non-muscle-invasive	SDG 3 - Good Health and Well-	
bladder cancer	being	https://doi.org/10.3310/PLPU1526
	SDG 3 - Good Health and Well-	
Phototherapy for atopic eczema	being	https://doi.org/10.1002/14651858.CD013870.pub2
Physical, cognitive, and mental health impacts of COVID-19 after hospitalisation (PHOSP-	SDG 3 - Good Health and Well-	
COVID)	being	https://doi.org/10.1016/S2213-2600(21)00383-0
	SDG 3 - Good Health and Well-	
Pirin, an Nrf2-regulated protein, is overexpressed in human colorectal tumors	being	https://doi.org/10.3390/antiox11020262
Plaque characteristics and biomarkers predicting regression and progression of carotid	SDG 3 - Good Health and Well-	
atherosclerosis	being	https://doi.org/10.1016/j.xcrm.2022.100676
	SDG 3 - Good Health and Well-	
Plasma desmosine for prediction of outcomes after acute myocardial infarction	being	https://doi.org/10.3389/fcvm.2022.992388
	SDG 3 - Good Health and Well-	
Pleiotropic effects of Syntaxin16 identified by gene editing in cultured adipocytes	being	https://doi.org/10.3389/fcell.2022.1033501
	SDG 3 - Good Health and Well-	
Pneumonia	being	https://doi.org/10.1038/s41572-021-00259-0
Point-of-care faecal calprotectin testing in patients with paediatric inflammatory bowel	SDG 3 - Good Health and Well-	
disease during the COVID-19 pandemic	being	https://doi.org/10.1136/bmjgast-2021-000631
Polymorphism in <i>INSR</i> Locus Modifies Risk of Atrial Fibrillation in Patients on Thyro	d SDG 3 - Good Health and Well-	
Hormone Replacement Therapy	being	https://doi.org/10.3389/fgene.2021.652878
Porcine model elucidates function of p53 isoform in carcinogenesis and reveals novel	SDG 3 - Good Health and Well-	
circTP53 RNA	being	https://doi.org/10.1038/s41388-021-01686-9
Postimplantation syndrome in endovascular aortic aneurysm repair – a systematic	SDG 3 - Good Health and Well-	
review	being	https://doi.org/10.1024/0301-1526/a000913
	SDG 3 - Good Health and Well-	
Postoperative acute kidney injury in adult non-cardiac surgery	being	https://doi.org/10.1038/s41581-021-00418-2
	SDG 3 - Good Health and Well-	
Postradioiodine Graves' management	being	https://doi.org/10.1111/cen.14719

Potential harm to the skin from unfiltered krypton chloride far-ultraviolet-lamps, even	SDG 3 - Good Health and Well-	
below an occupational exposure limit	being	https://doi.org/10.1088/1361-6498/ac9e60
Potential of in vivo stress reporter models to reduce animal use and provide mechanistic	SDG 3 - Good Health and Well-	
insights in toxicity studies	being	https://doi.org/10.12688/f1000research.123077.1
	SDG 3 - Good Health and Well-	
Practical aspects of ultrasound-guided regional anaesthesia	being	https://doi.org/10.1016/j.mpaic.2021.11.008
	SDG 3 - Good Health and Well-	
Practical Recommendations for Optimal Thromboprophylaxis in Patients with COVID-19	being	https://doi.org/10.3390/jcm11205997
Pragmatic reappraisal of long-acting muscarinic antagonists at steps 4 and 5 for persistent	SDG 3 - Good Health and Well-	
adult asthma	being	https://doi.org/10.1016/j.anai.2022.05.017
Preanalytical Pitfalls in Untargeted Plasma Nuclear Magnetic Resonance Metabolomics of	SDG 3 - Good Health and Well-	
Endocrine Hypertension	being	https://doi.org/10.3390/metabo12080679
	SDG 3 - Good Health and Well-	
Precision medicine and adverse drug reactions related to cardiovascular drugs	being	https://doi.org/10.3390/diseases9030055
	SDG 3 - Good Health and Well-	
Precision medicine in bronchiectasis	being	https://doi.org/10.1183/20734735.0119-2021
	SDG 3 - Good Health and Well-	
Preclinical and clinical biomarker studies of CT1812	being	https://doi.org/10.1002/alz.12302
	SDG 3 - Good Health and Well-	
Predicting 1-year mortality among patients with decompensated cirrhosis	being	https://doi.org/10.1136/bmjgast-2021-000822
	SDG 3 - Good Health and Well-	
Predicting 30-day mortality following PEG insertion	being	https://doi.org/10.1016/j.clnesp.2021.01.032
Predicting Hypertension Subtypes with Machine Learning Using Targeted Metabolites and	SDG 3 - Good Health and Well-	
Their Ratios	being	https://doi.org/10.3390/metabo12080755
Predicting the Performance of Concurrent Systematic Random Biopsies during Image	SDG 3 - Good Health and Well-	
Fusion Targeted Sampling of Multi-Parametric MRI Detected Prostate Cancer	being	https://doi.org/10.3390/cancers14010001
Prediction of Depression Symptoms in Individual Subjects with Face and Eye Movement	SDG 3 - Good Health and Well-	
Tracking	being	https://doi.org/10.1017/S0033291720003608
$Prediction\ of\ Major\ Adverse\ Cardiovas cular\ Events\ from\ Retinal,\ Clinical\ and\ Genomic\ Data$	SDG 3 - Good Health and Well-	
in Individuals with Type 2 Diabetes	being	https://doi.org/10.2337/dc21-1124
	SDG 3 - Good Health and Well-	
Prediction of sentinel node status using melanoma e-prognostic tools	being	https://doi.org/10.1111/ced.14543
Predictive performance of a competing risk cardiovascular prediction tool CRISK compared		
to QRISK3 in older people and those with comorbidity	being	https://doi.org/10.1186/s12916-022-02349-6
Predictors of pathological complete response to neoadjuvant treatment and changes to	SDG 3 - Good Health and Well-	
post-neoadjuvant HER2 status in HER2-positive invasive breast cancer	being	https://doi.org/10.1038/s41379-021-00738-5
	SDG 3 - Good Health and Well-	
Prehabilitation services for people diagnosed with cancer in Scotland	being	https://doi.org/10.1016/j.surge.2021.08.005

Preoperative assessment in patients presenting for elective surgery Prescribing patterns and response to antihyperglycemic agents among novel clusters of	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.mpaic.2021.07.005
type 2 diabetes in Asian Indians	being SDG 3 - Good Health and Well-	https://doi.org/10.1089/dia.2021.0277
Prescribing Patterns of Codeine and Alternative Medicines in Children in Europe Presence of optrA-mediated linezolid resistance in multiple lineages and plasmids of	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s40264-022-01214-y
Enterococcus faecalis revealed by long read sequencing Prevalence of repeat faecal immunochemical testing in symptomatic patients attending	being SDG 3 - Good Health and Well-	https://doi.org/10.1099/mic.0.001137
primary care	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/codi.16240
Prevention and early treatment of the long-term physical effects of COVID-19 in adults	being SDG 3 - Good Health and Well-	https://doi.org/10.1186/s13063-022-06632-y
Primary Ciliary Dyskinesia	being SDG 3 - Good Health and Well-	https://doi.org/10.1055/s-0041-1730919
Primary nasopharyngeal tuberculosis Primary small cell carcinoma of the ureter with associated hyponatremia and rapid	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bcr-2022-251927
progression to bladder involvement	being SDG 3 - Good Health and Well-	https://doi.org/10.1186/s12301-022-00291-w
Principles of the anaesthetic machine screening strategies for carbapenemase-producing enterobacteriaceae (CPE) in the United	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.mpaic.2021.09.007
Kingdom usual care in patients with heart failure with preserved ejection fraction and their	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s10198-021-01419-5
caregiver's	being SDG 3 - Good Health and Well-	https://doi.org/10.1186/s40814-020-00747-2
Processes Underlying Glycemic Deterioration in Type 2 Diabetes Profiles of glucose metabolism in different prediabetes phenotypes, classified by fasting	spg 3 - Good Health and Well-	https://doi.org/10.2337/dc20-1567
glycemia, 2-hour OGTT, glycated hemoglobin, and 1-hour OGTT	being SDG 3 - Good Health and Well-	https://doi.org/10.2337/db21-0227
Prolyl-4-hydroxylase 3 maintains β-cell glucose metabolism during fatty acid excess in mice	SDG 3 - Good Health and Well-	https://doi.org/10.1172/jci.insight.140288
Prospective International Multicenter Pelvic Floor Study Prospects for Radiopharmaceuticals as Effective and Safe Therapeutics in Oncology and	being SDG 3 - Good Health and Well-	https://doi.org/10.3390/jcm10020217
Challenges of Tumor Resistance to Radiotherapy	being SDG 3 - Good Health and Well-	https://doi.org/10.1177/1559325821993665
Prostate Cancer Gleason Score From Biopsy to Radical Surgery	spg 3 - Good Health and Well-	https://doi.org/10.3389/fonc.2021.740724
Protein kinase C fusion proteins are paradoxically loss-of-function in cancer	being	https://doi.org/10.1016/j.jbc.2021.100445

Dravider related barriers and enablers to the provision of benetitis C treatment by general	SDC 2 Cood Health and Well	
Provider-related barriers and enablers to the provision of hepatitis C treatment by general practitioners in Scotland	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1111/jvh.13443
Provision of the progestogen-only pill by community pharmacies as bridging contraception	_	https://doi.org/10.1111/JVII.13443
for women receiving emergency contraception	being	https://doi.org/10.3310/hta25270
Psychiatric training during covid-19 pandemic benefits from integrated practice in	SDG 3 - Good Health and Well-	
interprofessional teams and ecological momentary e-assessment	being	https://doi.org/10.1708/3594.35765
,	SDG 3 - Good Health and Well-	
Psychometrics of health-related quality of life questionnaires in bronchiectasis	being	https://doi.org/10.1183/13993003.00025-2021
, , ,	SDG 3 - Good Health and Well-	, ,,
Publisher Correction	being	https://doi.org/10.1038/s41467-021-21276-3
	SDG 3 - Good Health and Well-	, ,,
Quality of life in men and women with heart failure	being	https://doi.org/10.1002/ejhf.2154
	SDG 3 - Good Health and Well-	
Quality standards for managing children and adolescents with bronchiectasis	being	https://doi.org/10.1183/20734735.0144-2022
Quantifying ERK activity in response to inhibition of the BRAFV600E-MEK-ERK cascade	SDG 3 - Good Health and Well-	
using mathematical modelling	being	https://doi.org/10.1038/s41416-021-01565-w
Quantitative measurement of mechanical properties in wound healing processes in a	SDG 3 - Good Health and Well-	
corneal stroma model by using vibrational optical coherence elastography (OCE)	being	https://doi.org/10.1364/BOE.404096 (+1 more)
correlates with PIRADS scoring of MRI and Gleason score on whole-mount histopathology	SDG 3 - Good Health and Well-	
of prostate cancer	being	https://doi.org/10.1186/s13244-021-01039-w
R1441G but not G2019S mutation enhances LRRK2 mediated Rab10 phosphorylation in	SDG 3 - Good Health and Well-	
human peripheral blood neutrophils	being	https://doi.org/10.1007/s00401-021-02325-z
	SDG 3 - Good Health and Well-	
Radiation-induced neuroinflammation	being	https://doi.org/10.1093/noajnl/vdab190
	SDG 3 - Good Health and Well-	
Randomized clinical trial	being	https://doi.org/10.1111/jvh.13701
Randomized trial comparing the spread of erector spinae block with the combination of	SDG 3 - Good Health and Well-	
erector spinae block and retrolaminar block in soft embalmed Thiel cadavers	being	https://doi.org/10.1136/rapm-2021-102887
Randomized trial comparing the spread of retrolaminar block with the combination of	SDG 3 - Good Health and Well-	
erector spinae block and retrolaminar block in soft embalmed Thiel cadavers	being	https://doi.org/10.1136/rapm-2022-103474
Rapid development of interprofessional in situ simulation-based training in response to the		
COVID-19 outbreak in a tertiary-level hospital in Ireland	being	https://doi.org/10.1136/bmjstel-2020-000679
Rare case of multiple and perforating pilomatrixomas in a young girl with lymphovascular	SDG 3 - Good Health and Well-	
malformation reveals a potential new disease association	being	https://doi.org/10.1136/bcr-2021-248076
Rare coding variants in 35 genes associate with circulating lipid levels-A multi-ancestry	SDG 3 - Good Health and Well-	
analysis of 170,000 exomes	being	https://doi.org/10.1016/j.ajhg.2021.11.021
Rationale and design of the genotype-blinded trial of torasemide for the treatment of	SDG 3 - Good Health and Well-	https://dei.org/40.4002/eth/h466
hypertension (BHF UMOD)	being	https://doi.org/10.1093/ajh/hpaa166

Real world challenge for clinicians treating advanced gastroesophageal adenocarcinoma (Review)	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.3892/ijo.2021.5202
Real-life small airway outcomes in severe asthma patients receiving biologic therapies	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.jaip.2021.01.029
Real-time lumen detection for autonomous colonoscopy	being	https://doi.org/10.1007/978-3-031-21083-9_4
Real-time visualisation of peripheral nerve trauma during subepineural injection in pig	SDG 3 - Good Health and Well-	
brachial plexus using micro-ultrasound	being	https://doi.org/10.1016/j.bja.2021.03.036
	SDG 3 - Good Health and Well-	
Real-world effectiveness and safety of ustekinumab for the treatment of Crohn's disease	being	https://doi.org/10.1111/jgh.15390
	SDG 3 - Good Health and Well-	
Recent attitudes toward ADHD in the broader community	being	https://doi.org/10.1177/10870547211003671
	SDG 3 - Good Health and Well-	
Reciprocal interaction between depression and pain	being	https://doi.org/10.1097/j.pain.0000000000002305
	SDG 3 - Good Health and Well-	
Recommendations for standards of monitoring during anaesthesia and recovery 2021	being	https://doi.org/10.1111/anae.15501
	SDG 3 - Good Health and Well-	
Reconstruction of a Large Defect of the Forehead and Eyebrow	being	https://doi.org/10.1097/DSS.0000000000002774
Recovery of kidney function in patients treated with maintenance dialysis a report from	SDG 3 - Good Health and Well-	
the ERA-EDTA Registry	being	https://doi.org/10.1093/ndt/gfaa368
Recruitment strategies for sarcopenia trials â€" lessons from the LACE randomised	SDG 3 - Good Health and Well-	
controlled trial	being	https://doi.org/10.1002/rco2.38
	SDG 3 - Good Health and Well-	
Regional anaesthesia in patients taking anticoagulant drugs	being	https://doi.org/10.1016/j.mpaic.2021.10.011
	SDG 3 - Good Health and Well-	
Regulation of hippocampal synaptic function by the metabolic hormone leptin	being	https://doi.org/10.1016/j.plipres.2021.101098
	SDG 3 - Good Health and Well-	
Regulation of innate immunity by Nrf2	being	https://doi.org/10.1016/j.coi.2022.102247
	SDG 3 - Good Health and Well-	
Relating neurosteroid modulation of inhibitory neurotransmission to behaviour	being	https://doi.org/10.1111/jne.13045
	SDG 3 - Good Health and Well-	
Relationship Between Anti-DFS70 Autoantibodies and Oxidative Stress	being	https://doi.org/10.1177/11772719211066791
Relationship Between Cardiovascular Disease Pathology and Fatal Opioid and Other	SDG 3 - Good Health and Well-	
Sedative Overdose	being	https://doi.org/10.3389/fphar.2021.725034
	SDG 3 - Good Health and Well-	
Relationship between cytokines and symptoms in people with incurable cancer	being	https://doi.org/10.1016/j.critrevonc.2021.103222
	SDG 3 - Good Health and Well-	
Remembrance of things past	being	https://doi.org/10.1111/dme.14973

Remote care for mental health Remote triage incorporating symptom-based risk stratification for suspected head and neck cancer referrals	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Wellbeing	https://doi.org/10.1136/bmjopen-2021-049210 https://doi.org/10.1002/cncr.33800
Heck Calicel Teleffals	SDG 3 - Good Health and Well-	nttps://doi.org/10.1002/thti.55800
Renal Arteries Revisited	being SDG 3 - Good Health and Well-	https://doi.org/10.1148/rg.2021200162
Renin-angiotensin system blockers and susceptibility to COVID-19	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/S2589-7500(20)30289-2
Repeatability of impulse oscillometry in patients with severe asthma	being SDG 3 - Good Health and Well-	https://doi.org/10.1183/13993003.01679-2021
Replication and cross-validation of type 2 diabetes subtypes based on clinical variables	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s00125-021-05490-8
Re-polarisation of macrophages within collective tumour cell migration Research priorities to address the global burden of chronic obstructive pulmonary disease	being SDG 3 - Good Health and Well-	https://doi.org/10.3389/fams.2021.799650
(COPD) in the next decade	being SDG 3 - Good Health and Well-	https://doi.org/10.7189/jogh.11.15003
Research trends in forensic science	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/wfs2.1447
Research trends in forensic science	being	
Reservoir-Excess Pressure Parameters Independently Predict Cardiovascular Events in	SDG 3 - Good Health and Well-	
Individuals With Type 2 Diabetes	being SDG 3 - Good Health and Well-	https://doi.org/10.1161/HYPERTENSIONAHA.121.17001
Resistance to immune checkpoint inhibitors in advanced gastro-oesophageal cancers	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41416-021-01425-7
Respiratory infections and cancer	being SDG 3 - Good Health and Well-	https://doi.org/10.1183/2312508X.10018121
Respiratory Mycoses in COPD and Bronchiectasis Retinal Vascular Measures from Diabetes Retinal Screening Photographs and Risk of	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s11046-021-00539-z
Incident Dementia in Type 2 Diabetes cancer patients undergoing neoadjuvant therapy, with an emphasis on Group 2	being SDG 3 - Good Health and Well-	https://doi.org/10.3389/fdgth.2022.945276
(HER2/CEP17 ratio ≥2.0, HER2 copy number <4.0 signals/cell) cases Risk Factors, Subsequent Disease Onset, and Prognostic Impact of Myocardial Infarction	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41416-021-01351-8
and Atrial Fibrillation Risk of adverse outcomes in patients with underlying respiratory conditions admitted to	being SDG 3 - Good Health and Well-	https://doi.org/10.1161/JAHA.121.024299
hospital with COVID-19	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/S2213-2600(21)00013-8
Risk of anticholinergic burden in adults with intellectual disabilities	being	https://doi.org/10.1111/jir.12861

Risk of depression, suicide and psychosis with hydroxychloroquine treatment for rheumatoid arthritis	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1093/rheumatology/keaa771
Risks of and risk factors for COVID-19 disease in people with diabetes	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/S2213-8587(20)30405-8
Robust Selective Classification of Skin Lesions with Asymmetric Costs	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/978-3-030-87735-4_11
Role of an IUCD in managing patients with post-LLETZ cervical stenosis	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bcr-2021-246118
Role of Hypotaurine in Protection against UVA-Induced Damage in Keratinocytes Roles of allostatic load, lifestyle and clinical risk factors in mediating the association	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/php.13334
between education and coronary heart disease risk in Europe	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/jech-2020-215394
Safety and feasibility of peri-device leakage closure after LAAO	being SDG 3 - Good Health and Well-	https://doi.org/10.4244/EIJ-D-21-00286
Salicylate potentiates the capacity of skeletal muscle cells to act as a glucose sink	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/dme.14810
SARS-CoV-2 infection and venous thromboembolism after surgery	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/anae.15563
SARS-CoV-2 vaccination modelling for safe surgery to save lives	being SDG 3 - Good Health and Well-	https://doi.org/10.1093/bjs/znab101
Scoring the Positive Margin Status in Partial Nephrectomy	being SDG 3 - Good Health and Well-	
Secondary Stroke Prevention in Polish Adults	being SDG 3 - Good Health and Well-	https://doi.org/10.3390/jcm10194472
Seeing Invisible volatile organic compound (VOC) marker of urinary bladder cancer Seek COVER: : using a disease proxy to rapidly develop and validate a personalized risk	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.bios.2022.114764
calculator for COVID-19 outcomes in an international network Semantic segmentation of gonio-photographs via adaptive ROI localisation and uncertaint	being y SDG 3 - Good Health and Well-	https://doi.org/10.1186/s12874-022-01505-z
estimation Serial Circulating Tumor DNA Detection Using a Personalized, Tumor-Informed Assay in	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmjophth-2021-000898
Esophageal Adenocarcinoma Patients Following Resection	being SDG 3 - Good Health and Well-	https://doi.org/10.1053/j.gastro.2021.07.011
Sex-and Age-Specific Genetic Analysis of Chronic Back Pain Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic	being SDG 3 - Good Health and Well-	https://doi.org/10.1097/j.pain.0000000000002100
Disorders	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.biopsych.2021.02.972
Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability	being	https://doi.org/10.1038/s41467-020-19366-9

Sex-Specific Computed Tomography Coronary Plaque Characterization and Risk of	SDG 3 - Good Health and Well-	
Myocardial Infarction	being	https://doi.org/10.1016/j.jcmg.2021.03.004
	SDG 3 - Good Health and Well-	
Sex-Stratified Genome-Wide Association Study of Multisite Chronic Pain in UK Biobank	being	https://doi.org/10.1371/journal.pgen.1009428
	SDG 3 - Good Health and Well-	
SGLT2-inhibitors; more than just glycosuria and diuresis	being	https://doi.org/10.1007/s10741-020-10038-w
Simultaneous white light and laser speckle contrast imaging for in-vivo blood flow imaging	SDG 3 - Good Health and Well-	
during laparoscopic surgery	being	https://doi.org/10.1117/12.2610332
	SDG 3 - Good Health and Well-	,
Social prescribing and behaviour change	being	https://doi.org/10.1080/21642850.2021.2019584
	SDG 3 - Good Health and Well-	
Sodium-glucose cotransporter 2 inhibitors in patients with heart failure	being	https://doi.org/10.7326/M21-4284
Soluble CD40 levels in plasma are associated with cardiovascular disease and in carotid	SDG 3 - Good Health and Well-	Tittps://doi.org/10.7320/W21 4204
plaques with a vulnerable phenotype	being	https://doi.org/10.5853/jos.2021.00178
Soluble CD40 receptor is a biomarker of the burden of carotid artery atherosclerosis in	SDG 3 - Good Health and Well-	https://doi.org/10.3633/jos.2021.00178
subjects at high cardiovascular risk		httms://dai.ara/10.1016/j.ath.arasalarasis.2022.01.002
, and the second se	being	https://doi.org/10.1016/j.atherosclerosis.2022.01.003
Spectral Clustering Based on Structural Magnetic Resonance Imaging and its Relationship	SDG 3 - Good Health and Well-	1 // /40 4444 / 45400
with Major Depressive Disorder and Cognitive Ability	being	https://doi.org/10.1111/ejn.15423
	SDG 3 - Good Health and Well-	
Spinal anaesthesia	being	https://doi.org/10.1016/j.mpaic.2021.11.002
	SDG 3 - Good Health and Well-	
Splicing mutation in TAZ gene leading to exon skipping and Barth syndrome	being	https://doi.org/10.36185/2532-1900-047
	SDG 3 - Good Health and Well-	
SPLUNC1 is a novel marker of disease severity and airway infection in bronchiectasis	being	https://doi.org/10.1183/13993003.01840-2021
	SDG 3 - Good Health and Well-	
Sputum Proteomics in non-Tuberculous Mycobacterial Lung Disease	being	https://doi.org/10.1016/j.chest.2021.11.014
	SDG 3 - Good Health and Well-	
Standardizing nomenclature in regional anesthesia	being	https://doi.org/10.1136/rapm-2020-102451
	SDG 3 - Good Health and Well-	
Standards in semen examination	being	https://doi.org/10.1093/humrep/deac189
	SDG 3 - Good Health and Well-	
Statin treatment and muscle symptoms	being	https://doi.org/10.1136/bmj.n135
Strategies to minimise the current disadvantages experienced by women in faecal	SDG 3 - Good Health and Well-	
immunochemical test-based colorectal cancer screening	being	https://doi.org/10.1515/cclm-2022-0583
	SDG 3 - Good Health and Well-	
Stroke survivors perceptions of their sedentary behaviours three months after stroke	being	https://doi.org/10.1080/09638288.2020.1768304
Structural brain correlates of serum and epigenetic markers of inflammation in major	SDG 3 - Good Health and Well-	11ctp3.// 401.016/ 10.1000/ 03030200.2020.1700304
depressive disorder	being	https://doi.org/10.1016/j.bbi.2020.11.024
uepressive uisuruei	Demig	11(tps.//doi.org/10.1010/j.bbi.2020.11.024

tetranortriterpenoid isolated from <i>Swietenia macrophylla </i> Study protocol Sublingual immunotherapy vs placebo in the management of grass pollen-induced allergic rhinitis in adults Subtotal Cholecystectomy Results in High Peri-operative Morbidity and Its Risk-Profile Should be Emphasised During Consent being SDG 3 - Good Health and Well-being
Sublingual immunotherapy vs placebo in the management of grass pollen-induced allergic rhinitis in adults Subtotal Cholecystectomy Results in High Peri-operative Morbidity and Its Risk-Profile Should be Emphasised During Consent SDG 3 - Good Health and Well-being https://doi.org/10.1111/coa.13651 SDG 3 - Good Health and Well-being https://doi.org/10.1007/s00268-022-06737-0
rhinitis in adults Subtotal Cholecystectomy Results in High Peri-operative Morbidity and Its Risk-Profile Should be Emphasised During Consent being https://doi.org/10.1111/coa.13651 SDG 3 - Good Health and Well- being https://doi.org/10.1007/s00268-022-06737-0
Should be Emphasised During Consent being https://doi.org/10.1007/s00268-022-06737-0
Superior Mesenteric Artery Syndrome Managed with Laparoscopic Duodenojejunostomy being https://doi.org/10.1155/2022/4607440 SDG 3 - Good Health and Well-
Supernumerary tooth in nasopalatine canal being https://doi.org/10.1136/bcr-2021-245103 SDG 3 - Good Health and Well-
Supervised exercise training in patients with lower extremity peripheral artery disease being https://doi.org/10.1024/0301-1526/a001024 transplantation and comprehensive conservative management for patients with kidney SDG 3 - Good Health and Well-
failure in Europe being https://doi.org/10.1016/j.kint.2020.12.010 Suppression of mutant Kirsten-RAS (KRASG12D)-driven pancreatic carcinogenesis by dual- SDG 3 - Good Health and Well-
specificity MAP kinase phosphatases 5 and 6 being https://doi.org/10.1038/s41388-022-02302-0 SDG 3 - Good Health and Well-
Surgical interventions for the early management of Bell's palsy being https://doi.org/10.1002/14651858.CD007468.pub4 Surrogate markers of gut dysfunction are related to heart failure severity and outcome †SDG 3 - Good Health and Well-
from the BIOSTAT-CHF consortium being https://doi.org/10.1016/j.ahj.2022.03.002 Sustained pro-inflammatory effects of hypoglycemia in people with type 2 diabetes and in SDG 3 - Good Health and Well-
people without diabetes being https://doi.org/10.2337/db22-0246 SDG 3 - Good Health and Well-
SWAT 76 evaluation being https://doi.org/10.12688/f1000research.50890.1 Synaptic proteomics reveal distinct molecular signatures of cognitive change and repeat SDG 3 - Good Health and Well-
expansion in the human ALS cortex being https://doi.org/10.1186/s40478-022-01455-z Synthesis and Anti-Inflammatory Activity of 2-Amino-4,5,6,7- SDG 3 - Good Health and Well-
tetrahydrobenzo[<i>b</i> Synthesis of (4-chlorophenyl) substituted pyrano[2,3-c]pyrazoles enabling PKBî²/AKT2 SDG 3 - Good Health and Well-
inhibitory and in vitro anti-glioma activity Syrbactin-class dual constitutive- and immuno-proteasome inhibitor TIR-199 impedes Syrbactin-class dual constitutive- and immuno-proteasome inhibitor TIR-199 impedes
myeloma-mediated bone degeneration in vivo being https://doi.org/10.1042/BSR20212721
Systematic review and <i>meta</i> - analysis of prophylaxis use with intravenous contrast exposure to prevent contrast-induced nephropathy being https://doi.org/10.1016/j.ejrad.2022.110368

Systematic Review and Meta-Analysis of Statin Use and Mortality, Intensive Care Unit	SDG 3 - Good Health and Well-	
Admission and Requirement for Mechanical Ventilation in COVID-19 Patients	being	https://doi.org/10.3390/jcm11185454
	SDG 3 - Good Health and Well-	
System-level policies on appropriate opioid use, a multi-stakeholder consensus	being	https://doi.org/10.1186/s12913-022-07696-x
	SDG 3 - Good Health and Well-	
Target 2035-update on the quest for a probe for every protein	being	https://doi.org/10.1039/d1md00228g
	SDG 3 - Good Health and Well-	
Targeted metabolomics as a tool in discriminating endocrine from primary hypertension	being	https://doi.org/10.1210/clinem/dgaa954
	SDG 3 - Good Health and Well-	
Targeted screening in the UK	being	https://doi.org/10.1016/j.lanepe.2022.100353
	SDG 3 - Good Health and Well-	
Targeting downstream type 2 cytokines or upstream epithelial alarmins for severe asthma	being	https://doi.org/10.1016/j.jaip.2022.01.040
Targeting Tau Mitigates Mitochondrial Fragmentation and Oxidative Stress in Amyotrophic	SDG 3 - Good Health and Well-	
Lateral Sclerosis	being	https://doi.org/10.1007/s12035-021-02557-w
	SDG 3 - Good Health and Well-	
Tayside Screening For Cardiac Events (TASCFORCE) study	being	https://doi.org/10.1136/bmjopen-2022-063594
	SDG 3 - Good Health and Well-	
Techniques of epidural block	being	https://doi.org/10.1016/j.mpaic.2021.10.007
Telomere length is independently associated with all-cause mortality in chronic heart	SDG 3 - Good Health and Well-	
failure	being	https://doi.org/10.1136/heartjnl-2020-318654
	SDG 3 - Good Health and Well-	
Tension orbit secondary to a carious primary molarâ€"A case report	being	https://doi.org/10.1002/ccr3.3942
	SDG 3 - Good Health and Well-	
Test immunochimique quantitatif de recherche de sang fecal occulte	being	
	SDG 3 - Good Health and Well-	
Test of cure and beyond	being	https://doi.org/10.1007/s00404-022-06409-3
Texture Features of Proton Density Fat Fraction Maps from Chemical Shift Encoding-Based	SDG 3 - Good Health and Well-	
MRI Predict Paraspinal Muscle Strength	being	https://doi.org/10.3390/diagnostics11020239
	SDG 3 - Good Health and Well-	
The 12-Item Hypoglycemia Impact Profile (HIP12)	being	https://doi.org/10.1136/bmjdrc-2022-002890
,, ,	SDG 3 - Good Health and Well-	, ,,
The ABCs of the Atypical Fam20 Secretory Pathway Kinases	being	https://doi.org/10.1016/j.jbc.2021.100267
The Achieving Self-directed Integrated Cancer Aftercare Intervention for Detection of	SDG 3 - Good Health and Well-	, , , , , , , , , , , , , , , , , , , ,
Recurrent and Second Primary Melanoma in Survivors of Melanoma	being	https://doi.org/10.2196/37539
,	SDG 3 - Good Health and Well-	
The Allergic Rhinitis and Its Impact on Asthma (ARIA) Approach of Value-Added Medicines	being	https://doi.org/10.1016/j.jaip.2022.07.020
The association of age at menarche and adult height with mammographic density in the	SDG 3 - Good Health and Well-	, 0, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
International Consortium of Mammographic Density	being	https://doi.org/10.1186/s13058-022-01545-9
	U	

The association of living donor source with patient and graft survival among kidney transplant recipients in the ERA-EDTA Registry – a retrospective study The association of polypharmacy and high-risk drug classes with adverse health outcomes in the Scottish population with type 1 diabetes	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Wellbeing	https://doi.org/10.1111/tri.13759 https://doi.org/10.1007/s00125-021-05394-7
The burden of cutaneous disease in solid organ transplant recipients of color The Cell-Permeable Derivative of the Immunoregulatory Metabolite Itaconate, 4-Octyl	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1111/ajt.16210
Itaconate, Is Anti-Fibrotic in Systemic Sclerosis The choice of biologics in patients with severe chronic rhinosinusitis with nasal polyps	being SDG 3 - Good Health and Wellbeing	https://doi.org/10.3390/cells10082053 https://doi.org/10.1016/j.jaip.2021.07.023
The contribution of X-linked coding variation to severe developmental disorders	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1016/j.jaip.2021.07.023
The COVID - Curated and Open aNalysis aNd rEsearCh plaTform (CO-CONNECT)	SDG 3 - Good Health and Wellbeing	https://doi.org/https://doi.org/10.23889/ijpds.v7i3.1792
THE COVID ROLLERCOASTER	SDG 3 - Good Health and Wellbeing	https://doi.org/10.20933/100001247
The differences in the prevalence of cardiovascular disease, its risk factors, and achievement of therapeutic goals among urban and rural primary care patients in Poland	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.3390/jcm10235656
The effect of checklists on the surgical performance during laparoscopic cholecystectomy	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.hsr.2022.100015
The effect of statins on muscle symptoms in primary care The Effect of the Variability in Fecal Immunochemical Test Sample Collection Technique on		https://doi.org/10.3310/hta25160
Clinical Performance The effects of commonly consumed dietary fibres on the gut microbiome and its fibre	being SDG 3 - Good Health and Well-	https://doi.org/10.1158/1055-9965.EPI-20-0984
fermentative capacity in adults with inflammatory bowel disease in remission The ERA-EDTA Registry Annual Report 2018: a summary	being SDG 3 - Good Health and Wellbeing	https://doi.org/10.3390/nu14051053 https://doi.org/10.1093/ckj/sfaa271
The feasibility of home monitoring of young people with cystic fibrosis	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1016/j.jcf.2021.09.018
human epidermal growth factor receptor 2 immunohistochemistry-equivocal invasive breast cancer	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1111/his.14728
The genetic association of the transcription factor NPAT with glycemic response to metformin involves regulation of fuel selection	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1371/journal.pone.0253533
The Genetics of Adverse Drug Outcomes in Type 2 Diabetes	being SDG 3 - Good Health and Well-	https://doi.org/10.3389/fgene.2021.675053
The Genomic Landscape of Actinic Keratosis	being	https://doi.org/10.1016/j.jid.2020.12.024

The genomics of heart failure	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1002/ehf2.13517
The Global Reading Room: Drainage of a Pelvic Lymphocele	being SDG 3 - Good Health and Well-	https://doi.org/10.2214/AJR.22.27670
The Great Stent Graft Escape	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.ejvs.2021.09.025
The immediate and maintained effects of neurosteroids on GABA _A receptors	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.coemr.2022.100333
The immunomodulatory effects of macrolide antibiotics in respiratory disease	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.pupt.2021.102095
The impact of birthweight on subsequent phenotype of type 2 diabetes in later life The impact of compliance during exclusive enteral nutrition on faecal calprotectin in	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/dme.14792
children with Crohn disease	being SDG 3 - Good Health and Well-	https://doi.org/10.1097/mpg.000000000003425
The impact of COVID-19 on surgical training	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s10151-020-02404-5
The impact of COVID-19 on systemic anticancer treatment delivery in Scotland	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41416-021-01262-8
The impact of hypoglycaemia on quality of life among adults with type 1 diabetes	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.jdiacomp.2022.108232
The Impact of Low-dose Gliclazide on the Incretin Effect and Indices of Beta-cell Function	being SDG 3 - Good Health and Well-	https://doi.org/10.1210/clinem/dgab151
The impact of the COVID-19 pandemic on surgical management of breast cancer	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/onco.13560
The impact of therapeutics on mortality in hospitalised patients with COVID-19 The impact of vaccination on incidence and outcomes of SARS-CoV-2 infection in patients	being SDG 3 - Good Health and Well-	https://doi.org/10.1183/16000617.0171-2021
with kidney failure in Scotland	being SDG 3 - Good Health and Well-	https://doi.org/10.1681/ASN.2022010046
The inexorable increase of biologic exposure in paediatric inflammatory bowel disease	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/apt.17217
The influence of patient size on the overall uncertainty in radiographic dose audit	being SDG 3 - Good Health and Well-	https://doi.org/10.1088/1361-6498/abfff6
The interferon-inducible protein viperin plays a role in beta cell survival The isoquinoline PRL-295 increases the thermostability of Keap1 and disrupts its	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/dme.4_14555
interaction with Nrf2	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.isci.2021.103703
The isothiocyanate sulforaphane inhibits mTOR in an NRF2-independent manner	being	https://doi.org/10.1016/j.phymed.2019.153062

Pulmonary Disease	being	https://doi.org/10.1016/j.jaci.2020.02.040
The Sputum Microbiome, Airway Inflammation and Mortality in Chronic Obstructive	SDG 3 - Good Health and Well-	11. 11. 11. 11. 11. 11. 11. 11. 11. 11.
The sputum microbiome and clinical outcomes in patients with bronchiectasis	being	https://doi.org/10.1016/S2213-2600(20)30557-9
The Role of Interleukin-33 in Organ Fibrosis	being SDG 3 - Good Health and Well-	https://doi.org/10.1093/discim/kyac006
	SDG 3 - Good Health and Well-	// /40.4000 / !! /! 05.5
The role of genetics in fetal programming of adult cardiometabolic disease	being	https://doi.org/10.1017/S2040174421000350
	SDG 3 - Good Health and Well-	
The relationship between forward head posture, postural control and gait	being	https://doi.org/10.1016/j.gaitpost.2022.10.008
The Relationship between AKI and CKD in Patients with Type 2 Diabetes	being SDG 3 - Good Health and Well-	https://doi.org/10.1681/ASN.2020030323
·	SDG 3 - Good Health and Well-	
The quest for biomarkers in asthma	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1183/13993003.02669-2021
The protective effect of SARS-CoV-2 antibodies in Scottish healthcare workers	being	https://doi.org/10.1183/23120541.00080-2021
	SDG 3 - Good Health and Well-	
Cardiovascular Disease Events and Mortality	being	https://doi.org/10.3390/antiox11081541
The Prognostic Value of Derivatives-Reactive Oxygen Metabolites (d-ROMs) for	SDG 3 - Good Health and Well-	
breast cancer	being	https://doi.org/10.1016/j.ejso.2020.10.035
The prognostic impact of mode of detection of axillary metastases for women with invasive	· ·	
review and meta-analysis	being	https://doi.org/10.1016/j.kint.2021.03.041
The power of genetic diversity in genome-wide association studies of lipids The prevalence of pain among patients with chronic kidney disease using systematic	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41586-021-04064-3
The newer of genetic diversity in geneme wide association studies of limits	SDG 3 - Good Health and Well-	https://doi.org/10.1039/c41E96.031.04064.3
Cardiovascular Events in Patients with Atherosclerosis	being	https://doi.org/10.1111/joim.13253
The Novel Collagen Matrikine, Endotrophin, is Associated with Mortality and	SDG 3 - Good Health and Well-	
The Neuronal Actions of Leptin and the Implications for Treating Alzheimer's Disease	being	https://doi.org/10.3390/ph14010052
	SDG 3 - Good Health and Well-	
The Needle and the Damage Done	being	https://doi.org/10.1016/j.avsg.2021.06.018
	SDG 3 - Good Health and Well-	
murine model of Alzheimer's disease	being	https://doi.org/10.1111/acel.13717
The MK2 cascade mediates transient alteration in mGluR-LTD and spatial learning in a	SDG 3 - Good Health and Well-	1111p3.// doi.01g/ 10.1010/ j.tem.2022.02.002
The membrane receptor CD44	being	https://doi.org/10.1016/j.tem.2022.02.002
The long-term sequelae of COVID-19	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/S2213-2600(21)00286-1
TI. 1	SDG 3 - Good Health and Well-	

The stress-responsive kinase DYRK2 activates heat shock factor 1 promoting resistance to proteotoxic stress	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41418-020-00686-8
The structure of CatSper is revealed	being	https://doi.org/10.1093/humrep/deab204
The suitability of patient-reported outcome measures used to assess the impact of hypoglycaemia on quality of life in people with diabetes	SDG 3 - Good Health and Wellbeing	https://doi.org/10.1007/s00125-021-05382-x
The synthetic triterpenoids CDDO-TFEA and CDDO-Me, but not CDDO, promote nuclear exclusion of BACH1 impairing its activity	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.redox.2022.102291
The trans-ancestral genomic architecture of glycemic traits	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41588-021-00852-9
The Transapical Off†dump Mitral Valve Repair with the NeoChord Implantation (TOPMINI) being SDG 3 - Good Health and Well-	https://doi.org/10.1002/9781119763741.CH16
The transparent minds The use of faecal haemoglobin in deciding which patients presenting to primary care require further investigation (and how quickly) - the FIT approach The value of prognostic ultrasound features of breast cancer in different molecular	being SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1080/17453054.2021.2008230
subtypes with a focus on triple negative disease The value of spot urinary creatinine as a marker of muscle wasting in patients with new-	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s12282-021-01311-3
onset or worsening heart failure	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/jcsm.12690
Therapeutic Targeting of the Respiratory Microbiome Therapy-related leukaemias with balanced translocations can arise from pre-existing clona	being I SDG 3 - Good Health and Well-	https://doi.org/10.1164/rccm.202112-2704PP
haematopoiesis Thermal Ablation of High-Grade Premalignant Disease of the Cervix-Standing the Test of	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41375-021-01150-3
Time	being SDG 3 - Good Health and Well-	https://doi.org/10.1097/LGT.00000000000000638
Thirty-day outcomes of children and adolescents with COVID-19	being SDG 3 - Good Health and Well-	https://doi.org/10.1542/peds.2020-042929
Thrombocytosis and abnormal liver enzymes	being SDG 3 - Good Health and Well-	https://doi.org/10.1371/journal.pone.0267124
Thrombocytosis during Stable State Predicts Mortality in Bronchiectasis	being SDG 3 - Good Health and Well-	https://doi.org/10.1513/AnnalsATS.202002-094OC
Thromboembolic Disease in Patients With Cancer and COVID-19	being SDG 3 - Good Health and Well-	https://doi.org/10.21873/anticanres.15815
Thromboprophylaxis use in paediatric inflammatory bowel disease Through a glass, darkly? HepaRG and HepG2 cells as models of human phase I drug	being SDG 3 - Good Health and Well-	https://doi.org/10.1093/ecco-jcc/jjac073
metabolism	being	https://doi.org/10.1080/03602532.2022.2039688

Tibial shaft fractures - to monitor or not?	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.injury.2021.06.010
Time to refresh thinking on the terminology and management of hypothyroidism?	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/cen.14485
Timing of surgery following SARS-CoV-2 infection Tiotropium/Olodaterol Delays Clinically Important Deterioration Compared with	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/anae.15458
Tiotropium Monotherapy in Patients with Early COPD TNF-inhibitors or bisphosphonates in chronic nonbacterial osteomyelitis? - Results of an	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s12325-020-01528-2
international retrospective multicenter study	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.clim.2022.109018
Tocilizumab in patients admitted to hospital with COVID-19 (RECOVERY)	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/S0140-6736(21)00676-0
Tocilizumab therapy for severely-ill COVID-19 pneumonia patients	being SDG 3 - Good Health and Well-	https://doi.org/10.26402/jpp.2022.4.08
Tonic dopamine, uncertainty and basal ganglia action selection	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.neuroscience.2021.05.010
Topical treatment of actinic keratoses in organ transplant recipients Topological data analysis reveals genotype-phenotype relationships in primary ciliary	being SDG 3 - Good Health and Well-	https://doi.org/10.1111/bjd.20974
dyskinesia	being SDG 3 - Good Health and Well-	https://doi.org/10.1183/13993003.02359-2020
Total knee replacement in a transtibial amputee	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bcr-2022-252080
Total neoadjuvant chemotherapy	being SDG 3 - Good Health and Well-	https://doi.org/10.1308/rcsann.2021.0235
Towards the elimination of chronic obstructive pulmonary disease TRAF6 Phosphorylation Prevents Its Autophagic Degradation and Re-Shapes LPS-Triggered	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/S0140-6736(22)01273-9
Signaling Networks	being SDG 3 - Good Health and Well-	https://doi.org/10.3390/cancers13143618
Tramadol, captagon and khat use in the Eastern Mediterranean Region Transcatheter closure of atrial septal defect and patent foramen ovale with Carag	being SDG 3 - Good Health and Well-	https://doi.org/10.1192/bji.2021.53
bioresorbable septal occluder Transformation of identity in substance use as a pathway to recovery and the potential of	being SDG 3 - Good Health and Well-	https://doi.org/10.4244/EIJ-D-21-00740
treatment for hepatitis C Transition to quantitative faecal immunochemical testing from guaiac faecal occult blood	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmjopen-2021-049713
testing in a fully rolled-out population-based national bowel screening programme	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/gutjnl-2019-320297
Translational genetics	being	https://doi.org/10.1111/bjd.19618

Trauma Immediately Preceding REM-Behavior Disorder	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.3389/fneur.2021.710584
Traumatic needle damage to nerves during regional anesthesia	being	https://doi.org/10.1136/rapm-2022-103583
Treat to target versus standard of care for patients with Crohn's disease treated with ustekinumab (STARDUST) Treatment with Methylphenidate for Attention Deficit Hyperactivity Disorder (ADHD) and	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1016/S2468-1253(21)00474-X
the Risk of All-Cause Poisoning in Children and Adolescents	being SDG 3 - Good Health and Well-	https://doi.org/10.1007/s40263-021-00824-x
TREEHOOSE	being	https://doi.org/https://doi.org/10.5281/zenodo.7085504
Trends in Mortality Due to Myocardial Infarction, Stroke, and Pulmonary Embolism in	SDG 3 - Good Health and Well-	
Patients Receiving Dialysis	being	https://doi.org/10.1001/jamanetworkopen.2022.7624
TrendyGenes, a computational pipeline for the detection of literature trends in academia	SDG 3 - Good Health and Well-	
and drug discovery	being	https://doi.org/10.1038/s41598-021-94897-9
Tricuspid annular disjunction can be isolated and even arrhythmogenic. A cardiac magnetic resonance study		https://doi.org/10.22551/2022.35.0902.10202
resonance study	being SDG 3 - Good Health and Well-	11(tps.//doi.org/10.22551/2022.55.0902.10202
Trifluridine/Tipiracil in Metastatic Colorectal Cancer	being	https://doi.org/10.1016/j.clcc.2021.09.009
TRV130 partial agonism and capacity to induce antinociceptive tolerance revealed through	9	11ttp3.// uo1.01g/ 10.1010/ j.cicc.2021.03.003
reducing available µ opioid receptor number	being	https://doi.org/10.1111/bph.15409
Twelve tips for using Pattern Matching in data analysis for qualitative medical education	SDG 3 - Good Health and Well-	
research	being	https://doi.org/10.1080/0142159X.2021.1937587
	SDG 3 - Good Health and Well-	
Type 2 Diabetes, Metabolic traits and Risk of Heart Failure	being	https://doi.org/10.2337/dc20-2518
Ua-zero as a uranyl acetate replacement when diagnosing primary ciliary dyskinesia by	SDG 3 - Good Health and Well-	
transmission electron microscopy	being	https://doi.org/10.3390/diagnostics11061063
Ubiquitin receptors play redundant roles in the proteasomal degradation of the p53	SDG 3 - Good Health and Well-	
repressor MDM2	being	https://doi.org/10.1002/1873-3468.14436
	SDG 3 - Good Health and Well-	
Understanding the burden of interstitial lung disease post-COVID-19	being	https://doi.org/10.1136/bmjresp-2021-001049
	SDG 3 - Good Health and Well-	// /
Understanding the host in the management of pneumonia	being	https://doi.org/10.1513/AnnalsATS.202102-209ST
Haravalina COVID 10	SDG 3 - Good Health and Well-	https://doi.org/10.2147/CLEP.S323292
Unraveling COVID-19	being SDG 3 - Good Health and Well-	nttps://doi.org/10.214//CLEP.S323292
Unusual finding of two filamentous fungi in a contact lens-related keratitis	being	https://doi.org/10.1136/bcr-2020-239085
Update June 2022: management of hospitalised adults with coronavirus disease-19 (COVID	_	1111p3.// doi.oig/10.1130/bci-2020-233003
19)	being	https://doi.org/10.1183/13993003.00803-2022
,	0	

Updated results from the international phase III ALTTO trial (BIG 2-06/Alliance N063D)	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.ejca.2021.01.053
Upper limb nerve blocks	being	https://doi.org/10.1016/j.mpaic.2021.11.009
Uptake of interferon-free DAA therapy among HCV-infected decompensated cirrhosis patients and evidence for decreased mortality	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1111/jvh.13543
Use of a high-volume prescription database to explore health inequalities in England	being	https://doi.org/10.1007/s10389-021-01691-y
Use of barbed suture without fashioning the "classical" Wirsung-jejunostomy in a modified	SDG 3 - Good Health and Well-	
end-to-side robotic pancreatojejunostomy	being	https://doi.org/10.1007/s00464-020-07991-w
	SDG 3 - Good Health and Well-	
Use of repurposed and adjuvant drugs in hospital patients with covid-19	being	https://doi.org/10.1136/bmj.n1038
Use of the oral beta blocker bisoprolol to reduce the rate of exacerbation in people with	SDG 3 - Good Health and Well-	
chronic obstructive pulmonary disease (COPD)	being	https://doi.org/10.1186/s13063-022-06226-8
Utilizing Large Electronic Medical Record Data Sets to Identify Novel Drug–Gene	SDG 3 - Good Health and Well-	
Interactions for Commonly Used Drugs	being	https://doi.org/10.1002/cpt.2352
Validation of the Bronchiectasis Impact Measure (BIM) - a novel patient reported outcome	SDG 3 - Good Health and Well-	
measure	being	https://doi.org/10.1183/13993003.03156-2020
Symptoms and Signs (S-LANSS) in adults with chronic pain and predominantly low-literacy	SDG 3 - Good Health and Well-	
levels	being	https://doi.org/10.1016/j.jpain.2021.09.004
Validation of the OAKS prognostic model for acute kidney injury after gastrointestinal	SDG 3 - Good Health and Well-	
surgery	being	https://doi.org/10.1093/bjsopen/zrab150
Validation of the Soft Embalmed Thiel Cadaver as a High Fidelity Simulator of Pressure	SDG 3 - Good Health and Well-	
during Targeted Nerve Injection	being	https://doi.org/10.1136/rapm-2020-102132
Valutazione critica e meta-analisi delle stime di variabilit\tilde{A} biologica degli analiti relativi alle		
patologie renali	being	https://doi.org/10.19186/BC_2021.005
	SDG 3 - Good Health and Well-	
Variants associated with HHIP expression have sexdifferential effects on lung function	being	https://doi.org/10.12688/WELLCOMEOPENRES.15846.2
	SDG 3 - Good Health and Well-	
Vascular effects of serelaxin in patients with stable coronary artery disease	being	https://doi.org/10.1093/cvr/cvz345
	SDG 3 - Good Health and Well-	
Vascular risk assessment and management	being	https://doi.org/10.1024/0301-1526/a001026
	SDG 3 - Good Health and Well-	
Venous thromboembolism in children with inflammatory bowel disease	being	https://doi.org/10.1093/ecco-jcc/jjab221
Viral genome wide association study identifies novel hepatitis C virus polymorphisms	SDG 3 - Good Health and Well-	
associated with sofosbuvir treatment failure	being	https://doi.org/10.1038/s41467-021-25649-6
And the state of Control Title control Change in the subtract of Control Title control Title control Title control Change in the subtract of Control Title c	SDG 3 - Good Health and Well-	1 11 140.40041:
Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders	being	https://doi.org/10.1001/jamapsychiatry.2020.2694

Visit-to-visit glycated hemoglobin A1c variability in adults with type 2 diabetes	SDG 3 - Good Health and Wellbeing SDG 3 - Good Health and Well-	https://doi.org/10.1097/CM9.0000000000002073
Volar plating	being	https://doi.org/10.1007/s00590-021-03133-7
What is the health and well-being burden for parents living with a child with ADHD in the United Kingdom?	SDG 3 - Good Health and Well- being SDG 3 - Good Health and Well-	https://doi.org/10.1177/1087054720925899
'Where is the ECG machine?'	being SDG 3 - Good Health and Well-	https://doi.org/10.1136/bmjoq-2021-001569
WHO 2021 and 2030 reference values for semen assessment	being SDG 3 - Good Health and Well-	https://doi.org/10.1016/j.rbmo.2022.03.027
Whole blood methylome-derived features to discriminate endocrine hypertension	being	https://doi.org/10.1186/s13148-022-01347-y
Whole blood transcriptomic profiling identifies molecular pathways related to	SDG 3 - Good Health and Well-	
cardiovascular mortality in heart failure	being SDG 3 - Good Health and Well-	https://doi.org/10.1002/ejhf.2540
Whole genome sequence analysis of blood lipid levels in >66,000 individuals	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41467-022-33510-7
Whole-genome sequencing reveals host factors underlying critical COVID-19 Within- and between-subject biological variation data for tumor markers based on the	being SDG 3 - Good Health and Well-	https://doi.org/10.1038/s41586-022-04576-6
European Biological Variation Study	being SDG 3 - Good Health and Well-	https://doi.org/10.1515/cclm-2021-0283
World Oral and Maxillofacial Trauma (WORMAT) project	being	https://doi.org/10.1016/j.jormas.2022.05.004
Xanthomatous hypophysitis causing hypogonadotropic hypogonadism resulting in delayed	SDG 3 - Good Health and Well-	
presentation of slipped capital femoral epiphysis	being	https://doi.org/10.1080/02688697.2018.1525482
Yield of colorectal cancer at colonoscopy according to faecal haemoglobin concentration in	n SDG 3 - Good Health and Well-	
symptomatic patients referred from primary care	being	https://doi.org/10.1111/codi.15405
Young onset diabetes in Asian Indians is associated with lower measured and genetically	SDG 3 - Good Health and Well-	
determined beta-cell function	being	https://doi.org/10.1007/s00125-022-05671-z
	being // SDG 10 - Reduced	
Fundamental rights to health care and charging overseas visitors for NHS Treatment	Inequalities SDG 3 - Good Health and Well-	https://doi.org/10.4324/9780429297021-20
AMEE Consensus Statement	being // SDG 13 - Climate Action	https://doi.org/10.1080/0142159X.2020.1860207
A qualitative study exploring how students conceptualisations of lifelong learning develop		
in an undergraduate medical training programme	SDG 4 - Quality Education	https://doi.org/10.1080/25783858.2022.2133624
"Exploring the impact of digital professionalism awareness training on dental		
undergraduate students"	SDG 4 - Quality Education	https://doi.org/10.1111/eje.12601
A Learning Based Microultrasound System for the Detection of Inflammation of the Gastrointestinal Tract	SDG 4 - Quality Education	https://doi.org/10.1109/TMI.2020.3021560

A Multi-Centre Service Evaluation of Presentation of Newly Diagnosed IDDM in Children in the U.K. during the COVID-19 Pandemic A review of UK undergraduate surgical curricula and teaching methods with an analysis of	SDG 4 - Quality Education	
the university of Dundee (2011–2021)	SDG 4 - Quality Education	https://doi.org/10.1016/j.hsr.2022.100048
A sensitive data access model in support of learning health systems	SDG 4 - Quality Education	https://doi.org/10.3390/computers10030025
A Systematic Review of Methods used to Conduct Decentralised Clinical Trials	SDG 4 - Quality Education	https://doi.org/10.1111/bcp.15205
An innovative General Practice based Pharmacy Longitudinal Clerkship An international inventory of antimicrobial stewardship (AMS) training programmes for	SDG 4 - Quality Education	https://doi.org/10.1080/14739879.2021.1996275
AMS teams	SDG 4 - Quality Education	https://doi.org/10.1093/jac/dkab053
Are you a mentor? A qualitative study	SDG 4 - Quality Education	https://doi.org/10.14738/assrj.83.9931
Attitudes, Influences and Perceptions towards Plastic Surgery amongst Medical Students	SDG 4 - Quality Education	https://doi.org/10.1016/j.jpra.2021.04.009
Augmented Terminal Feedback Influences Cognitive Ability of Surgical Trainees	SDG 4 - Quality Education	https://doi.org/10.36266/IJSCP/126
British Thoracic Society survey of the career intentions of respiratory medicine specialty trainees in the UK	SDG 4 - Quality Education	https://doi.org/10.1136/bmjresp-2022-001219
By accident or design?An exploration of the career pathways, experiences and identities of academic GPs using composite narratives	SDG 4 - Quality Education	https://doi.org/10.1080/14739879.2021.1894991
Cancer Treatment Helpline	SDG 4 - Quality Education	https://doi.org/10.1136/bmjoq-2021-001488
Challenges to interprofessional education	SDG 4 - Quality Education	https://doi.org/10.2147/AMEP.S273033
Change is never easy: How management theories can help operationalise change in medical education	SDG 4 - Quality Education	https://doi.org/10.1111/medu.14297
Consensus statement on the content of clinical reasoning curricula in undergraduate medical education	SDG 4 - Quality Education	https://doi.org/10.1080/0142159X.2020.1842343
Cost-utility and sensitivity analysis of an online education platform and diabetes personal health record: Analysis over ten years	SDG 4 - Quality Education	
Critical reflections on academic leadership during Covid-19	SDG 4 - Quality Education	https://doi.org/10.14297/jpaap.v9i2.478
Cross-sectional exploration of the impact of the Dr Bawa-Garba case on doctors professional behaviours and attitudes towards the regulator	SDG 4 - Quality Education	https://doi.org/10.1136/bmjopen-2020-045395
Cultural diversity and inclusion in UK medical schools	SDG 4 - Quality Education	https://doi.org/10.1111/tct.13472

Current Antimicrobial Stewardship Practice and Education in Russian Hospitals	SDG 4 - Quality Education	https://doi.org/10.3390/antibiotics10080892
Decision-making in dermatologic surgery	SDG 4 - Quality Education	https://doi.org/10.1111/ajd.13723
Defining performance levels in undergraduate otolaryngology education Developing an integrated national simulation-based educational programme for Scottish	SDG 4 - Quality Education	https://doi.org/10.1017/S0022215121003893
junior doctors through structured, multi-step action research cycles	SDG 4 - Quality Education	https://doi.org/10.1136/bmjopen-2021-059229
Differences in progression by surgical specialty	SDG 4 - Quality Education	https://doi.org/10.1136/bmjopen-2021-053391
Do medical schools care? Rethinking compassion within medical training	SDG 4 - Quality Education	https://doi.org/10.1136/bmj.o2693
Effect of e-learning on health sciences education	SDG 4 - Quality Education	https://doi.org/10.1080/23752696.2021.1883459
Enhancing communication between foundation doctors and radiologists	SDG 4 - Quality Education	https://doi.org/10.1136/postgradmedj-2020-139094
Enhancing the student experience through sustainable Communities of Practice Evaluation of an online social learning environment in type 1 diabetes self-management	SDG 4 - Quality Education	https://doi.org/10.29060/TAPS.2022-7-1/SC2508
education Evaluation of Textbook Outcome as a Composite Quality Measure of Elective Laparoscopic Cholecystectomy	SDG 4 - Quality Education	
	SDG 4 - Quality Education	https://doi.org/10.1001/jamanetworkopen.2022.32171
Examining the educational gap for children with ADHD and subthreshold ADHD	SDG 4 - Quality Education	https://doi.org/10.1177/1087054720972790
Factors Associated with Attrition and Performance Throughout Surgical Training Factors associated with declaration of disability in medical students and junior doctors, and	SDG 4 - Quality Education	https://doi.org/10.1007/s00268-020-05844-0
the association of declared disability with academic performance	SDG 4 - Quality Education	https://doi.org/10.1136/bmjopen-2021-059179
General practice-based undergraduate pharmacy longitudinal clerkship	SDG 4 - Quality Education	https://doi.org/10.1007/s11096-022-01429-0
Global Assessment of Urological Endoscopic Skills (GAUES)	SDG 4 - Quality Education	https://doi.org/10.1111/bju.15255
How to embed quality improvement into medical training	SDG 4 - Quality Education	https://doi.org/10.1136/bmj-2020-055084
Importance of faculty role modelling for teaching professionalism to medical students Improving documentation of prescriptions for as-required medications in hospital	SDG 4 - Quality Education	https://doi.org/10.1016/j.jtumed.2021.06.009
inpatients	SDG 4 - Quality Education	https://doi.org/10.1136/bmjoq-2020-001277

Improving patient understanding on discharge from the short stay unit Improving the quality of weekend medical handover on non-receiving medical hospital	SDG 4 - Quality Education	https://doi.org/10.1136/bmjoq-2021-001810
wards	SDG 4 - Quality Education	https://doi.org/10.1136/bmjoq-2020-000991
Influence of personality traits and learning styles on undergraduate medical students academic achievement Insights into post-longitudinal integrated clerkship experience	SDG 4 - Quality Education SDG 4 - Quality Education	https://doi.org/10.2147/AMEP.S314644 https://doi.org/10.1080/14739879.2020.1865204
Integrating a mobile-learning platform for enhancing clinical teaching	SDG 4 - Quality Education	https://doi.org/10.26803/ijlter.21.11.6
Is it time to reconsider our understanding of lifelong learning in medical training	SDG 4 - Quality Education	https://doi.org/10.20933/30000100
Learning from remote decentralised clinical trial experiences	SDG 4 - Quality Education	https://doi.org/10.1111/bcp.15003
Learning health systems	SDG 4 - Quality Education	https://doi.org/10.1109/CBMS52027.2021.00038
Lets talk about sex(ual) wellbeing! Staff perceptions of implementing a novel service for people with Multiple Sclerosis	SDG 4 - Quality Education	https://doi.org/10.1177/20552173211072285
Letter on Sharing trial results directly with trial participants and other stakeholders after the SARS-CoV-2 pandemic hit the UK	SDG 4 - Quality Education	https://doi.org/10.1186/s13063-021-05340-3
Massive open online course for type 2 diabetes self-management	SDG 4 - Quality Education	https://doi.org/10.1136/bmjinnov-2020-000526
Measuring differential attainment	SDG 4 - Quality Education	https://doi.org/10.1136/bmjopen-2020-046056
Medical students' experiences of a longitudinal integrated clerkship	SDG 4 - Quality Education	https://doi.org/10.1080/14739879.2021.1939796
Mentorship/portfolio program in early medical years, is it the perfect twinning?	SDG 4 - Quality Education	https://doi.org/10.14738/assrj.81.9554
Patterns of Skills Acquisition in Anesthesiologists During Simulated Interscalene Block Training on a Soft Embalmed Thiel Cadaver	SDG 4 - Quality Education	https://doi.org/10.2196/32840
Personal Characteristics Associated with Progression in Trauma and Orthopaedic Specialty Training	/ SDG 4 - Quality Education	https://doi.org/10.1016/j.jsurg.2021.06.027
Postoperative outcomes in oesophagectomy with trainee involvement	SDG 4 - Quality Education	https://doi.org/10.1093/bjsopen/zrab132
Prevalence and Perceptions of Illicit Substance Use Amongst Medical Students	SDG 4 - Quality Education	https://doi.org/10.15694/mep.2021.000163.1

Project Management	SDG 4 - Quality Education	https://doi.org/10.1016/B978-0-12-821750-4.00015-3
Promoting smoking cessation during pregnancy Analysis of Stakeholder Input to the EU Valproate Assessment Using the Novel Analysing	SDG 4 - Quality Education	https://doi.org/10.1016/j.pec.2021.12.019
Stakeholder Safety Engagement Tool (ASSET)	SDG 4 - Quality Education	https://doi.org/10.1007/s40264-020-01005-3
Public Health Education in Medical Schools	SDG 4 - Quality Education	https://doi.org/10.5750/jmer.v1i1.1926
Social media and young people	SDG 4 - Quality Education	
Sustainability of innovations in health professions education	SDG 4 - Quality Education	https://doi.org/10.1002/9781119852858.ch12
Teachers working in special education in Scotland Teaching bioelectricity and neurophysiology to medical students using LabAXON	SDG 4 - Quality Education	https://doi.org/10.1163/27730840-05301004
simulations The assessment of interprofessional practice in mental health nursing with ethnographic	SDG 4 - Quality Education	https://doi.org/10.1152/advan.00054.2021
observation and social network analysis	SDG 4 - Quality Education	https://doi.org/10.1708/3814.37989
The educational value of an audience response system use in an Iraqi medical school	SDG 4 - Quality Education	https://doi.org/10.1186/s12909-022-03381-z
The impact of EAES Fellowship Programme The perceptions of healthcare professionals about accreditation and its impact on quality	SDG 4 - Quality Education	https://doi.org/10.1007/s00464-021-08525-8
of healthcare in Kuwait	SDG 4 - Quality Education	https://doi.org/10.1111/jep.13557
Training clinicians to become leaders of complex change	SDG 4 - Quality Education	https://doi.org/10.1111/pan.14518
UEMS Training Requirements for Angiology/Vascular Medicine Understanding the Impact of Generation Gap on Teaching and Learning in Medical	SDG 4 - Quality Education	https://doi.org/10.23736/S0392-9590.22.04893-3
Education	SDG 4 - Quality Education	https://doi.org/10.2147/AMEP.S370304
Using audio-diaries for research and education	SDG 4 - Quality Education	https://doi.org/10.1080/0142159X.2021.1972954
Virtual orthopaedic teaching during COVID-19 And Still She Rises: Policies for Improving Women's Health for a More Equitable Post-	SDG 4 - Quality Education	https://doi.org/10.1308/rcsbull.2021.12
Pandemic World Co-designed weight management intervention for women recovering from oestrogen-	SDG 5 Gender Equality	https://doi.org/10.3390/ijerph191610104
receptor positive breast cancer	SDG 5 Gender Equality	https://doi.org/10.1186/s12885-022-10287-y

Ion channels, sperm and male infertility	SDG 5 Gender Equality	
Male infertility	SDG 5 Gender Equality	https://doi.org/10.1530/RAF-22-0033
Opting into breast screening over the age of 70 years	SDG 5 Gender Equality	https://doi.org/10.1016/j.crad.2022.01.057
Pain and discomfort in mammography	SDG 5 Gender Equality	https://doi.org/10.1007/978-3-031-10898-3_16
Reproductive axis ageing and fertility in men	SDG 5 Gender Equality	https://doi.org/10.1007/s11154-022-09759-0
Severe maternal morbidity in Scotland Thats bang out of order, mate! Gendered and racialized micro-practices of disadvantage	SDG 5 Gender Equality	https://doi.org/10.1111/anae.15798
and privilege in UK business schools The experiences and perceptions of female breast cancer patients regarding weight	SDG 5 Gender Equality	https://doi.org/10.1111/gwao.12920
management during and after treatment for oestrogen-receptor positive disease	SDG 5 Gender Equality	https://doi.org/10.1186/s12885-022-10238-7
Intimate partner violence (IPV) in male and female orthopaedic trauma patients	SDG 5 - Gender Equality	https://doi.org/10.1136/bmjopen-2020-046164
A novel approach to increasing community capacity for weight management a volunteer- delivered programme (ActWELL) initiated within breast screening clinics	SDG 5 - Gender Equality	https://doi.org/10.1186/s12966-021-01099-7
Distinct pathophysiological pathways in women and men with heart failure Doctor Brides': A narrative review of the barriers and enablers to women practising	SDG 5 -Gender Equality	https://doi.org/10.1002/ejhf.2534
medicine in Pakistan.	SDG 5 -Gender Equality	https://doi.org/10.47391/JPMA.119
Fertility preservation provision in the NHS	SDG 5 -Gender Equality	https://doi.org/10.1080/14647273.2022.2045519
Gender Matters	SDG 5 -Gender Equality	https://doi.org/10.3389/fmed.2022.884452
Just breathe: a review of sex and gender in chronic lung disease	SDG 5 -Gender Equality	https://doi.org/10.1183/16000617.0111-2021
Protocol for developing a core outcome set for male infertility research Research Funding for Male Reproductive Health and Infertility in the UK and USA [2016 â€'	SDG 5 -Gender Equality	https://doi.org/10.1093/hropen/hoac014
2019]	SDG 5 -Gender Equality	https://doi.org/10.1080/14647273.2022.2045521
What advances may the future bring to the diagnosis, treatment, and care of male sexual and reproductive health?	SDG 5 -Gender Equality	https://doi.org/10.1016/j.fertnstert.2021.12.013
A qualitative study of experiences of NHS mental healthcare workers during the Covid-19 pandemic	SDG 8 -Decent Work and Economic Growth	https://doi.org/10.1186/s12888-021-03261-8

Interventions for the well-being of healthcare workers during a pandemic or other crisis Supporting doctors' wellbeing and resilience during COVID-19 The long shadow of socioeconomic deprivation over the modern management of acute myeloid leukemia – time to unravel the challenges To develop evidence-based interventions to support doctors' wellbeing and promote resilience during COVID-19 (and beyond)	SDG 8 -Decent Work and Economic Growth SDG 8 -Decent Work and Economic	https://doi.org/10.1136/bmjopen-2020-047498 c https://doi.org/10.1111/aphw.12300 c https://doi.org/10.1038/s41408-021-00533-0
Work-related stress	Growth	https://doi.org/10.1136/bmjopen-2021-051326
3D laparoscopic surgery as an alternative approach for the surgical management of	ada O la a a cationa O lofosato catoro	https://dei.org/40.4007/-00220.024.04022.2
abdominopelvic melanoma metastases	sdg 9 Innovation & Infrastructure	https://doi.org/10.1007/s00238-021-01823-3
A compact control unit for a pneumatic soft colonoscope A first step towards best practice recommendations for the design and statistical analyses	SDG 9 Innovation & Infrastructure	
of pragmatic clinical trials	SDG 9 Innovation & Infrastructure	https://doi.org/10.1111/bcp.15441
A Hybrid Architecture (CO-CONNECT) to Facilitate Rapid Discovery and Access to Data Across the United Kingdom in Response to the COVID-19 Pandemic	SDG 9 Innovation & Infrastructure	https://doi.org/10.2196/40035
A Low-Cost Hybrid Compact Control Hardware for a Soft Colonoscope	SDG 9 Innovation & Infrastructure	
A Novel Automatic 3D Stitching Algorithm for Optical Coherence Tomography Angiography and Its Application in Dermatology A novel matrix-array-based MR-conditional ultrasound system for local hyperthermia of		https://doi.org/10.1002/jbio.202100152
small animals		https://doi.org/10.1109/TBME.2021.3104865
A retrospective cohort study to evaluate the relationship of airway hyperresponsiveness to type 2 biomarkers in persistent asthma A retrospective review of MRI features associated with metastasis-free survival in women		https://doi.org/10.29328/journal.aaai.1001023
with breast cancer	SDG 9 Innovation & Infrastructure	https://doi.org/10.1259/bjr.20210472
A Review of Machine Learning Methods for Retinal Blood Vessel Segmentation and Artery/Vein Classification	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.media.2020.101905
A systematic review on artificial intelligence in robot-assisted surgery	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.ijsu.2021.106151
A versatile multiplexed assay to quantify intracellular ROS and cell viability in 3D on-a-chip models	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.redox.2022.102488
An Aortic Band		https://doi.org/10.1016/j.ejvs.2020.10.013
An architecture for building cohorts of images from real-world clinical data from the whole Scottish population supporting research and AI development		https://doi.org/10.23889/ijpds.v7i3.1916

An overview of the National COVID-19 Chest Imaging Database Analysis of the use of a mobile simulation unit using the principles of a managed educational network	SDG 9 Innovation & Infrastructure	https://doi.org/10.1093/gigascience/giab076
	SDG 9 Innovation & Infrastructure	https://doi.org/10.22605/RRH5670
Applying the Approximating Clamp during Breast Microsurgery	SDG 9 Innovation & Infrastructure	https://doi.org/10.1097/GOX.0000000000003947
Array tomography	SDG 9 Innovation & Infrastructure	https://doi.org/10.1042/NS20220013
Artificial Intelligence	SDG 9 Innovation & Infrastructure	https://doi.org/10.1007/978-3-030-87779-8_6
Augmenting laboratory COVID serology data granularity for SARS-CoV-2 reporting	SDG 9 Innovation & Infrastructure	https://doi.org/10.23889/ijpds.v7i3.1887
Body-Mounted Robotic System for MRI-Guided Shoulder Arthrography	SDG 9 Innovation & Infrastructure	https://doi.org/10.3389/frobt.2021.667121
Breaking down the silos of artificial intelligence in surgery	SDG 9 Innovation & Infrastructure	https://doi.org/10.1007/s00464-022-09371-y
Breast Ultrasound Cardiology cathlab-based management of thrombotic carotid stenoses in acute ischaemic	SDG 9 Innovation & Infrastructure	https://doi.org/10.1007/978-3-030-94918-1_6
stroke Stroke En Route to a Full Interventional Stroke Service - Tools, Techniques, Local Stroke-	SDG 9 Innovation & Infrastructure	https://doi.org/10.1093/eurheartj/ehab724.2031
Unit Collaboration	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.jacc.2021.09.926
Colorectal cancer screening with fecal immunochemical testing or primary colonoscopy Common pitfalls and recommendations for using machine learning to detect and	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.eclinm.2022.101398
prognosticate for COVID-19 using chest radiographs and CT scans Comparison of SARS-CoV-2 serological assays for use in epidemiological surveillance in	SDG 9 Innovation & Infrastructure	https://doi.org/10.1038/s42256-021-00307-0
Scotland	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.jcvp.2021.100028
Computer based virtual laboratory simulations Computer Modeling Indicates Dramatically Less DNA Damage from Far-UVC Krypton	SDG 9 Innovation & Infrastructure	https://doi.org/10.1152/ADVAN.00094.2021
Chloride Lamps (222 nm) than from Sunlight Exposure Contrast-enhanced digital breast tomosythesis and breast MRI to monitor response to	SDG 9 Innovation & Infrastructure	https://doi.org/10.1111/php.13477
neoadjuvant chemotherapy Cost-effectiveness of pharmacy-led versus conventionally delivered antiviral treatment for		https://doi.org/10.1259/bjr.20210779
hepatitis C in patients receiving opioid substitution therapy		https://doi.org/10.1016/j.jinf.2022.09.021
CSLAM System Consensus Estimation in Dynamic Communication Networks	SDG 9 Innovation & Infrastructure	https://doi.org/10.2316/J.2022.206-0255

Depth Penetration of Light into Skin as a Function of Wavelength from 200 to 1000 nm Desiderata for the development of next-generation electronic health record phenotype libraries	SDG 9 Innovation & Infrastructure	https://doi.org/10.1111/php.13550
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1093/gigascience/giab059
Design and testing of the safety of the SARUS-CPR hood for novice resuscitators Development and Validation of Prediction Models of Adverse Kidney Outcomes in the	SDG 9 Innovation & Infrastructure	https://doi.org/10.1177/00369330221112186
Population With and Without Diabetes Development of a predictive Monte Carlo radiative transfer model for ablative fractional	SDG 9 Innovation & Infrastructure	https://doi.org/10.2337/dc22-0698
skin lasers Development of Surgical Error Reduction System (SERS) for Laparoscopic Appendectomy	SDG 9 Innovation & Infrastructure	https://doi.org/10.1002/lsm.23335
by using Observational Human Reliability Analysis (OCHRA) model and to analyse its impact on patient outcomes		https://doi.org/10.29337/ijsp.181
Diagnostic Accuracy Outcomes of Office-Based (Outpatient) Biopsies in patients with Laryngopharyngeal Lesions		https://doi.org/10.1111/coa.13897
	3DG 9 IIIIOVation & IIII astructure	https://doi.org/10.1111/coa.1569/
Direct mechanical thrombectomy without intravenous thrombolysis versus bridging therapy for acute ischemic stroke	SDG 9 Innovation & Infrastructure	https://doi.org/10.1177/17474930211021353
DPF-SLAM: Dense semantic SLAM based on dynamic probability fusion in dynamic environments	SDG 9 Innovation & Infrastructure	https://doi.org/10.1109/RCAR54675.2022.9872255
Effect of wheelchair configurations on shoulder movements, push rim kinetics and upper limb kinematics while negotiating a speed bump		https://doi.org/10.1080/00140139.2021.2008018
Endorobotics	SDG 9 Innovation & Infrastructure	, , , , , , , , , , , , , , , , , , ,
Endorobots for Colonoscopy Ensemble deep learning for the prediction of proficiency at a virtual simulator for robot-	SDG 9 Innovation & Infrastructure	https://doi.org/10.3389/frobt.2021.705454
assisted surgery Evaluating different methods of MR-based motion correction in simultaneous PET/MR	SDG 9 Innovation & Infrastructure	https://doi.org/10.1007/s00464-021-08999-6
using a head phantom moved by a robotic system Evidence-Based Introduction of Large-Scale Medical Technology Into Healthcare Through	SDG 9 Innovation & Infrastructure	https://doi.org/10.1186/s40658-022-00442-6
Test of Chance and Proof of Concept	SDG 9 Innovation & Infrastructure	https://doi.org/10.1097/JCE.00000000000000466
Fast optical sampling by electronic repetition-rate tuning using a single mode-locked laser diode	SDG 9 Innovation & Infrastructure	https://doi.org/10.1364/OE.413045
Feedback of Antibiotic Prescribing in Primary Care (FAPPC) trial	SDG 9 Innovation & Infrastructure	https://doi.org/10.1093/jac/dkac317

Front Matter	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/B978-0-12-821750-4.09989-8
Future Trends: Endorobots GRAIMatter: Guidelines and Resources for AI Model Access from TrusTEd Research environments (GRAIMatter).	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/B978-0-12-821750-4.00016-5
	SDG 9 Innovation & Infrastructure	https://doi.org/https://doi.org/10.23889/ijpds.v7i3.2005
Hand-impedance measurements with robots during laparoscopy training	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.robot.2022.104130
High Throughput Phenotypic Screening of The Human Spermatozoon	SDG 9 Innovation & Infrastructure	https://doi.org/10.1530/REP-21-0372
How a thrombectomy service can reduce hospital deficit	SDG 9 Innovation & Infrastructure	https://doi.org/10.1186/s12962-022-00395-8
Humidification devices	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.mpaic.2021.06.016
Hydro-jet propelled colonoscopy Image-Guided High-Intensity Focused Ultrasound, A Novel Application for Interventional Nuclear Medicine?	SDG 9 Innovation & Infrastructure	https://doi.org/10.1007/s00464-020-08089-z
	SDG 9 Innovation & Infrastructure	https://doi.org/10.2967/jnumed.120.256230
Imaging Systems for GI Endoscopy, and Graphs in Biomedical Image Analysis	SDG 9 Innovation & Infrastructure	https://doi.org/10.1007/978-3-031-21083-9
Impact of mobile stroke units Integrated GWAS and Gene Expression Suggest ORM1 as a Potential Regulator of Plasma Levels of Cell-Free DNA and Thrombosis Risk Light intensity distribution in images from rigid endoscopes used in minimal access sinus surgery	SDG 9 Innovation & Infrastructure	https://doi.org/10.1136/jnnp-2020-324005
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1055/s-0041-1742169
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1002/lio2.703
Machine learning for classification of hypertension subtypes using multi-omics Machine learning risk prediction of mortality for patients undergoing surgery with perioperative SARS-CoV-2 Marketing Authorization Applications Made to the European Medicines Agency in 2018- 2019 Mechanical thrombectomy with retrievable stents and aspiration catheters for acute ischaemic stroke	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.ebiom.2022.104276
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1093/bjs/znab183
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1002/cpt.2461
	SDG 9 Innovation & Infrastructure	https://doi.org/10.4244/EIJ-D-21-00343
Medical images, social media and consent	SDG 9 Innovation & Infrastructure	https://doi.org/10.1038/s41575-021-00453-1
Megahertz scan rates enabled by optical sampling by repetition-rate tuning	SDG 9 Innovation & Infrastructure	https://doi.org/10.1038/s41598-021-02502-w

Modelling Dispersion Compensation in a Cascaded-Fiber-Feedback Optical Parametric Oscillator Modelling two-laser asynchronous optical sampling using a single 2-section semiconductor mode-locked laser diode MR-guided focused ultrasound application for moving target tumor ablation in abdominal area	r	https://doi.org/10.3390/opt2020010 https://doi.org/10.1364/OE.445173
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1177/0284185120914059
MRI-guided lumbar spinal injections with body-mounted robotic system	SDG 9 Innovation & Infrastructure	https://doi.org/10.1080/13645706.2020.1799017
Non-invasive brain stimulation in Stroke patients (NIBS) compression in patients with castration-resistant prostate cancer and spinal metastases in the UK (PROMPTS)		https://doi.org/10.1080/09602011.2020.1767161
		https://doi.org/10.1016/S1470-2045(22)00092-4
Optimising Sonodynamic Therapy for Treating Malignant Glioma OSBERT: Towards megahertz scan rates using optical sampling by electronic repetition-rate tuning Patient-Reported Outcomes in Middle Ear and Active Transcutaneous Bone Conduction Hearing Implants	SDG 9 Innovation & Infrastructure	
		https://doi.org/10.1364/cleo_at.2021.jtu3a.150
	SDG 9 Innovation & Infrastructure	https://doi.org/10.5152/iao.2021.21077
Photodiagnostic Services in the UK and Republic of Ireland (Lifetech) in Patients With Stroke, Transient Ischemic Attack, or Other Thromboembolic Events	SDG 9 Innovation & Infrastructure	https://doi.org/10.1111/jdv.17632
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.carrev.2020.09.031
Practical setting and potential applications of interventions guided by PET/MRI Precise Control and Experimental Evaluation of a Novel Endoscopic Suturing Device for Large Perforations	SDG 9 Innovation & Infrastructure	https://doi.org/10.23736/S1824-4785.20.03293-8
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1007/s40846-021-00619-x
Precision Medicine Based on CFTR Genotype for People with Cystic Fibrosis Prediction of clinically significant cancer using radiomics features of pre-biopsy of multiparametric MRi in men suspected of prostate cancer	SDG 9 Innovation & Infrastructure	https://doi.org/10.2147/PGPM.S245603
	SDG 9 Innovation & Infrastructure	https://doi.org/10.3390/cancers13246199
Quantifying lesion enhancement on contrast-enhanced mammography	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.crad.2021.12.010
Real time remote symptom monitoring during chemotherapy for cancer	SDG 9 Innovation & Infrastructure	https://doi.org/10.1136/bmj.n1647
Real-time 3D tracking of laparoscopy training instruments for assessment and feedback	SDG 9 Innovation & Infrastructure	https://doi.org/10.3389/frobt.2021.751741
Real-world data using mHealth apps in rhinitis, rhinosinusitis and their multimorbidities	SDG 9 Innovation & Infrastructure	https://doi.org/10.1002/clt2.12208

Recommendations for anatomical structures to identify on ultrasound for the performance of intermediate and advanced blocks in ultrasound-guided regional anesthesia Remotely delivered cognitive behavioural and personalised exercise interventions for		https://doi.org/10.1136/rapm-2022-103738
fatigue severity and impact in inflammatory rheumatic diseases (LIFT)	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/S2665-9913(22)00156-4
Robot-Assisted Image-Guided Interventions	SDG 9 Innovation & Infrastructure	https://doi.org/10.3389/frobt.2021.664622
Single-dose intraoperative radiotherapy during lumpectomy for breast cancer SLASOPS: Proposing a New Method of Delivering Two-Laser Asynchronous Optical Sampling Using a Single Laser	SDG 9 Innovation & Infrastructure	https://doi.org/10.1038/s41416-020-01233-5
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1364/cleo_at.2021.jtu3a.149
Soft hybrid intrinsically motile robot for wireless small bowel enteroscopy	SDG 9 Innovation & Infrastructure	https://doi.org/10.1007/s00464-021-09007-7
Stereotactic Radiofrequency Ablation for Treatment-Refractory Depression Teledermatology to reduce face-to-face appointments in general practice during the COVID-19 pandemic	SDG 9 Innovation & Infrastructure	https://doi.org/10.3390/brainsci12101379
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1136/bmjoq-2021-001789
The Arclight vs. traditional ophthalmoscope The effect of an ultrasound-activated needle tip tracker needle on the performance of sciatic nerve block on a soft embalmed Thiel cadaver	SDG 9 Innovation & Infrastructure	https://doi.org/10.1038/s41433-020-0972-3
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1111/anae.15211
The effectiveness of remote consultations during the COVID-19 pandemic The Registry Data Warehouse in the European Reference Network for Rare Respiratory Diseases - Background, Conception and Implementation The satisfaction of the users with the islamic design quality in instant hospitals for non- critical covid-19 patients in malaysia The Use of a Formative Pedagogy Lens to Enhance and Maintain Virtual Supervisory Relationships	SDG 9 Innovation & Infrastructure	https://doi.org/10.7759/cureus.32301
	SDG 9 Innovation & Infrastructure	https://doi.org/10.3233/SHTI210049
	SDG 9 Innovation & Infrastructure	https://doi.org/10.32350/JITC.111.19
	SDG 9 Innovation & Infrastructure	https://doi.org/10.2196/26251
The use of artificial intelligence and robotics in regional anaesthesia The Value of In Vivo Reflectance Confocal Microscopy as an Assessment Tool in Chemotherapy-Induced Peripheral Neuropathy Towards nationally curated data archives for clinical radiology image analysis at scale: Learnings from national data collection in response to a pandemic	SDG 9 Innovation & Infrastructure	https://doi.org/10.1111/anae.15274
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1093/oncolo/oyac106
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1177/20552076211048654
Transcatheter closure of large atrial septal defects in adults Turn up the lights, leave them on, and shine them all around - numerical simulations point the way to more efficient use of Far-UVC lights for the inactivation of airborne coronavirus	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.carrev.2022.03.016
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1111/php.13523

UK Biobank retinal imaging grading Ultrasound mediated delivery of quantum dots from a proof of concept capsule endoscop to the gastrointestinal wall		https://doi.org/10.1038/s41433-022-02298-7
		https://doi.org/10.1038/s41598-021-82240-1
Use of Fractional Exhaled Nitric Oxide to Guide the Treatment of Asthma User-Centered Design of A Novel Risk Prediction Behavior Change Tool Augmented With an Artificial Intelligence Engine (MyDiabetesIQ)		https://doi.org/10.1164/rccm.202109-2093ST
	SDG 9 Innovation & Infrastructure	https://doi.org/10.2196/29973
Using machine learning approaches for multi-omics data analysis What can We Learn From High-Performing Screening Programs to Increase Bowel Cancer	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.biotechadv.2021.107739
Screening Participation in Australia?	SDG 9 Innovation & Infrastructure	https://doi.org/10.1177/10732748221121383
What have we learned from GWAS for atopic dermatitis? What Matters to Us: impact of telemedicine during the pandemic in the care of patients with sarcoma across Scotland	SDG 9 Innovation & Infrastructure	https://doi.org/10.1016/j.jid.2020.05.100
	SDG 9 Innovation & Infrastructure	https://doi.org/10.1200/GO.20.00599